



Banner  
University Health Plans  
Banner – University Care Advantage

# 2020 COMPREHENSIVE FORMULARY (LIST OF COVERED DRUGS)

COCHISE | GILA | GRAHAM | GREENLEE | LA PAZ  
PIMA | PINAL | MARICOPA | YUMA | SANTA CRUZ



## HMO SPECIAL NEEDS PLAN

### PLEASE READ:

THIS DOCUMENT CONTAINS INFORMATION ABOUT THE DRUGS WE COVER IN THIS PLAN  
Formulary ID 0020003 Version 21. This formulary was updated on 12/01/2020.

For more recent information or other questions, please contact Banner – University Care Advantage at (877) 874-3930 or, for TTY users, 711, 8 a.m. to 8 p.m., 7 days a week, or visit [www.BannerUCA.com](http://www.BannerUCA.com).

# **Banner – University Care Advantage 2020 Comprehensive Formulary**

## **(List of Covered Drugs)**

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION  
ABOUT THE DRUGS WE COVER IN THIS PLAN**

0020003, Version Number 21

This formulary was updated on 12/01/2020. For more recent information or other questions, please contact Banner – University Care Advantage at (877) 874-3930 or, for TTY users, 711, 8 a. m. to 8 p. m. , 7 days a week, or visit [www.BannerUCA.com](http://www.BannerUCA.com).

**Note to existing members:** This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us,” or “our,” it means Banner – University Care Advantage. When it refers to “plan” or “our plan,” it means Banner – University Care Advantage (HMO SNP).

This document includes a list of the drugs (formulary) for our plan which is current as of December 1, 2020. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2021, and from time to time during the year.

Banner – University Care Advantage (HMO SNP) complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex.

ATENCIÓN: Si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al (877) 874-3930 (TTY: 711).

# **What is the Banner — University Care Advantage Formulary?**

A formulary is a list of covered drugs selected by Banner — University Care Advantage in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Banner — University Care Advantage will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Banner — University Care Advantage network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

## **Can the Formulary (drug list) change?**

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow Medicare rules in making these changes.

**Changes that can affect you this year:** In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
  - › If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Banner — University Care Advantage’s Formulary?”
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to market to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost-sharing tier. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 31-day supply of the drug.
  - › If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Banner — University Care Advantage Formulary?”

**Changes that will not affect you if you are currently taking the drug.** Generally, if you are taking a drug on our 2020 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2020 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year.

The enclosed formulary is current as of December 1, 2020. To get updated information about the drugs covered by Banner — University Care Advantage, please contact us. Our contact information appears on the front and back cover pages. In the event of mid-year non-maintenance formulary changes, we will notify our members via a Formulary Change Notice sent by mail.

## How do I use the Formulary?

There are two ways to find your drug within the formulary:

### **Medical Condition**

The formulary begins on page 3. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, "Cardiovascular Medications." If you know what your drug is used for, look for the category name in the list that begins on page 1. Then look under the category name for your drug.

### **Alphabetical Listing**

If you are not sure what category to look under, you should look for your drug in the index that begins on page 1. The index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the index. Look in the index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the index and find the name of your drug in the first column of the list.

## What are generic drugs?

Banner — University Care Advantage covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

## Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Banner — University Care Advantage requires you [or your physician] to get prior authorization for certain drugs. This means that you will need to get approval from Banner — University Care Advantage before you fill your prescriptions. If you don't get approval, Banner — University Care Advantage may not cover the drug.
- **Quantity Limits:** For certain drugs, Banner — University Care Advantage limits the amount of the drug that our plan will cover. For example, Banner — University Care Advantage provides 90 capsules in 30 days for Lyrica. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, Banner — University Care Advantage requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Banner — University Care Advantage may not cover Drug B unless you try Drug A first. If Drug A does not work for you, Banner — University Care Advantage will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page FDL Intro-6. You can also get more information about the restrictions applied to specific covered drugs by visiting our web site. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Banner — University Care Advantage to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, “How do I request an exception to the Banner — University Care Advantage formulary?” on page FDL Intro-4 for information about how to request an exception.

## **What if my drug is not on the Formulary?**

If your drug is not included in this formulary (list of covered drugs), you should first contact our Customer Care Center and ask if your drug is covered.

If you learn that Banner — University Care Advantage does not cover your drug, you have two options:

- You can ask our Customer Care Center for a list of similar drugs that are covered by Banner — University Care Advantage. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by Banner — University Care Advantage.
- You can ask Banner — University Care Advantage to make an exception and cover your drug. See below for information about how to request an exception.

## **How do I request an exception to the Banner — University Care Advantage’s Formulary?**

You can ask Banner — University Care Advantage to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, Banner — University Care Advantage limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Banner — University Care Advantage will only approve your request for an exception if the alternative drugs included on the plan’s formulary or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary or utilization restriction exception. **When you request a formulary or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber’s supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

## **What do I do before I can talk to my doctor about changing my drugs or requesting an exception?**

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 31-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 31-day supply of medication. After your first 31-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

You may have to fill new prescriptions for the drugs you were taking if you have a level of care change such as:

- Members who are discharged from a hospital to home
- Members who end their skilled nursing facility Medicare Part A stay (where payments include all pharmacy charges) and who need to revert to their Part D plan formulary
- Members who give up hospice status to revert to standard Medicare Part A and B benefits
- Members who end a long-term care facility stay and return to the community
- Members who are discharged from psychiatric hospitals with drug regimens that are highly individualized

We will provide up to a 31-day transition supply of medication to avoid a gap in therapy.

## **For more information**

For more detailed information about your Banner — University Care Advantage prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Banner — University Care Advantage, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

## **Banner — University Care Advantage Formulary**

The formulary below provides coverage information about the drugs covered by Banner — University Care Advantage. If you have trouble finding your drug in the list, turn to the index that begins on page Index-1.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e. g. , JANUVIA) and generic drugs are listed in lower-case italics (e. g. , *metformin*).

The information in the Requirements/Limits column tells you if Banner — University Care Advantage has any special requirements for coverage of your drug.

## Table of Contents

Analgesics .....	3
Anesthetics .....	7
Anti-Addiction/Substance Abuse Treatment Agents .....	8
Antianxiety Agents .....	9
Antibacterials .....	10
Anticancer Agents .....	17
Anticholinergic Agents .....	31
Anticonvulsants .....	31
Antidementia Agents .....	36
Antidepressants .....	36
Antidiabetic Agents .....	39
Antifungals .....	44
Antigout Agents .....	46
Antihistamines .....	46
Anti-Infectives (Skin And Mucous Membrane) .....	47
Antimigraine Agents .....	47
Antimycobacterials .....	48
Antinausea Agents .....	49
Antiparasite Agents .....	51
Antiparkinsonian Agents .....	52
Antipsychotic Agents .....	54
Antivirals (Systemic) .....	58
Blood Products/Modifiers/Volume Expanders .....	65
Caloric Agents .....	69
Cardiovascular Agents .....	73
Central Nervous System Agents .....	83
Contraceptives .....	88
Dental And Oral Agents .....	95
Dermatological Agents .....	96
Devices .....	100
Enzyme Replacement/Modifiers .....	100
Eye, Ear, Nose, Throat Agents .....	102
Gastrointestinal Agents .....	107
Genitourinary Agents .....	110
Heavy Metal Antagonists .....	111
Hormonal Agents, Stimulant/Replacement/Modifying .....	112

Immunological Agents.....	119
Inflammatory Bowel Disease Agents.....	130
Irrigating Solutions.....	130
Metabolic Bone Disease Agents.....	131
Miscellaneous Therapeutic Agents.....	132
Ophthalmic Agents.....	135
Replacement Preparations.....	136
Respiratory Tract Agents.....	138
Skeletal Muscle Relaxants.....	143
Sleep Disorder Agents.....	144
Vasodilating Agents.....	144
Vitamins And Minerals.....	145

Drug Name	Drug Tier	Requirements/Limits
<b>Analgesics</b>		
<b>Analgesics, Miscellaneous</b>		
acetaminophen-codeine oral solution 120-12 mg/5 ml	1	QL (4500 per 30 days)
acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg	1	QL (360 per 30 days)
acetaminophen-codeine oral tablet 300-60 mg	1	QL (180 per 30 days)
buprenorphine hcl injection solution (Buprenex) 0.3 mg/ml	1	
buprenorphine hcl injection syringe 0.3 mg/ml	1	
butalbital-acetaminophen-caff oral tablet 50-325-40 mg (Esgic)	1	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
butalbital-aspirin-caffeine oral capsule 50-325-40 mg (Fiorinal)	1	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
butalbital-aspirin-caffeine oral tablet 50-325-40 mg	1	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
codeine sulfate oral tablet 15 mg, 30 mg, 60 mg	1	QL (180 per 30 days)
endocet oral tablet 10-325 mg	1	QL (180 per 30 days)
endocet oral tablet 2.5-325 mg, 5- 325 mg	1	QL (360 per 30 days)
endocet oral tablet 7.5-325 mg	1	QL (240 per 30 days)
fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg (Actiq)	1	PA; QL (120 per 30 days)
fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr (Duragesic)	1	QL (10 per 30 days)
hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml	1	QL (2700 per 30 days)
hydrocodone-acetaminophen oral tablet 10-325 mg (Lorcet HD)	1	QL (180 per 30 days)
hydrocodone-acetaminophen oral tablet 2.5-325 mg	1	QL (240 per 30 days)
hydrocodone-acetaminophen oral tablet 5-325 mg (Norco)	1	QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
hydrocodone-acetaminophen oral tablet 7.5-325 mg (Norco)	1	QL (180 per 30 days)
hydrocodone-ibuprofen oral tablet 7.5-200 mg	1	QL (150 per 30 days)
hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml	1	
hydromorphone oral liquid 1 mg/ml (Dilaudid)	1	QL (1200 per 30 days)
hydromorphone oral tablet 2 mg, 4 mg, 8 mg (Dilaudid)	1	QL (180 per 30 days)
LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY	1	PA; QL (30 per 30 days)
lorcet (hydrocodone) oral tablet 5-325 mg	1	QL (240 per 30 days)
lorcet hd oral tablet 10-325 mg	1	QL (180 per 30 days)
lorcet plus oral tablet 7.5-325 mg	1	QL (180 per 30 days)
methadone injection solution 10 mg/ml	1	
methadone oral solution 10 mg/5 ml	1	QL (600 per 30 days)
methadone oral solution 5 mg/5 ml	1	QL (1200 per 30 days)
methadone oral tablet 10 mg (Dolophine)	1	QL (120 per 30 days)
methadone oral tablet 5 mg (Dolophine)	1	QL (180 per 30 days)
methadose oral tablet, soluble 40 mg	1	QL (30 per 30 days)
morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)	1	QL (180 per 30 days)
MORPHINE INJECTION SYRINGE 10 MG/ML	1	
morphine intravenous solution 10 mg/ml, 4 mg/ml, 8 mg/ml	1	
morphine oral solution 10 mg/5 ml	1	QL (700 per 30 days)
morphine oral solution 20 mg/5 ml (4 mg/ml)	1	QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	1	QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	1	QL (120 per 30 days)
morphine oral tablet extended release 100 mg, 200 mg, 60 mg (MS Contin)	1	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>morphine oral tablet extended release 15 mg, 30 mg</i>	(MS Contin)	1	QL (90 per 30 days)
NUCYNTA ER ORAL TABLET EXTENDED RELEASE 12 HR 100 MG, 150 MG, 200 MG, 250 MG, 50 MG		1	QL (60 per 30 days)
NUCYNTA ORAL TABLET 100 MG, 50 MG, 75 MG		1	QL (181 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>		1	QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg</i>		1	QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)		1	QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>		1	QL (120 per 30 days)
<i>oxycodone oral tablet 5 mg</i> (Roxicodone)		1	QL (180 per 30 days)
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i>	(OxyContin)	1	QL (60 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i>	(Endocet)	1	QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i>	(Endocet)	1	QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i>	(Endocet)	1	QL (240 per 30 days)
<i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>		1	QL (360 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG		1	QL (60 per 30 days)
<i>tramadol oral tablet 50 mg</i> (Ultram)		1	QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>	(Ultragel)	1	QL (300 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG		1	QL (60 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG		1	QL (120 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 36 MG		1	QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Nonsteroidal Anti-Inflammatory Agents</b>		
CALDOLOR INTRAVENOUS RECON SOLN 800 MG/8 ML (100 MG/ML)	1	
<i>celecoxib oral capsule 100 mg, 200 mg, 50 mg</i> (Celebrex)	1	QL (60 per 30 days)
<i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i> (Flector)	1	PA
<i>diclofenac potassium oral tablet 50 mg</i>	1	
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i> (Voltaren-XR)	1	
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg, 50 mg, 75 mg</i>	1	
<i>diclofenac sodium topical drops 1.5 %</i>	1	QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i> (Voltaren)	1	
<i>diclofenac sodium topical gel 3 %</i> (Solaraze)	1	PA; QL (100 per 28 days)
<i>etodolac oral capsule 200 mg, 300 mg</i>	1	
<i>etodolac oral tablet 400 mg</i> (Lodine)	1	
<i>etodolac oral tablet 500 mg</i>	1	
<i>flurbiprofen oral tablet 100 mg, 50 mg</i>	1	
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i>	1	
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil)	1	
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> (IBU)	1	
<i>indomethacin oral capsule 25 mg</i>	1	PA-HRM; QL (240 per 30 days); AGE (Max 64 Years)
<i>indomethacin oral capsule 50 mg</i>	1	PA-HRM; QL (120 per 30 days); AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ketorolac oral tablet 10 mg</i>	1	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>mefenamic acid oral capsule 250 mg</i>	1	
<i>meloxicam oral tablet 15 mg, 7.5 mg (Mobic)</i>	1	
<i>nabumetone oral tablet 500 mg, 750 mg (Relafen)</i>	1	
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	
<i>naproxen oral tablet 500 mg (Naprosyn)</i>	1	
<i>naproxen oral tablet, delayed release (EC-Naprosyn) (dr/lec) 375 mg, 500 mg</i>	1	
<b>PENNSAID TOPICAL SOLUTION IN METERED-DOSE PUMP 20 MG/GRAM /ACTUATION(2 %)</b>	1	PA; QL (224 per 28 days)
<i>sulindac oral tablet 150 mg, 200 mg</i>	1	
<b>VOLTAREN TOPICAL GEL 1 %</b>	1	
<b>Anesthetics</b>		
<b>Local Anesthetics</b>		
<i>glydo mucous membrane jelly in applicator 2 %</i>	1	QL (30 per 30 days)
<i>lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i>	1	
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>	1	
<i>lidocaine (pf) intravenous solution 20 mg/ml (2 %) (Xylocaine (Cardiac) (PF))</i>	1	
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %) (Xylocaine)</i>	1	
<i>lidocaine hcl mucous membrane jelly 2 %</i>	1	QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	1	
<i>lidocaine topical adhesive patch, medicated 5 % (Lidoderm)</i>	1	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	1	PA; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lidocaine viscous mucous membrane solution 2 %</i>	1	
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	1	PA; QL (30 per 30 days)
<b>ZTLIDO TOPICAL ADHESIVE PATCH, MEDICATED 1.8 %</b>	1	PA; QL (90 per 30 days)
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<i>acamprosate oral tablet, delayed release (dr/lec) 333 mg</i>	1	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	1	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg, 8-2 mg</i>	1	QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg</i>	1	QL (30 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	1	QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	1	
<b>CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG</b>	1	QL (336 per 365 days)
<b>CHANTIX ORAL TABLET 0.5 MG, 1 MG</b>	1	QL (336 per 365 days)
<b>CHANTIX STARTING MONTH BOX ORAL TABLETS, DOSE PACK 0.5 MG (11)- 1 MG (42)</b>	1	
<i>disulfiram oral tablet 250 mg, 500 mg (Antabuse)</i>	1	
<b>LUCEMYRA ORAL TABLET 0.18 MG</b>	1	QL (228 per 14 days)
<i>naloxone injection solution 0.4 mg/ml</i>	1	
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	1	
<i>naltrexone oral tablet 50 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION	1	QL (4 per 30 days)
NICOTROL INHALATION CARTRIDGE 10 MG	1	QL (1008 per 90 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML, 300 MG/1.5 ML	1	
ZUBSOLV SUBLINGUAL TABLET 0.7-0.18 MG, 1.4-0.36 MG, 11.4-2.9 MG, 2.9-0.71 MG, 5.7-1.4 MG	1	QL (30 per 30 days)
ZUBSOLV SUBLINGUAL TABLET 8.6-2.1 MG	1	QL (60 per 30 days)
<b>Antianxiety Agents</b>		
<b>Benzodiazepines</b>		
alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg (Xanax)	1	QL (120 per 30 days)
alprazolam oral tablet 2 mg (Xanax)	1	QL (150 per 30 days)
buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg	1	
chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg	1	QL (120 per 30 days)
clonazepam oral tablet 0.5 mg, 1 mg (Klonopin)	1	QL (90 per 30 days)
clonazepam oral tablet 2 mg (Klonopin)	1	QL (300 per 30 days)
clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg	1	QL (90 per 30 days)
clonazepam oral tablet, disintegrating 2 mg	1	QL (300 per 30 days)
clorazepate dipotassium oral tablet 15 mg, 3.75 mg	1	QL (180 per 30 days)
clorazepate dipotassium oral tablet 7.5 mg (Tranxene T-Tab)	1	QL (180 per 30 days)
diazepam 5 mg/ml oral conc 5 mg/ml	1	QL (1200 per 30 days)
diazepam injection solution 5 mg/ml	1	QL (10 per 28 days)
diazepam injection syringe 5 mg/ml	1	QL (10 per 28 days)
diazepam oral concentrate 5 mg/ml (Diazepam Intensol)	1	QL (1200 per 30 days)
diazepam oral solution 5 mg/5 ml (1 mg/ml)	1	QL (1200 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	QL (120 per 30 days)
<i>lorazepam injection solution 2 mg/ml, 4 mg/ml</i> (Ativan)	1	QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml, 4 mg/ml</i>	1	QL (2 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i> (Ativan)	1	QL (150 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)	1	QL (30 per 30 days)
<b>Antibacterials</b>		
<b>Aminoglycosides</b>		
<i>BETHKIS INHALATION SOLUTION FOR NEBULIZATION 300 MG/4 ML</i>	1	PA BvD
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	1	
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	1	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml</i>	1	
<i>neomycin oral tablet 500 mg</i>	1	
<i>streptomycin intramuscular recon soln 1 gram</i>	1	
<i>TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG</i>	1	QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	1	PA BvD
<i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i> (Bethkis)	1	PA BvD
<i>tobramycin sulfate injection solution 40 mg/ml</i>	1	
<b>Antibacterials, Miscellaneous</b>		
<i>bacium intramuscular recon soln 50,000 unit</i>	1	
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>clindamycin hcl oral capsule 150 mg, (Cleocin HCl) 300 mg, 75 mg</i>	1	
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml</i>	1	
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>	1	
<i>clindamycin phosphate injection (Cleocin) solution 150 mg/ml</i>	1	
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	1	
<i>colistin (colistimethate na) injection (Coly-Mycin M recon soln 150 mg Parenteral)</i>	1	PA BvD
<i>daptomycin intravenous recon soln (Cubicin) 500 mg</i>	1	
<b>FIRVANQ ORAL RECON SOLN 25 MG/ML, 50 MG/ML</b>	1	
<i>linezolid 600 mg/300 ml-0.9% nacl 600 mg/300 ml</i>	1	
<i>linezolid in dextrose 5% intravenous (Zyvox) piggyback 600 mg/300 ml</i>	1	
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i>	1	
<i>linezolid oral tablet 600 mg (Zyvox)</i>	1	
<i>methenamine hippurate oral tablet 1 gram (Hiprex)</i>	1	
<i>metronidazole in nacl (iso-os) (Metro I.V.) intravenous piggyback 500 mg/100 ml</i>	1	
<i>metronidazole oral tablet 250 mg</i>	1	
<i>metronidazole oral tablet 500 mg (Flagyl)</i>	1	
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i>	1	QL (120 per 30 days)
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i>	1	QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	1	
<b>SYNERCID INTRAVENOUS RECON SOLN 500 MG</b>	1	
<i>trimethoprim oral tablet 100 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>vancomycin intravenous recon soln 1,000 mg, 1.25 gram, 10 gram, 5 gram, 500 mg, 750 mg</i>	1	
<i>vancomycin oral capsule 125 mg, 250 mg (Vancocin)</i>	1	
<b>XIFAXAN ORAL TABLET 200 MG</b>	1	PA; QL (9 per 30 days)
<b>XIFAXAN ORAL TABLET 550 MG</b>	1	PA
<b>Cephalosporins</b>		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	1	
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	1	
<i>cefadroxil oral capsule 500 mg</i>	1	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	1	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	1	
<i>cefdinir oral capsule 300 mg</i>	1	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>cefditoren pivoxil oral tablet 200 mg</i>	1	
<i>cefditoren pivoxil oral tablet 400 mg (Spectracef)</i>	1	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	1	
<i>cefixime oral capsule 400 mg (Suprax)</i>	1	
<i>cefotaxime injection recon soln 1 gram</i>	1	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	1	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	1	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	1	
<i>ceftazidime injection recon soln 1 gram, 2 gram</i>	1	
<i>ceftazidime injection recon soln 6 gram</i>	1	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	1	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	1	
<i>cefuroxime sodium injection recon soln 750 mg</i>	1	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	1	
<i>cephalexin oral capsule 250 mg, 500 mg</i> (Keflex)	1	
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	
<b>TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG</b>	1	
<b>Macrolides</b>		
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	1	
<i>azithromycin oral packet 1 gram</i> (Zithromax)	1	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	1	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>	1	
<i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)	1	
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DIFICID ORAL TABLET 200 MG	1	ST; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i>	1	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i>	1	
<i>erythromycin oral tablet 250 mg, 500 mg</i>	1	
<b>Miscellaneous B-Lactam Antibiotics</b>		
<i>aztreonam injection recon soln 1 gram, 2 gram</i>	1	
<b>CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML</b>	1	PA; LA
<i>ertapenem injection recon soln 1 gram</i>	1	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	1	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i>	1	
<i>meropenem intravenous recon soln 1 gram</i>	1	
<i>meropenem intravenous recon soln 500 mg</i>	1	
<i>meropenem-0.9% nacl 500 mg/50 500 mg/50 ml</i>	1	
<b>Penicillins</b>		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	1	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i>	(Augmentin ES-600)	1	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i>	(Augmentin)	1	
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>		1	
<i>ampicillin oral capsule 250 mg, 500 mg</i>		1	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>		1	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i>	(Unasyn)	1	
<b>BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML</b>		1	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>		1	
<i>nafcillin 1 gml/ 50 ml inj 1 gram/50 ml</i>		1	
<i>nafcillin injection recon soln 1 gram</i>		1	
<i>nafcillin injection recon soln 10 gram, 2 gram</i>		1	
<i>penicillin g potassium injection recon soln 20 million unit</i>	(Pfizerpen-G)	1	
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>		1	
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>		1	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>		1	
<i>pfeizerpen-g injection recon soln 20 million unit</i>		1	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>		1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Quinolones</b>		
BAXDELA ORAL TABLET 450 MG	1	PA; QL (28 per 14 days)
ciprofloxacin hcl oral tablet 250 mg, (Cipro) 500 mg	1	
ciprofloxacin hcl oral tablet 750 mg	1	
ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml	1	
ciprofloxacin oral suspension,microcapsule recon 250 mg/5 ml, 500 mg/5 ml	1	
levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml	1	
levofloxacin intravenous solution 25 mg/ml	1	
levofloxacin oral solution 250 mg/10 ml	1	
levofloxacin oral tablet 250 mg, 500 mg, 750 mg	1	
moxifloxacin oral tablet 400 mg	1	
<b>Sulfonamides</b>		
sulfadiazine oral tablet 500 mg	1	
sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml	1	
sulfamethoxazole-trimethoprim oral (Sulfatrim) suspension 200-40 mg/5 ml	1	
sulfamethoxazole-trimethoprim oral (Bactrim) tablet 400-80 mg	1	
sulfamethoxazole-trimethoprim oral (Bactrim DS) tablet 800-160 mg	1	
sulfatrim oral suspension 200-40 mg/5 ml	1	
<b>Tetracyclines</b>		
doxy-100 intravenous recon soln 100 mg	1	
doxycycline hyclate intravenous (Doxy-100) recon soln 100 mg	1	
doxycycline hyclate oral capsule 100 (Morgodox) mg, 50 mg	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	1	
<i>doxycycline monohydrate oral capsule 100 mg</i>	1	
<i>doxycycline monohydrate oral capsule 50 mg</i>	1	
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>	1	
<i>doxycycline monohydrate oral tablet 100 mg</i>	1	
<i>doxycycline monohydrate oral tablet 50 mg</i>	1	
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	1	
<i>monodoxine nl oral capsule 100 mg, 50 mg</i>	1	
<i>tetracycline oral capsule 250 mg, 500 mg</i>	1	
<i>tigecycline intravenous recon soln 50 mg</i>	1	
<b>Anticancer Agents</b>		
<b>Anticancer Agents</b>		
<i>ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG</i>	1	
<i>ADCETRIS INTRAVENOUS RECON SOLN 50 MG</i>	1	PA NSO
<i>adriamycin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	1	PA BvD
<i>adrucil intravenous solution 2.5 gram/50 ml, 500 mg/10 ml</i>	1	PA BvD
<i>AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 3 MG, 5 MG</i>	1	PA NSO; QL (112 per 28 days)
<i>AFINITOR ORAL TABLET 10 MG</i>	1	PA NSO; QL (56 per 28 days)
<i>AFINITOR ORAL TABLET 2.5 MG, 5 MG, 7.5 MG</i>	1	PA NSO; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ALECensa ORAL CAPSULE 150 MG	1	PA NSO; QL (240 per 30 days)
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG	1	
ALIQOPA INTRAVENOUS RECON SOLN 60 MG	1	PA NSO; QL (3 per 28 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	1	PA NSO; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	1	PA NSO; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)	1	PA NSO
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	
<i>arsenic trioxide intravenous solution</i> <i>1 mg/ml</i>	1	
<i>arsenic trioxide intravenous solution</i> (Trisenox) <i>2 mg/ml</i>	1	
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML	1	PA NSO
AYVAKIT ORAL TABLET 100 MG, 200 MG, 300 MG	1	PA NSO; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	1	
BALVERSA ORAL TABLET 3 MG	1	PA NSO; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	1	PA NSO; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	1	PA NSO; QL (28 per 28 days)
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	1	PA NSO
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	1	PA NSO
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	1	PA NSO
BESPONSA INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)	1	PA NSO
<i>bexarotene oral capsule 75 mg</i> (Targretin)	1	PA NSO; QL (420 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
bicalutamide oral tablet 50 mg (Casodex)	1	
BLENREP INTRAVENOUS RECON SOLN 100 MG	1	PA NSO
bleomycin injection recon soln 15 unit, 30 unit	1	
BLINCYTO INTRAVENOUS KIT 35 MCG	1	PA NSO
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG	1	PA NSO
BOSULIF ORAL TABLET 100 MG	1	PA NSO; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	1	PA NSO; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 50 MG	1	QL (120 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	1	PA NSO; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	1	PA NSO
CABOMETYX ORAL TABLET 20 MG, 60 MG	1	PA NSO; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	1	PA NSO; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	1	PA NSO; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG	1	PA NSO; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG	1	PA NSO; QL (30 per 30 days)
<i>clofarabine intravenous solution 20 mg/20 ml</i> (Clolar)	1	
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)	1	PA NSO; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	1	PA NSO; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	1	PA NSO; LA; QL (63 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg	1	PA BvD
cyclophosphamide intravenous solution 200 mg/ml	1	PA BvD
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG	1	PA BvD; ST
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	1	PA NSO
DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML	1	PA NSO; LA
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	1	PA NSO; LA
DAURISMO ORAL TABLET 100 MG	1	PA NSO; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	1	PA NSO; QL (60 per 30 days)
decitabine intravenous recon soln 50 (Dacogen) mg	1	
doxorubicin intravenous solution 10 (Adriamycin) mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml	1	PA BvD
doxorubicin, peg-liposomal (Doxil) intravenous suspension 2 mg/ml	1	PA BvD
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	1	
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	1	
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	1	
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	1	
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	1	
EMCYT ORAL CAPSULE 140 MG	1	
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	1	PA NSO

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ENHERTU INTRAVENOUS RECON SOLN 100 MG	1	PA NSO
ERIVEDGE ORAL CAPSULE 150 MG	1	PA NSO; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	1	PA NSO; QL (120 per 30 days)
<i>erlotinib oral tablet 100 mg, 25 mg</i> (Tarceva)	1	PA NSO; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i> (Tarceva)	1	PA NSO; QL (90 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	1	
<i>etoposide intravenous solution 20 mg/ml</i> (Toposar)	1	
<i>exemestane oral tablet 25 mg</i> (Aromasin)	1	
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	1	PA NSO
<i>flouxuridine injection recon soln 0.5 gram</i>	1	PA BvD
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	1	PA BvD
<i>flutamide oral capsule 125 mg</i>	1	
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)	1	
GAVRETO ORAL CAPSULE 100 MG	1	PA NSO; QL (120 per 30 days)
GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML	1	PA NSO
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	1	PA NSO; QL (30 per 30 days)
GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG, 5 MG	1	
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	1	PA NSO; QL (5 per 21 days)
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG, 440 MG	1	PA NSO
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	1	PA NSO
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	1	PA NSO; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	1	PA NSO; QL (21 per 28 days)
ICLUSIG ORAL TABLET 15 MG	1	PA NSO; QL (60 per 30 days)
ICLUSIG ORAL TABLET 45 MG	1	PA NSO; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	1	PA NSO; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram</i>	1	
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	1	
<i>ifosfamide-mesna intravenous kit 1-1 gram, 3,000-1,000 mg</i>	1	
imatinib oral tablet 100 mg (Gleevec)	1	PA NSO; QL (90 per 30 days)
imatinib oral tablet 400 mg (Gleevec)	1	PA NSO; QL (60 per 30 days)
IMBRUICA ORAL CAPSULE 140 MG	1	PA NSO; QL (120 per 30 days)
IMBRUICA ORAL CAPSULE 70 MG	1	PA NSO; QL (28 per 28 days)
IMBRUICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	1	PA NSO; QL (28 per 28 days)
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML	1	PA NSO
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	1	PA NSO; QL (4 per 365 days)
IMLYGIC INJECTION SUSPENSION 10EXP8 (100 MILLION) PFU/ML	1	PA NSO; QL (8 per 28 days)
INLYTA ORAL TABLET 1 MG	1	PA NSO; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	1	PA NSO; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	1	PA NSO; QL (5 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INREBIC ORAL CAPSULE 100 MG	1	PA NSO; QL (120 per 30 days)
IRESSA ORAL TABLET 250 MG	1	PA NSO; QL (60 per 30 days)
IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG	1	
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	1	PA NSO; QL (60 per 30 days)
KANJINTI INTRAVENOUS RECON SOLN 150 MG, 420 MG	1	PA NSO
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	1	PA NSO; QL (8 per 21 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	1	PA NSO; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	1	PA NSO; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	1	PA NSO; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	1	PA NSO; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	1	PA NSO; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	1	PA NSO; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	1	PA NSO; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	1	PA NSO; QL (120 per 30 days)
KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG	1	PA NSO
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	1	PA NSO

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	1	PA NSO
<i>letrozole oral tablet 2.5 mg (Femara)</i>	1	
LEUKERAN ORAL TABLET 2 MG	1	
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	1	
LIBTAYO INTRAVENOUS SOLUTION 50 MG/ML	1	PA NSO; QL (7 per 21 days)
LONSURF ORAL TABLET 15- 6.14 MG	1	PA NSO; QL (100 per 28 days)
LONSURF ORAL TABLET 20- 8.19 MG	1	PA NSO; QL (80 per 28 days)
LORBRENA ORAL TABLET 100 MG	1	PA NSO; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	1	PA NSO; QL (90 per 30 days)
LUMOXITI INTRAVENOUS RECON SOLN 1 MG	1	PA NSO
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	1	
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	1	
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	1	
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG	1	
LYNPARZA ORAL TABLET 100 MG, 150 MG	1	PA NSO; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MATULANE ORAL CAPSULE 50 MG	1	
<i>megestrol oral tablet 20 mg, 40 mg</i>	1	PA NSO-HRM; AGE (Max 64 Years)
MEKINIST ORAL TABLET 0.5 MG	1	PA NSO; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	1	PA NSO; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	1	PA NSO; QL (180 per 30 days)
<i>mercaptopurine oral tablet 50 mg</i>	1	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	1	PA BvD
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	1	PA BvD
<i>methotrexate sodium injection solution 25 mg/ml</i>	1	PA BvD
<i>methotrexate sodium oral tablet 2.5 mg</i>	1	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	1	
MONJUVI INTRAVENOUS RECON SOLN 200 MG	1	PA NSO
MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)	1	PA NSO
NERLYNX ORAL TABLET 40 MG	1	PA NSO; QL (180 per 30 days)
NEXAVAR ORAL TABLET 200 MG	1	PA NSO; QL (120 per 30 days)
<i>nilutamide oral tablet 150 mg (Nilandron)</i>	1	
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	1	PA NSO; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	1	PA NSO; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	1	PA NSO; LA
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	1	PA NSO
ONCASPAR INJECTION SOLUTION 750 UNIT/ML	1	PA NSO

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML	1	
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	1	PA NSO
ONUREG ORAL TABLET 200 MG, 300 MG	1	PA NSO; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 240 MG/24 ML, 40 MG/4 ML	1	PA NSO
PADCEV INTRAVENOUS RECON SOLN 20 MG, 30 MG	1	PA NSO
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	1	PA NSO; QL (14 per 21 days)
PHESGO SUBCUTANEOUS SOLUTION 1,200 MG-600MG-30000 UNIT/15ML	1	PA NSO; QL (15 per 21 days)
PHESGO SUBCUTANEOUS SOLUTION 600 MG-600 MG-20000 UNIT/10ML	1	PA NSO; QL (10 per 21 days)
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	1	PA NSO; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	1	PA NSO; QL (56 per 28 days)
POLIVY INTRAVENOUS RECON SOLN 140 MG, 30 MG	1	PA NSO
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	1	PA NSO; QL (21 per 28 days)
PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML)	1	PA NSO; QL (100 per 21 days)
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	1	
PURIXAN ORAL SUSPENSION 20 MG/ML	1	
QINLOCK ORAL TABLET 50 MG	1	PA NSO; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	1	PA NSO; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
RETEVMO ORAL CAPSULE 80 MG	1	PA NSO; QL (120 per 30 days)
REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG	1	PA NSO; LA; QL (28 per 28 days)
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	1	PA NSO
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML	1	PA NSO
ROZLYTREK ORAL CAPSULE 100 MG	1	PA NSO; QL (30 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	1	PA NSO; QL (90 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	1	PA NSO; QL (120 per 30 days)
RUXIENCE INTRAVENOUS CONCENTRATE 10 MG/ML	1	PA NSO
RYDAPT ORAL CAPSULE 25 MG	1	PA NSO; QL (224 per 28 days)
SARCLISA INTRAVENOUS SOLUTION 20 MG/ML	1	PA NSO
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	1	
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	1	PA NSO; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	1	PA NSO; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	1	PA NSO; QL (84 per 28 days)
SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG	1	PA NSO; QL (30 per 30 days)
SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG	1	PA NSO
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	1	PA NSO
TABLOID ORAL TABLET 40 MG	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TABRECTA ORAL TABLET 150 MG, 200 MG	1	PA NSO; QL (120 per 30 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	1	PA NSO; QL (120 per 30 days)
TAGRISSO ORAL TABLET 40 MG, 80 MG	1	PA NSO; LA; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG	1	PA NSO; QL (90 per 30 days)
TALZENNA ORAL CAPSULE 1 MG	1	PA NSO; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	1	
TARGETIN TOPICAL GEL 1 %	1	PA NSO; QL (60 per 28 days)
TASIGNA ORAL CAPSULE 150 MG, 200 MG	1	PA NSO; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	1	PA NSO; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	1	PA NSO; QL (240 per 30 days)
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	1	PA NSO
TEMODAR INTRAVENOUS RECON SOLN 100 MG	1	PA NSO
<i>thiotepa injection recon soln 100 mg, (Tepadina) 15 mg</i>	1	
TIBSOVO ORAL TABLET 250 MG	1	PA NSO; QL (60 per 30 days)
<i>toposar intravenous solution 20 mg/ml</i>	1	
<i>toremifene oral tablet 60 mg (Fareston)</i>	1	
TRAZIMERA INTRAVENOUS RECON SOLN 420 MG	1	PA NSO
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	1	PA NSO
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG	1	QL (1 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	1	QL (1 per 168 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 3.75 MG	1	QL (1 per 28 days)
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	1	
TRODELVY INTRAVENOUS RECON SOLN 180 MG	1	PA NSO
TRUXIMA INTRAVENOUS CONCENTRATE 10 MG/ML	1	PA NSO
TUKYSA ORAL TABLET 150 MG	1	PA NSO; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	1	PA NSO; QL (360 per 30 days)
TURALIO ORAL CAPSULE 200 MG	1	PA NSO; QL (120 per 30 days)
TYKERB ORAL TABLET 250 MG	1	PA NSO
UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML	1	PA NSO
<i>valrubicin intravesical solution 40 mg/ml (Valstar)</i>	1	
VELCADE INJECTION RECON SOLN 3.5 MG	1	PA NSO
VENCLEXTA ORAL TABLET 10 MG	1	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	1	PA NSO; LA; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	1	PA NSO; LA; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	1	PA NSO; LA
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	1	PA NSO; QL (56 per 28 days)
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml (Navelbine)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VITRAKVI ORAL CAPSULE 100 MG	1	PA NSO; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	1	PA NSO; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	1	PA NSO; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	1	PA NSO; QL (30 per 30 days)
VOTRIENT ORAL TABLET 200 MG	1	PA NSO; QL (120 per 30 days)
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	1	PA BvD
XALKORI ORAL CAPSULE 200 MG, 250 MG	1	PA NSO; QL (60 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	1	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	1	PA NSO; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (20 MG X 5)	1	PA NSO; QL (20 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (20 MG X 2)	1	PA NSO; QL (8 per 28 days)
XPOVIO ORAL TABLET 40MG TWICE WEEK (80 MG/WEEK), 80 MG/WEEK (20 MG X 4)	1	PA NSO; QL (16 per 28 days)
XPOVIO ORAL TABLET 60 MG/WEEK (20 MG X 3)	1	PA NSO; QL (12 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	1	PA NSO; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	1	PA NSO; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	1	PA NSO; QL (120 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	1	PA NSO
YONDELIS INTRAVENOUS RECON SOLN 1 MG	1	PA NSO
YONSA ORAL TABLET 125 MG	1	PA NSO; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ZEJULA ORAL CAPSULE 100 MG	1	PA NSO; QL (90 per 30 days)
ZELBORAF ORAL TABLET 240 MG	1	PA NSO; QL (240 per 30 days)
ZEPZELCA INTRAVENOUS RECON SOLN 4 MG	1	PA NSO
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	1	PA NSO
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG	1	QL (1 per 84 days)
ZOLADEX SUBCUTANEOUS IMPLANT 3.6 MG	1	QL (1 per 28 days)
ZOLINZA ORAL CAPSULE 100 MG	1	
ZYDELIG ORAL TABLET 100 MG, 150 MG	1	PA NSO; QL (60 per 30 days)
ZYKADIA ORAL CAPSULE 150 MG	1	PA NSO; QL (90 per 30 days)
ZYKADIA ORAL TABLET 150 MG	1	PA NSO; QL (84 per 28 days)
ZYTIGA ORAL TABLET 250 MG, 500 MG	1	PA NSO; QL (120 per 30 days)
<b>Anticholinergic Agents</b>		
<b>Antimuscarinics/Antispasmodics</b>		
<i>atropine injection syringe 0.05 mg/ml, 0.1 mg/ml</i>	1	
<b>Anticonvulsants</b>		
<b>Anticonvulsants</b>		
APTIOM ORAL TABLET 200 MG, 400 MG	1	ST; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	1	ST; QL (60 per 30 days)
BANZEL ORAL SUSPENSION 40 MG/ML	1	ST
BANZEL ORAL TABLET 200 MG, 400 MG	1	ST
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	1	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	1	QL (600 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG		1	QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i>	(Carbatrol)	1	
<i>carbamazepine oral suspension 100 mg/5 ml</i>	(Tegretol)	1	
<i>carbamazepine oral tablet 200 mg</i>	(Epitol)	1	
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i>	(Tegretol XR)	1	
<i>carbamazepine oral tablet, chewable 100 mg</i>		1	
CELONTIN ORAL CAPSULE 300 MG		1	
<i>clobazam oral suspension 2.5 mg/ml</i>	(Onfi)	1	PA NSO; QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i>	(Onfi)	1	PA NSO; QL (60 per 30 days)
DIASTAT ACUDIAL RECTAL KIT 12.5-15-17.5-20 MG, 5-7.5-10 MG		1	
DIASTAT RECTAL KIT 2.5 MG		1	
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i>	(Diastat AcuDial)	1	
<i>diazepam rectal kit 2.5 mg</i>	(Diastat)	1	
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i>	(Depakote Sprinkles)	1	
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i>	(Depakote ER)	1	
<i>divalproex oral tablet, delayed release (drlec) 125 mg, 250 mg, 500 mg</i>	(Depakote)	1	
EPIDIOLEX ORAL SOLUTION 100 MG/ML		1	PA NSO
<i>epitol oral tablet 200 mg</i>		1	
<i>ethosuximide oral capsule 250 mg</i>	(Zarontin)	1	
<i>ethosuximide oral solution 250 mg/5 ml</i>	(Zarontin)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>felbamate oral suspension 600 mg/5 ml</i> (Felbatol)	1	
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	1	
<b>FINTEPLA ORAL SOLUTION 2.2 MG/ML</b>	1	PA NSO
<i>fosphenytoin injection solution 100 mg per 2 ml, 500 mg per 10 ml</i> (Cerebyx)	1	
<b>FYCOMPA ORAL SUSPENSION 0.5 MG/ML</b>	1	ST; QL (720 per 30 days)
<b>FYCOMPA ORAL TABLET 10 MG, 12 MG, 2 MG, 8 MG</b>	1	ST; QL (30 per 30 days)
<b>FYCOMPA ORAL TABLET 4 MG, 6 MG</b>	1	ST; QL (60 per 30 days)
<i> gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	1	QL (360 per 30 days)
<i> gabapentin oral capsule 400 mg</i> (Neurontin)	1	QL (270 per 30 days)
<i> gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	1	QL (2160 per 30 days)
<i> gabapentin oral tablet 600 mg</i> (Neurontin)	1	QL (180 per 30 days)
<i> gabapentin oral tablet 800 mg</i> (Neurontin)	1	QL (120 per 30 days)
<i> lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)	1	
<i> lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	1	
<i> levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	1	
<i> levetiracetam oral solution 100 mg/ml</i> (Keppra)	1	
<i> levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	1	
<i> levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	1	
<b>NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)</b>	1	QL (10 per 30 days)
<i> oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	1	
<i> oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG, 600 MG	1	ST
PEGANONE ORAL TABLET 250 MG	1	
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	1	PA NSO-HRM; AGE (Max 64 Years)
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	1	PA NSO-HRM; AGE (Max 64 Years)
<i>phenytoin oral suspension 125 mg/5 ml (Dilantin-125)</i>	1	
<i>phenytoin oral tablet, chewable 50 mg (Dilantin Infatabs)</i>	1	
<i>phenytoin sodium extended oral capsule 100 mg (Dilantin Extended)</i>	1	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg (Phenytek)</i>	1	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	1	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	1	
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 225 mg, 25 mg, 300 mg, 50 mg, 75 mg (Lyrica)</i>	1	QL (90 per 30 days)
<i>pregabalin oral solution 20 mg/ml (Lyrica)</i>	1	QL (900 per 30 days)
<i>primidone oral tablet 250 mg, 50 mg (Mysoline)</i>	1	
SABRIL ORAL TABLET 500 MG	1	PA NSO; QL (180 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	1	ST; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	1	ST; QL (120 per 30 days)
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	1	
SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG	1	PA NSO; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg (Gabitril)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	1	
<i>topiramate oral capsule, sprinkle, er 24hr 100 mg, 150 mg, 200 mg, 25 mg, 50 mg</i> (Qudexy XR)	1	
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	1	
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	1	
<i>valproic acid oral capsule 250 mg</i>	1	
<b>VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)</b>	1	
<i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone)	1	PA NSO; QL (180 per 30 days)
<i>vigabatrin oral tablet 500 mg</i> (Sabril)	1	PA NSO; QL (180 per 30 days)
<i>vigadronne oral powder in packet 500 mg</i>	1	PA NSO; QL (180 per 30 days)
<b>VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML</b>	1	QL (200 per 5 days)
<b>VIMPAT ORAL SOLUTION 10 MG/ML</b>	1	QL (1200 per 30 days)
<b>VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG</b>	1	QL (60 per 30 days)
<b>XCOPRI MAINTENANCE PACK ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 350 MG/DAY (200 MG X1-150MG X1)</b>	1	PA NSO; QL (56 per 28 days)
<b>XCOPRI ORAL TABLET 100 MG, 50 MG</b>	1	PA NSO; QL (30 per 30 days)
<b>XCOPRI ORAL TABLET 150 MG, 200 MG</b>	1	PA NSO; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	1	PA NSO
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	1	
<i>zonisamide oral capsule 50 mg</i>	1	
<b>Antidementia Agents</b>		
<b>Antidementia Agents</b>		
<i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept)	1	QL (30 per 30 days)
<i>donepezil oral tablet,disintegrating 10 mg, 5 mg</i>	1	QL (30 per 30 days)
<i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> (Razadyne ER)	1	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	1	QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	1	QL (60 per 30 days)
<i>memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> (Namenda XR)	1	QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	1	QL (360 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i> (Namenda)	1	QL (60 per 30 days)
NAMZARIC ORAL CAP,SPRINKLE,ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	1	
NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG	1	QL (30 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	1	QL (60 per 30 days)
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hr, 9.5 mg/24 hr</i> (Exelon)	1	QL (30 per 30 days)
<b>Antidepressants</b>		
<b>Antidepressants</b>		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	1	
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
bupropion hcl oral tablet 100 mg, 75 mg	1	
bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg	1	
bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg	1	
citalopram oral solution 10 mg/5 ml	1	QL (600 per 30 days)
citalopram oral tablet 10 mg, 20 mg, 40 mg (Celexa)	1	QL (30 per 30 days)
clomipramine oral capsule 25 mg, 50 mg, 75 mg (Anafranil)	1	
desipramine oral tablet 10 mg, 25 mg (Norpramin)	1	
desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg	1	
desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg	1	QL (30 per 30 days)
doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg	1	
doxepin oral concentrate 10 mg/ml	1	
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	1	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	1	ST; QL (30 per 30 days)
duloxetine oral capsule, delayed release(dr/lec) 20 mg, 30 mg, 60 mg (Cymbalta)	1	QL (60 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	1	QL (30 per 30 days)
escitalopram oxalate oral solution 5 mg/5 ml	1	
escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg (Lexapro)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	1	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	1	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac)	1	
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	1	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	1	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	1	
MARPLAN ORAL TABLET 10 MG	1	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	1	
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	1	
<i>mirtazapine oral tablet,disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab)	1	
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	1	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	
<i>nortriptyline oral solution 10 mg/5 ml</i>	1	
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	PA NSO-HRM; AGE (Max 64 Years)
PAXIL ORAL SUSPENSION 10 MG/5 ML	1	PA NSO-HRM; AGE (Max 64 Years)
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4- 25 mg, 4-50 mg</i>	1	
<i>phenelzine oral tablet 15 mg</i> (Nardil)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>protriptyline oral tablet 10 mg, 5 mg</i>	1	
<i>sertraline oral concentrate 20 mg/ml (Zoloft)</i>	1	
<i>sertraline oral tablet 100 mg, 25 mg, (Zoloft) 50 mg</i>	1	
<b>SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)</b>	1	PA NSO
<i>tranylcypromine oral tablet 10 mg (Parnate)</i>	1	
<i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>	1	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	1	
<b>TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG</b>	1	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i>	1	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i>	1	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	1	
<b>VIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG</b>	1	QL (30 per 30 days)
<b>VIIBRYD ORAL TABLETS, DOSE PACK 10 MG (7)- 20 MG (23)</b>	1	
<b>ZULRESSO INTRAVENOUS SOLUTION 5 MG/ML</b>	1	
<b>Antidiabetic Agents</b>		
<b>Antidiabetic Agents, Miscellaneous</b>		
<i>acarbose oral tablet 100 mg, 25 mg, (Precose) 50 mg</i>	1	QL (90 per 30 days)
<b>GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG</b>	1	QL (30 per 30 days)
<b>INVOKAMET ORAL TABLET 150-1,000 MG, 150-500 MG, 50-1,000 MG</b>	1	QL (60 per 30 days)
<b>INVOKAMET ORAL TABLET 50-500 MG</b>	1	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INVOKAMET XR ORAL TABLET, IR - ER, BIOPHASIC 24HR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG	1	QL (60 per 30 days)
INVOKANA ORAL TABLET 100 MG	1	QL (60 per 30 days)
INVOKANA ORAL TABLET 300 MG	1	QL (30 per 30 days)
JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG	1	QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	1	QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	1	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	1	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	1	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	1	ST; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIOPHASIC 24HR 2.5-1,000 MG	1	ST; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIOPHASIC 24HR 5-1,000 MG	1	ST; QL (30 per 30 days)
KORLYM ORAL TABLET 300 MG	1	PA; QL (112 per 28 days)
<i>metformin oral tablet 1,000 mg</i> (Glucophage)	1	QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i> (Glucophage)	1	QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i> (Glucophage)	1	QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i> (Glucophage XR)	1	QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i> (Glucophage XR)	1	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
OZEMPI SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML), 1 MG/DOSE (2 MG/1.5 ML)	1	QL (3 per 28 days)
pioglitazone oral tablet 15 mg, 30 mg, 45 mg (Actos)	1	QL (30 per 30 days)
repaglinide oral tablet 0.5 mg	1	QL (120 per 30 days)
repaglinide oral tablet 1 mg (Prandin)	1	QL (120 per 30 days)
repaglinide oral tablet 2 mg (Prandin)	1	QL (240 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	1	QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	1	PA; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	1	PA; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	1	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	1	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	1	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	1	ST; QL (30 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	1	QL (2 per 28 days)
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	1	QL (9 per 30 days)
<b>Insulins</b>		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	1	QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	1	QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	1	QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	1	QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	1	QL (24 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	1	QL (30 per 28 days)
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	1	QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70- 30)	1	QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U- 100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	1	QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	1	QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	1	QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	1	QL (30 per 28 days)
NOVOLIN R REGULAR U-100 INSULIN INJECTION SOLUTION 100 UNIT/ML	1	QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	1	QL (30 per 28 days)
NOVOLOG MIX 70-30 U-100 INSULN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70- 30)	1	QL (40 per 28 days)
NOVOLOG MIX 70- 30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	1	QL (30 per 28 days)
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	1	QL (30 per 28 days)
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	1	QL (40 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	1	ST; QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	1	QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	1	QL (13.5 per 28 days)
TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	1	QL (30 per 28 days)
TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	1	QL (18 per 28 days)
TRESIBA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	1	QL (40 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	1	ST; QL (15 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Sulfonylureas</b>		
glimepiride oral tablet 1 mg, 2 mg (Amaryl)	1	QL (30 per 30 days)
glimepiride oral tablet 4 mg (Amaryl)	1	QL (60 per 30 days)
glipizide oral tablet 10 mg (Glucotrol)	1	QL (120 per 30 days)
glipizide oral tablet 5 mg (Glucotrol)	1	QL (60 per 30 days)
glipizide oral tablet extended release (Glucotrol XL) 24hr 10 mg	1	QL (60 per 30 days)
glipizide oral tablet extended release (Glucotrol XL) 24hr 2.5 mg, 5 mg	1	QL (30 per 30 days)
glipizide-metformin oral tablet 2.5- 250 mg	1	QL (240 per 30 days)
glipizide-metformin oral tablet 2.5- 500 mg, 5-500 mg	1	QL (120 per 30 days)
glyburide micronized oral tablet 1.5 (Glynase) mg, 3 mg, 6 mg	1	PA-HRM; AGE (Max 64 Years)
glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg	1	PA-HRM; AGE (Max 64 Years)
glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg	1	PA-HRM; AGE (Max 64 Years)
tolazamide oral tablet 250 mg	1	QL (120 per 30 days)
tolazamide oral tablet 500 mg	1	QL (60 per 30 days)
<b>Antifungals</b>		
<b>Antifungals</b>		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	1	PA BvD
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG	1	PA BvD
amphotericin b injection recon soln 50 mg	1	PA BvD
caspofungin intravenous recon soln (Cancidas) 50 mg, 70 mg	1	
ciclopirox topical cream 0.77% (Ciclodan)	1	
ciclopirox topical solution 8% (Ciclodan)	1	
clotrimazole mucous membrane troche 10 mg	1	
clotrimazole topical cream 1% (Antifungal (clotrimazole))	1	
clotrimazole-betamethasone topical cream 1-0.05%	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
econazole topical cream 1 %	1	
fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml	1	PA BvD
fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml	(Diflucan)	1
fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg	(Diflucan)	1
flucytosine oral capsule 250 mg, 500 mg	(Ancobon)	1
griseofulvin microsize oral suspension 125 mg/5 ml		1
griseofulvin microsize oral tablet 500 mg		1
itraconazole oral capsule 100 mg	(Sporanox)	1
ketoconazole oral tablet 200 mg		1
ketoconazole topical cream 2 %		1
ketoconazole topical shampoo 2 %		1
miconazole-3 vaginal suppository 200 mg		1
NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML)		1
nyamyc topical powder 100,000 unit/gram		1
nystatin oral suspension 100,000 unit/ml		1
nystatin oral tablet 500,000 unit		1
nystatin topical cream 100,000 unit/gram		1
nystatin topical ointment 100,000 unit/gram		1
nystatin topical powder 100,000 unit/gram	(Nyamyc)	1
nystop topical powder 100,000 unit/gram		1
posaconazole oral tablet,delayed release (dr/ec) 100 mg	(Noxafil)	1
terbinafine hcl oral tablet 250 mg		1
voriconazole intravenous recon soln 200 mg	(Vfend IV)	1
		PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i>	(Vfend)	1
<i>voriconazole oral tablet 200 mg, 50 mg</i>	(Vfend)	1
<b>Antigout Agents</b>		
<b>Antigout Agents, Other</b>		
<i>allopurinol oral tablet 100 mg, 300 mg</i>	(Zyloprim)	1
<i>colchicine oral tablet 0.6 mg</i>	(Colcrys)	1
<i>febuxostat oral tablet 40 mg, 80 mg</i>	(Uloric)	1
<b>MITIGARE ORAL CAPSULE 0.6 MG</b>		1
<i>probencid oral tablet 500 mg</i>		1
<i>probencid-colchicine oral tablet 500-0.5 mg</i>		1
<b>Antihistamines</b>		
<b>Antihistamines</b>		
<i>cyproheptadine oral syrup 2 mg/5 ml</i>		1 PA-HRM; AGE (Max 64 Years)
<i>diphenhydramine hcl injection solution 50 mg/ml</i>		1
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>		1
<i>diphenhydramine hcl oral elixir 12.5 mg/5 ml</i>	(Diphen)	1 PA-HRM; AGE (Max 64 Years)
<i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i>		1
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>		1
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>		1
<i>levocetirizine oral solution 2.5 mg/5 ml</i>	(Xyzal)	1
<i>levocetirizine oral tablet 5 mg</i>	(24HR Allergy Relief)	1
<i>promethazine oral syrup 6.25 mg/5 ml</i>		1 PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	1	
<i>metronidazole vaginal gel 0.75 %</i> (Metrogel Vaginal)	1	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	1	
<i>terconazole vaginal suppository 80 mg</i>	1	
<b>Antimigraine Agents</b>		
<b>Antimigraine Agents</b>		
AIMOVIG AUTOINJECTOR (2 PACK) SUBCUTANEOUS AUTO-INJECTOR 70 MG/ML	1	PA; QL (2 per 30 days)
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML	1	PA; QL (1 per 30 days)
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML	1	PA; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	1	PA; QL (1.5 per 30 days)
<i>dihydroergotamine injection solution (D.H.E.45) 1 mg/ml</i>	1	QL (24 per 28 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal)	1	QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	1	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	1	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	1	PA; QL (3 per 30 days)
ERGOMAR SUBLINGUAL TABLET 2 MG	1	QL (20 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG	1	PA; QL (16 per 30 days)
REYVOW ORAL TABLET 100 MG	1	PA; QL (8 per 30 days)
REYVOW ORAL TABLET 50 MG	1	PA; QL (4 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	1	QL (12 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	1	QL (12 per 30 days)
<i>rizatriptan oral tablet,disintegrating 10 mg</i> (Maxalt-MLT)	1	QL (12 per 30 days)
<i>rizatriptan oral tablet,disintegrating 5 mg</i>	1	QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation</i> (Imitrex)	1	QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol 5 mg/actuation</i> (Imitrex)	1	QL (18 per 30 days)
<i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex)	1	QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex)	1	QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml</i> (Imitrex STATdose Refill)	1	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Pen)	1	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)	1	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	1	QL (4 per 28 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	1	PA; QL (16 per 30 days)
VYEPTI INTRAVENOUS SOLUTION 100 MG/ML	1	PA; QL (3 per 90 days)
<b>Antimycobacterials</b>		
Antimycobacterials		
CAPASTAT INJECTION RECON SOLN 1 GRAM	1	
<i>dapsone oral tablet 100 mg, 25 mg</i>	1	
<i>ethambutol oral tablet 100 mg</i>	1	
<i>ethambutol oral tablet 400 mg</i> (Myambutol)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>isoniazid oral solution 50 mg/5 ml</i>	1	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	
PASER ORAL GRANULES DR FOR SUSP IN PACKET 4 GRAM	1	
PRETOMANID ORAL TABLET 200 MG	1	QL (30 per 30 days)
PRIFTIN ORAL TABLET 150 MG	1	
<i>pyrazinamide oral tablet 500 mg</i>	1	
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)	1	
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	1	
<i>rifampin oral capsule 150 mg, 300 mg</i> (Rifadin)	1	
SIRTURO ORAL TABLET 100 MG, 20 MG	1	PA
TRECATOR ORAL TABLET 250 MG	1	
<b>Antinausea Agents</b>		
<b>Antinausea Agents</b>		
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	1	
AKYNZEO (FOSNETUPITANT) INTRAVENOUS SOLUTION 235 MG-0.25 MG /20 ML	1	
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	1	PA BvD
<i>aprepitant oral capsule 125 mg</i>	1	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i> (Emend)	1	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	1	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	1	PA BvD; QL (6 per 28 days)
CINVANTI INTRAVENOUS EMULSION 7.2 MG/ML	1	QL (36 per 28 days)
<i>compro rectal suppository 25 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dimenhydrinate injection solution 50 mg/ml</i>	1	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg (Marinol)</i>	1	PA; QL (60 per 30 days)
<b>EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)</b>	1	PA BvD; QL (6 per 28 days)
<i>fosaprepitant intravenous recon soln 150 mg (Emend (fosaprepitant))</i>	1	QL (2 per 28 days)
<i>granisetron (pf) intravenous solution 100 mcg/ml</i>	1	
<i>granisetron hcl intravenous solution 1 mg/ml, 1 mg/ml (1 ml)</i>	1	
<i>granisetron hcl oral tablet 1 mg</i>	1	PA BvD
<i>meclizine oral tablet 12.5 mg</i>	1	
<i>meclizine oral tablet 25 mg (Dramamine Less Drowsy)</i>	1	
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	1	
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	1	
<i>ondansetron hcl oral tablet 24 mg, 8 mg</i>	1	PA BvD
<i>ondansetron hcl oral tablet 4 mg (Zofran)</i>	1	PA BvD
<i>ondansetron oral tablet,disintegrating 4 mg, 8 mg</i>	1	PA BvD
<i>phenadoz rectal suppository 12.5 mg, 25 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml), 5 mg/ml</i>	1	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i>	1	
<i>prochlorperazine rectal suppository 25 mg</i>	1	
<i>promethazine injection solution 25 mg/ml, 50 mg/ml (Phenergan)</i>	1	PA-HRM; AGE (Max 64 Years)
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>promethazine rectal suppository</i> 12.5 mg, 50 mg	(Promethegan)	1	PA-HRM; AGE (Max 64 Years)
<i>promethazine rectal suppository 25 mg</i>	(Phenadoz)	1	PA-HRM; AGE (Max 64 Years)
<i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i>		1	PA-HRM; AGE (Max 64 Years)
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i>	(Transderm-Scop)	1	PA-HRM; QL (10 per 30 days); AGE (Max 64 Years)
<b>TRANSDERM-SCOP TRANSDERMAL PATCH 3 DAY 1 MG OVER 3 DAYS</b>		1	PA-HRM; QL (10 per 30 days); AGE (Max 64 Years)
<b>Antiparasite Agents</b>			
<b>Antiparasite Agents</b>			
<i>albendazole oral tablet 200 mg</i>	(Albenza)	1	
<b>ALINIA ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML</b>		1	
<b>ALINIA ORAL TABLET 500 MG</b>		1	
<i>atovaquone oral suspension 750 mg/5 ml</i>	(Mepron)	1	
<i>atovaquone-proguanil oral tablet 250-100 mg</i>	(Malarone)	1	
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i>	(Malarone Pediatric)	1	
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>		1	
<b>COARTEM ORAL TABLET 20-120 MG</b>		1	
<i>hydroxychloroquine oral tablet 200 mg</i>	(Plaquenil)	1	
<b>IMPAVIDO ORAL CAPSULE 50 MG</b>		1	PA; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg</i>	(Stromectol)	1	
<b>KRINTAFEL ORAL TABLET 150 MG</b>		1	
<i>mefloquine oral tablet 250 mg</i>		1	
<i>paromomycin oral capsule 250 mg</i>		1	
<i>pentamidine inhalation recon soln 300 mg</i>	(Nebupent)	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>pentamidine injection recon soln 300 mg (Pentam)</i>	1	
<b>PRIMAQUINE ORAL TABLET 26.3 MG</b>	1	
<i>pyrimethamine oral tablet 25 mg (Daraprim)</i>	1	PA
<b>Antiparkinsonian Agents</b>		
<b>Antiparkinsonian Agents</b>		
<i>amantadine hcl oral capsule 100 mg</i>	1	
<i>amantadine hcl oral solution 50 mg/5 ml</i>	1	
<b>APOKYN SUBCUTANEOUS CARTRIDGE 10 MG/ML</b>	1	PA; QL (60 per 30 days)
<i>benztropine injection solution 1 mg/ml (Cogentin)</i>	1	
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	
<i>bromocriptine oral capsule 5 mg (Parlodel)</i>	1	
<i>bromocriptine oral tablet 2.5 mg (Parlodel)</i>	1	
<i>cabergoline oral tablet 0.5 mg</i>	1	
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg (Sinemet)</i>	1	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	1	
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg (Stalevo 50)</i>	1	
<i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg (Stalevo 75)</i>	1	
<i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg (Stalevo 100)</i>	1	
<i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg (Stalevo 125)</i>	1	
<i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg (Stalevo 150)</i>	1	
<i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg (Stalevo 200)</i>	1	
<i>entacapone oral tablet 200 mg (Comtan)</i>	1	
<b>GOCOVRI ORAL CAPSULE,EXTENDED RELEASE 24HR 137 MG</b>	1	PA; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GOCOVRI ORAL CAPSULE, EXTENDED RELEASE 24HR 68.5 MG	1	PA; QL (30 per 30 days)
INBRIJA 42 MG INHALATION CAP 42 MG	1	PA; QL (300 per 30 days)
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	1	PA; QL (300 per 30 days)
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	1	PA; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	1	PA
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	1	QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	1	ST; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1)	1	ST; QL (60 per 30 days)
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	1	
<i>rasagiline oral tablet 0.5 mg, 1 mg</i>	1	(Azilect)
<i>ropinirole oral tablet 0.25 mg, 3 mg, 5 mg</i>	1	(Requip)
<i>ropinirole oral tablet 0.5 mg, 1 mg, 2 mg, 4 mg</i>	1	
<i>selegiline hcl oral capsule 5 mg</i>	1	
<i>selegiline hcl oral tablet 5 mg</i>	1	
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	1	
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	
XADAGO ORAL TABLET 100 MG, 50 MG	1	PA; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Antipsychotic Agents</b>		
<b>Antipsychotic Agents</b>		
ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	1	QL (1 per 28 days)
ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	1	QL (1 per 28 days)
<i>aripiprazole oral solution 1 mg/ml</i>	1	QL (900 per 30 days)
<i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i>	1	QL (30 per 30 days)
<i>aripiprazole oral tablet 2 mg</i> (Abilify)	1	QL (60 per 30 days)
<i>aripiprazole oral tablet,disintegrating 10 mg</i>	1	ST; QL (90 per 30 days)
<i>aripiprazole oral tablet,disintegrating 15 mg</i>	1	ST; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	1	QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	1	QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	1	QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	1	QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	1	QL (3.2 per 28 days)
CAPLYTA ORAL CAPSULE 42 MG	1	ST; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>chlorpromazine injection solution 25 mg/ml</i>	1	
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	1	
<i>clozapine oral tablet 100 mg (Clozaril)</i>	1	QL (270 per 30 days)
<i>clozapine oral tablet 200 mg (Clozaril)</i>	1	QL (135 per 30 days)
<i>clozapine oral tablet 25 mg, 50 mg (Clozaril)</i>	1	QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg</i>	1	ST; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating 150 mg</i>	1	ST; QL (180 per 30 days)
<i>clozapine oral tablet,disintegrating 200 mg</i>	1	ST; QL (120 per 30 days)
<i>FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG</i>	1	ST; QL (60 per 30 days)
<i>FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)</i>	1	ST
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	1	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	1	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	1	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	1	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	1	
<i>haloperidol decanoate intramuscular (Haldol Decanoate) solution 100 mg/ml</i>	1	
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml(1ml)</i>	1	
<i>haloperidol decanoate intramuscular (Haldol Decanoate) solution 50 mg/ml</i>	1	
<i>haloperidol lactate injection solution (Haldol) 5 mg/ml</i>	1	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	1	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	1	
<b>INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML</b>	1	QL (0.75 per 28 days)
<b>INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML</b>	1	QL (1 per 28 days)
<b>INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML</b>	1	QL (1.5 per 28 days)
<b>INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML</b>	1	QL (0.25 per 28 days)
<b>INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML</b>	1	QL (0.5 per 28 days)
<b>INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML</b>	1	QL (0.875 per 84 days)
<b>INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.315 ML</b>	1	QL (1.315 per 84 days)
<b>INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML</b>	1	QL (1.75 per 84 days)
<b>INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.625 ML</b>	1	QL (2.625 per 84 days)
<b>LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG</b>	1	QL (30 per 30 days)
<b>LATUDA ORAL TABLET 80 MG</b>	1	QL (60 per 30 days)
<i>lozapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	1	
<i>molindone oral tablet 10 mg</i>	1	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	1	QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	1	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NUPLAZID ORAL CAPSULE 34 MG	1	PA NSO; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	1	PA NSO; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln</i> (Zyprexa) 10 mg	1	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg,</i> (Zyprexa) 2.5 mg, 20 mg, 5 mg, 7.5 mg	1	QL (30 per 30 days)
<i>olanzapine oral tablet,disintegrating</i> (Zyprexa Zydis) 10 mg, 15 mg, 20 mg, 5 mg	1	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr</i> 1.5 mg, 3 mg, 9 mg	1	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr</i> 6 mg	1	QL (60 per 30 days)
<i>perphenazine oral tablet</i> 16 mg, 2 mg, 4 mg, 8 mg	1	
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION,EXTEND REL SYR KIT 120 MG, 90 MG	1	QL (1 per 30 days)
<i>pimozide oral tablet</i> 1 mg, 2 mg	1	
<i>quetiapine oral tablet</i> 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg (Seroquel)	1	QL (90 per 30 days)
REXULTI ORAL TABLET 0.25 MG	1	ST; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	1	ST; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	1	ST; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML, 37.5 MG/2 ML, 50 MG/2 ML	1	QL (4 per 28 days)
<i>risperidone oral solution</i> 1 mg/ml (Risperdal)	1	QL (480 per 30 days)
<i>risperidone oral tablet</i> 0.25 mg	1	QL (60 per 30 days)
<i>risperidone oral tablet</i> 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg (Risperdal)	1	QL (60 per 30 days)
<i>risperidone oral tablet,disintegrating</i> 0.25 mg, 0.5 mg, 1 mg, 2 mg	1	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>risperidone oral tablet,disintegrating 3 mg, 4 mg</i>	1	QL (120 per 30 days)
SAPHRIS SUBLINGUAL TABLET 10 MG, 2.5 MG, 5 MG	1	ST; QL (60 per 30 days)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	1	ST; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	1	
VERSACLOZ ORAL SUSPENSION 50 MG/ML	1	ST; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	1	ST; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	1	ST
<i>ziprasidone hcl oral capsule 20 mg, (Geodon) 40 mg, 60 mg, 80 mg</i>	1	QL (60 per 30 days)
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i>	1	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG, 300 MG	1	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	1	QL (1 per 28 days)
<b>Antivirals (Systemic)</b>		
<b>Antiretrovirals</b>		
<i>abacavir oral solution 20 mg/ml (Ziagen)</i>	1	
<i>abacavir oral tablet 300 mg (Ziagen)</i>	1	
<i>abacavir-lamivudine oral tablet 600- 300 mg (Epzicom)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i> (Trizivir)	1	
<b>APTIVUS (WITH VITAMIN E) ORAL SOLUTION 100 MG/ML</b>	1	
<b>APTIVUS ORAL CAPSULE 250 MG</b>	1	
<i>atazanavir oral capsule 150 mg, 200 mg, 300 mg</i> (Reyataz)	1	
<b>ATRIPLA ORAL TABLET 600-200-300 MG</b>	1	
<b>BIKTARVY ORAL TABLET 50-200-25 MG</b>	1	
<b>CIMDUO ORAL TABLET 300-300 MG</b>	1	
<b>COMPLERA ORAL TABLET 200-25-300 MG</b>	1	
<b>CRIXIVAN ORAL CAPSULE 200 MG, 400 MG</b>	1	
<b>DELSTRIGO ORAL TABLET 100-300-300 MG</b>	1	
<b>DESCOVY ORAL TABLET 200-25 MG</b>	1	
<i>didanosine oral capsule, delayed release(dr/ec) 125 mg, 200 mg, 250 mg, 400 mg</i>	1	
<b>DOVATO ORAL TABLET 50-300 MG</b>	1	
<b>EDURANT ORAL TABLET 25 MG</b>	1	
<i>efavirenz oral capsule 200 mg, 50 mg</i> (Sustiva)	1	
<i>efavirenz oral tablet 600 mg</i> (Sustiva)	1	
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i> (Atripla)	1	
<i>efavirenz-lamivu-tenofovir disop oral tablet 400-300-300 mg</i> (Symfi Lo)	1	
<i>efavirenz-lamivu-tenofovir disop oral tablet 600-300-300 mg</i> (Symfi)	1	
<i>emtricitabine oral capsule 200 mg</i> (Emtriva)	1	
<i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i> (Truvada)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
EMTRIVA ORAL CAPSULE 200 MG	1	
EMTRIVA ORAL SOLUTION 10 MG/ML	1	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	1	
EVOTAZ ORAL TABLET 300-150 MG	1	
<i>fosamprenavir oral tablet 700 mg (Lexiva)</i>	1	
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	1	
GENVOYA ORAL TABLET 150-150-200-10 MG	1	
INTELENCE ORAL TABLET 100 MG, 200 MG, 25 MG	1	
INVIRASE ORAL TABLET 500 MG	1	
ISENTRESS HD ORAL TABLET 600 MG	1	
ISENTRESS ORAL POWDER IN PACKET 100 MG	1	
ISENTRESS ORAL TABLET 400 MG	1	
ISENTRESS ORAL TABLET,CHEWABLE 100 MG, 25 MG	1	
JULUCA ORAL TABLET 50-25 MG	1	
KALETRA ORAL TABLET 100-25 MG, 200-50 MG	1	
<i>lamivudine oral solution 10 mg/ml (Epivir)</i>	1	
<i>lamivudine oral tablet 100 mg (Epivir HBV)</i>	1	
<i>lamivudine oral tablet 150 mg, 300 mg (Epivir)</i>	1	
<i>lamivudine-zidovudine oral tablet 150-300 mg (Combivir)</i>	1	
LEXIVA ORAL SUSPENSION 50 MG/ML	1	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml (Kaletra)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>nevirapine oral suspension 50 mg/5 ml</i> (Viramune)	1	
<i>nevirapine oral tablet 200 mg</i> (Viramune)	1	
<i>nevirapine oral tablet extended release 24 hr 100 mg</i>	1	
<i>nevirapine oral tablet extended release 24 hr 400 mg</i> (Viramune XR)	1	
<b>NORVIR ORAL POWDER IN PACKET 100 MG</b>	1	
<b>NORVIR ORAL SOLUTION 80 MG/ML</b>	1	
<b>ODEFSEY ORAL TABLET 200-25-25 MG</b>	1	
<b>PIFELTRO ORAL TABLET 100 MG</b>	1	
<b>PREZCOBIX ORAL TABLET 800-150 MG-MG</b>	1	
<b>PREZISTA ORAL SUSPENSION 100 MG/ML</b>	1	
<b>PREZISTA ORAL TABLET 150 MG, 600 MG, 75 MG, 800 MG</b>	1	
<b>RESCRIPTOR ORAL TABLET 200 MG</b>	1	
<b>RESCRIPTOR ORAL TABLET, DISPERSIBLE 100 MG</b>	1	
<b>RETROVIR INTRAVENOUS SOLUTION 10 MG/ML</b>	1	
<b>REYATAZ ORAL POWDER IN PACKET 50 MG</b>	1	
<i>ritonavir oral tablet 100 mg</i> (Norvir)	1	
<b>RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG</b>	1	
<b>SELZENTRY ORAL SOLUTION 20 MG/ML</b>	1	
<b>SELZENTRY ORAL TABLET 150 MG, 25 MG, 300 MG, 75 MG</b>	1	
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	1	
<b>STRIBILD ORAL TABLET 150-150-200-300 MG</b>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SYMFLO ORAL TABLET 400-300-300 MG	1	
SYMFLO ORAL TABLET 600-300-300 MG	1	
SYMTUZA ORAL TABLET 800-150-200-10 MG	1	
TEMIXYS ORAL TABLET 300-300 MG	1	
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	1	
TIVICAY ORAL TABLET 10 MG, 25 MG, 50 MG	1	
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	1	
TRIUMEQ ORAL TABLET 600-50-300 MG	1	
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	1	
TRUVADA ORAL TABLET 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG	1	
VEMLIDY ORAL TABLET 25 MG	1	QL (30 per 30 days)
VIDEX 2 GRAM PEDIATRIC ORAL RECON SOLN 10 MG/ML (FINAL)	1	
VIDEX EC ORAL CAPSULE,DELAYED RELEASE(DR/EC) 125 MG	1	
VIRACEPT ORAL TABLET 250 MG, 625 MG	1	
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	1	
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	1	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	1	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	1	
<i>zidovudine oral tablet 300 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Antivirals, Miscellaneous</b>		
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	1	PA BvD
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	1	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	1	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	1	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	1	QL (540 per 180 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	1	PA; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	1	PA; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	1	PA; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	1	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	1	
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	1	PA
XOFLUZA ORAL TABLET 20 MG, 40 MG	1	QL (4 per 180 days)
<b>Hcv Antivirals</b>		
EPCLUSIA ORAL TABLET 200-50 MG, 400-100 MG	1	PA; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	1	PA; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	1	PA; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG, 90-400 MG	1	PA; QL (28 per 28 days)
<i>ledipasvir-sofosbuvir oral tablet 90-400 mg</i> (Harvoni)	1	PA; QL (28 per 28 days)
MAVYRET ORAL TABLET 100-40 MG	1	PA; QL (84 per 28 days)
<i>sofosbuvir-velpatasvir oral tablet 400-100 mg</i> (Epclusa)	1	PA; QL (28 per 28 days)
SOVALDI ORAL PELLETS IN PACKET 150 MG	1	PA; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SOVALDI ORAL PELLETS IN PACKET 200 MG	1	PA; QL (56 per 28 days)
SOVALDI ORAL TABLET 200 MG, 400 MG	1	PA; QL (28 per 28 days)
TECHNIVIE ORAL TABLET 12.5-75-50 MG	1	PA; QL (56 per 28 days)
VIEKIRA PAK ORAL TABLETS,DOSE PACK 12.5 MG-75 MG -50 MG/250 MG	1	PA
VOSEVI ORAL TABLET 400-100-100 MG	1	PA; QL (28 per 28 days)
ZEPATIER ORAL TABLET 50-100 MG	1	PA; QL (30 per 30 days)
<b>Interferons</b>		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	1	PA NSO
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML	1	PA NSO
PEGASYS PROCLICK SUBCUTANEOUS PEN INJECTOR 180 MCG/0.5 ML	1	
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	1	
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	1	
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	1	
SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG, 600 MCG	1	PA NSO
<b>Nucleosides And Nucleotides</b>		
acyclovir oral capsule 200 mg	1	
acyclovir oral suspension 200 mg/5 ml (Zovirax)	1	
acyclovir oral tablet 400 mg, 800 mg	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>acyclovir sodium intravenous recon soln 1,000 mg, 500 mg</i>	1	PA BvD
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	1	PA BvD
<i>adefovir oral tablet 10 mg (Hepsera)</i>	1	
<i>entecavir oral tablet 0.5 mg, 1 mg (Baraclude)</i>	1	
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	1	
<i>ganciclovir sodium intravenous recon soln 500 mg (Cytovene)</i>	1	PA BvD
<i>ganciclovir sodium intravenous solution 50 mg/ml</i>	1	PA BvD
<i>ribasphere oral capsule 200 mg</i>	1	
<i>ribasphere oral tablet 600 mg</i>	1	
<i>ribavirin inhalation recon soln 6 gram (Virazole)</i>	1	PA BvD
<i>ribavirin oral capsule 200 mg</i>	1	
<i>ribavirin oral tablet 200 mg</i>	1	
<i>valacyclovir oral tablet 1 gram, 500 mg (Valtrex)</i>	1	
<i>valganciclovir oral tablet 450 mg (Valcyte)</i>	1	
<b>Blood</b>		
<b>Products/Modifiers/Volume</b>		
<b>Expanders</b>		
<b>Anticoagulants</b>		
<i>BEVYXXA ORAL CAPSULE 40 MG, 80 MG</i>	1	QL (43 per 42 days)
<i>ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)</i>	1	
<i>ELIQUIS ORAL TABLET 2.5 MG, 5 MG</i>	1	QL (60 per 30 days)
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i>	1	
<i>enoxaparin subcutaneous syringe 100 mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30 mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml, 80 mg/0.8 ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
fondaparinux subcutaneous syringe (Arixtra) 10 mg/0.8 ml, 2.5 mg/0.5 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml	1	
heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)	1	
heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml	1	
heparin (porcine) injection syringe 5,000 unit/ml	1	
heparin, porcine (pf) injection solution 1,000 unit/ml	1	
heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml	1	
jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg	1	
PRADAXA ORAL CAPSULE 110 MG, 150 MG, 75 MG	1	ST; QL (60 per 30 days)
warfarin oral tablet 1 mg, 10 mg, 2 (Jantoven) mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg	1	
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	1	
XARELTO ORAL TABLET 10 MG, 20 MG	1	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	1	QL (60 per 30 days)
<b>Blood Formation Modifiers</b>		
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	1	PA; QL (20 per 30 days)
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	1	PA; QL (15 per 30 days)
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	1	PA; QL (15 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	1	PA; QL (15 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
EPOGEN INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	1	PA; QL (12 per 28 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	1	PA
GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	1	PA
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	1	PA
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	1	PA; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	1	PA; QL (20 per 30 days)
LEUKINE INJECTION RECON SOLN 250 MCG	1	
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	1	
MULPLETA ORAL TABLET 3 MG	1	PA; QL (7 per 7 days)
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	1	PA
NEUPOGEN INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	1	PA
NEUPOGEN INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	1	PA
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	1	
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	1	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PROCIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	1	PA; QL (12 per 28 days)
PROCIT INJECTION SOLUTION 40,000 UNIT/ML	1	PA; QL (6 per 28 days)
PROMACTA ORAL POWDER IN PACKET 12.5 MG	1	PA; QL (360 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	1	PA; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG, 50 MG	1	PA; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG	1	PA; QL (120 per 30 days)
PROMACTA ORAL TABLET 75 MG	1	PA; QL (60 per 30 days)
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	1	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	1	PA; QL (6 per 28 days)
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	1	PA
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	1	
ZIEXTENZO SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	1	PA
<b>Hematologic Agents, Miscellaneous</b>		
ADAKVEO INTRAVENOUS SOLUTION 10 MG/ML	1	PA
<i>anagrelide oral capsule 0.5 mg</i> (Agylin)	1	
<i>anagrelide oral capsule 1 mg</i>	1	
GIVLAARI SUBCUTANEOUS SOLUTION 189 MG/ML	1	PA
<i>protamine intravenous solution 10 mg/ml</i>	1	
SIKLOS ORAL TABLET 1,000 MG, 100 MG	1	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TAVALISSE ORAL TABLET 100 MG, 150 MG	1	PA; QL (60 per 30 days)
<i>tranexamic acid intravenous solution</i> (Cyklokapron) 1,000 mg/10 ml (100 mg/ml)	1	
<i>tranexamic acid oral tablet 650 mg</i> (Lysteda)	1	QL (30 per 30 days)
<b>Platelet-Aggregation Inhibitors</b>		
<i>aspirin-dipyridamole oral capsule, er</i> (Aggrenox) multiphase 12 hr 25-200 mg	1	QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG	1	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	1	
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>pentoxifylline oral tablet extended release 400 mg</i>	1	
<i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient)	1	QL (30 per 30 days)
<b>Caloric Agents</b>		
<b>Caloric Agents</b>		
AMINOSYN 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	1	PA BvD
AMINOSYN 7 % WITH ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 7 %	1	PA BvD
AMINOSYN 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	1	PA BvD
AMINOSYN 8.5 %- ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	1	PA BvD
AMINOSYN II 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	1	PA BvD
AMINOSYN II 7 % INTRAVENOUS PARENTERAL SOLUTION 7 %	1	PA BvD
AMINOSYN II 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	1	PA BvD
AMINOSYN II 8.5 %- ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	1	PA BvD
AMINOSYN M 3.5 % INTRAVENOUS PARENTERAL SOLUTION 3.5 %	1	PA BvD
AMINOSYN-HBC 7% INTRAVENOUS PARENTERAL SOLUTION 7 %	1	PA BvD
AMINOSYN-PF 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	1	PA BvD
AMINOSYN-PF 7 % (SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	1	PA BvD
AMINOSYN-RF 5.2 % INTRAVENOUS PARENTERAL SOLUTION 5.2 %	1	PA BvD
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	1	PA BvD
CLINIMIX 5%/D25W SULFITE- FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	1	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	1	PA BvD
CLINIMIX 4.25%-D25W SULF- FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	1	PA BvD
CLINIMIX 5%-D20W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	1	PA BvD
CLINIMIX E 2.75%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	1	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	1	PA BvD
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	1	PA BvD
CLINIMIX E 4.25%/D25W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	1	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	1	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	1	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CLINIMIX E 5%/D25W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	1	PA BvD
CLINOLIPID INTRAVENOUS EMULSION 20 %	1	PA BvD
<i>dextrose 10 % in water (d10w)</i> <i>intravenous parenteral solution 10 %</i>	1	PA BvD
<i>dextrose 25 % in water (d25w)</i> <i>intravenous syringe</i>	1	PA BvD
<i>dextrose 30 % in water (d30w)</i> <i>intravenous parenteral solution</i>	1	PA BvD
<i>dextrose 40 % in water (d40w)</i> <i>intravenous parenteral solution 40 %</i>	1	PA BvD
<i>dextrose 5 % in water (d5w)</i> <i>intravenous parenteral solution</i>	1	
<i>dextrose 50 % in water (d50w)</i> <i>intravenous parenteral solution</i>	1	PA BvD
<i>dextrose 50 % in water (d50w)</i> <i>intravenous syringe</i>	1	PA BvD
<i>dextrose 70 % in water (d70w)</i> <i>intravenous parenteral solution</i>	1	PA BvD
FREAMINE HBC 6.9 % INTRAVENOUS PARENTERAL SOLUTION 6.9 %	1	PA BvD
FREAMINE III 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	1	PA BvD
HEPATAMINE 8% INTRAVENOUS PARENTERAL SOLUTION 8 %	1	PA BvD
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	1	PA BvD
KABIVEN INTRAVENOUS EMULSION 3.31-9.8-3.9 %	1	PA BvD
NEPHRAMINE 5.4 % INTRAVENOUS PARENTERAL SOLUTION 5.4 %	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NUTRILIPID INTRAVENOUS EMULSION 20 %	1	PA BvD
PERIKABIVEN INTRAVENOUS EMULSION 2.36-6.8-3.5 %	1	PA BvD
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	1	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	1	PA BvD
<i>smoflqid intravenous emulsion 20 %</i>	1	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	1	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	1	PA BvD
TROPHAMINE 6% INTRAVENOUS PARENTERAL SOLUTION 6 %	1	PA BvD
<b>Cardiovascular Agents</b>		
<b>Alpha-Adrenergic Agents</b>		
clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg (Catapres)	1	
clonidine transdermal patch weekly 0.1 mg/24 hr (Catapres-TTS-1)	1	QL (4 per 28 days)
clonidine transdermal patch weekly 0.2 mg/24 hr (Catapres-TTS-2)	1	QL (4 per 28 days)
clonidine transdermal patch weekly 0.3 mg/24 hr (Catapres-TTS-3)	1	QL (8 per 28 days)
doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg (Cardura)	1	
guanfacine oral tablet 1 mg, 2 mg	1	
midodrine oral tablet 10 mg, 2.5 mg, 5 mg	1	
NORTHERA ORAL CAPSULE 100 MG, 200 MG, 300 MG	1	PA; QL (180 per 30 days)
phenylephrine hcl injection solution 10 mg/ml (Vazculep)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> (Minipress)	1	
<b>Angiotensin II Receptor Antagonists</b>		
<i>EDARBI ORAL TABLET 40 MG, 80 MG</i>	1	
<i>EDARBYCLOL ORAL TABLET 40-12.5 MG, 40-25 MG</i>	1	
<i>ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG</i>	1	QL (60 per 30 days)
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	1	
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	1	
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	1	
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	1	
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	1	
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	1	
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	1	
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	1	
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	1	
<b>Angiotensin-Converting Enzyme Inhibitors</b>		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	1	
<i>benazepril oral tablet 5 mg</i>	1	
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	1	
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	1	
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	1	
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	1	
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	1	
<i>lisinopril oral tablet 10 mg, 20 mg</i> (Prinivil)	1	
<i>lisinopril oral tablet 2.5 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)	1	
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)	1	
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	1	
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	1	
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)	1	
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	1	
<b>Antiarrhythmic Agents</b>		
<i>amiodarone oral tablet 200 mg, 400 mg</i> (Pacerone)	1	
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)	1	PA-HRM; AGE (Max 64 Years)
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	1	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	1	
<i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2 %), 50 mg/5 ml (1 %)</i>	1	
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	1	
<b>MULTAQ ORAL TABLET 400 MG</b>	1	
<i>pacerone oral tablet 200 mg, 400 mg</i>	1	
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	1	
<i>procainamide intravenous syringe 100 mg/ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	1	
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	1	
<b>Beta-Adrenergic Blocking Agents</b>		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	1	
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg (Tenormin)</i>	1	
<i>atenolol-chlorthalidone oral tablet 100-25 mg (Tenoretic 100)</i>	1	
<i>atenolol-chlorthalidone oral tablet 50-25 mg (Tenoretic 50)</i>	1	
<i>betaxolol oral tablet 10 mg, 20 mg</i>	1	
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	1	
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg (Ziac)</i>	1	
<b>BYSTOLIC ORAL TABLET 10 MG, 2.5 MG, 20 MG, 5 MG</b>	1	
<b>BYVALSON ORAL TABLET 5-80 MG</b>	1	
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg (Coreg)</i>	1	
<i>labetalol intravenous solution 5 mg/ml</i>	1	
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	1	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	1	
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg (Toprol XL)</i>	1	
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg</i>	1	
<i>metoprolol ta-hydrochlorothiaz oral tablet 50-25 mg (Lopressor HCT)</i>	1	
<i>metoprolol tartrate intravenous solution 5 mg/5 ml (Lopressor)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>metoprolol tartrate intravenous syringe 5 mg/5 ml</i>	1	
<i>metoprolol tartrate oral tablet 100 mg, 50 mg (Lopressor)</i>	1	
<i>metoprolol tartrate oral tablet 25 mg</i>	1	
<i>propranolol intravenous solution 1 mg/ml</i>	1	
<i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg (Inderal LA)</i>	1	
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	1	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	1	
<i>propranolol-hydrochlorothiazide oral tablet 40-25 mg, 80-25 mg</i>	1	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	1	
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i>	1	
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg (Sorine)</i>	1	
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	1	
<b>Calcium-Channel Blocking Agents</b>		
<i>cartia xt oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	1	
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	1	
<i>diltiazem hcl oral capsule, extended release 12 hr 120 mg, 60 mg, 90 mg</i>	1	
<i>diltiazem hcl oral capsule, extended release 24 hr 420 mg (Tiadylt ER)</i>	1	
<i>diltiazem hcl oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg (Cartia XT)</i>	1	
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg (Cardizem)</i>	1	
<i>diltiazem hcl oral tablet 90 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dilt-xr oral capsule, ext. rel 24h degradable 120 mg, 180 mg, 240 mg</i>	1	
<i>taztia xt oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>	1	
<i>tiadylt er oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	1	
<i>verapamil intravenous syringe 2.5 mg/ml</i>	1	
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> (Verelan PM)	1	
<i>verapamil oral capsule, ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg, 360 mg</i> (Verelan)	1	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i> (Calan SR)	1	
<b>Cardiovascular Agents, Miscellaneous</b>		
<i>CORLANOR ORAL SOLUTION 5 MG/5 ML</i>	1	QL (560 per 28 days)
<i>CORLANOR ORAL TABLET 5 MG, 7.5 MG</i>	1	QL (60 per 30 days)
<i>DEMSER ORAL CAPSULE 250 MG</i>	1	
<i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	1	
<i>digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	1	
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	1	
<i>DIGOXIN ORAL SOLUTION 50 MCG/ML (0.05 MG/ML)</i>	1	
<i>digoxin oral tablet 125 mcg (0.125 mg)</i> (Digitek)	1	
<i>digoxin oral tablet 250 mcg (0.25 mg)</i> (Digitek)	1	
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	1	QL (4 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i>	(Auvi-Q)	1	QL (4 per 30 days)
<i>epinephrine injection solution 1 mg/ml</i>	(Adrenalin)	1	
<i>hydralazine injection solution 20 mg/ml</i>		1	
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>		1	
<i>icatibant subcutaneous syringe 30 mg/3 ml</i>	(Firazyr)	1	PA; QL (18 per 30 days)
<i>metyrosine oral capsule 250 mg</i>	(Demser)	1	
<i>ranolazine oral tablet extended release 12 hr 1,000 mg, 500 mg</i>	(Ranexa)	1	
<b>SYMJEPI INJECTION SYRINGE 0.15 MG/0.3 ML, 0.3 MG/0.3 ML</b>		1	QL (4 per 30 days)
<b>VYNDAMAX ORAL CAPSULE 61 MG</b>		1	PA; QL (30 per 30 days)
<b>VYNDAQEL ORAL CAPSULE 20 MG</b>		1	PA; QL (120 per 30 days)
<b>Dihydropyridines</b>			
<i>afeditab cr oral tablet extended release 30 mg</i>		1	
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i>	(Norvasc)	1	
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg, 5-40 mg</i>	(Lotrel)	1	
<i>amlodipine-benazepril oral capsule 2.5-10 mg</i>		1	
<i>amlodipine-valsartan oral tablet 10- 160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i>	(Exforge)	1	
<i>nicardipine oral capsule 20 mg, 30 mg</i>		1	
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i>	(Procardia XL)	1	
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>	(Adalat CC)	1	
<b>Diuretics</b>			
<i>amiloride oral tablet 5 mg</i>		1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	1	
<i>bumetanide injection solution 0.25 mg/ml</i>	1	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	
<i>chlorothiazide oral tablet 250 mg, 500 mg</i>	1	
<i>chlorothiazide sodium intravenous recon soln 500 mg</i> (Diuril IV)	1	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	1	
<i>furosemide injection solution 10 mg/ml</i>	1	
<i>furosemide injection syringe 10 mg/ml</i>	1	
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	1	
<i>furosemide oral tablet 20 mg, 40 mg, (Lasix) 80 mg</i>	1	
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	
<b>JYNARQUE ORAL TABLET 15 MG, 30 MG</b>	1	PA; QL (120 per 30 days)
<b>JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)</b>	1	PA; QL (56 per 28 days)
<i>methyclothiazide oral tablet 5 mg</i>	1	
<i>spironolactone oral tablet 100 mg, (Aldactone) 25 mg, 50 mg</i>	1	
<i>torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i> (Dyazide)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>triamterene-hydrochlorothiazid oral capsule 50-25 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral tablet 75-50 mg</i>	1	
<b>Dyslipidemics</b>		
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg (Lipitor)</i>	1	
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i>	1	
<i>cholestyramine light oral powder 4 gram</i>	1	
<i>cholestyramine light packet 4 gram</i>	1	
<i>colesevelam oral tablet 625 mg (WelChol)</i>	1	
<i>colestipol oral packet 5 gram (Colestid)</i>	1	
<i>colestipol oral tablet 1 gram (Colestid)</i>	1	
<i>ezetimibe oral tablet 10 mg (Zetia)</i>	1	QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 134 mg, 200 mg, 67 mg</i>	1	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i>	1	
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	1	
<i>gemfibrozil oral tablet 600 mg (Lopid)</i>	1	
<i>JUXTAPID ORAL CAPSULE 10 MG, 30 MG, 40 MG, 60 MG</i>	1	PA; QL (30 per 30 days)
<i>JUXTAPID ORAL CAPSULE 20 MG</i>	1	PA; QL (90 per 30 days)
<i>JUXTAPID ORAL CAPSULE 5 MG</i>	1	PA; QL (45 per 30 days)
<i>LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG</i>	1	QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	1	
<i>NEXLETOL ORAL TABLET 180 MG</i>	1	QL (30 per 30 days)
<i>NEXLIZET ORAL TABLET 180-10 MG</i>	1	QL (30 per 30 days)
<i>niacin oral tablet 500 mg (Niacor)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg	(Niaspan Extended-Release)	1	
niacor oral tablet 500 mg		1	
omega-3 acid ethyl esters oral capsule 1 gram	(Lovaza)	1	QL (120 per 30 days)
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML		1	QL (2 per 28 days)
pravastatin oral tablet 10 mg, 80 mg		1	
pravastatin oral tablet 20 mg, 40 mg	(Pravachol)	1	
prevalite oral powder in packet 4 gram		1	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML		1	QL (3.5 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML		1	QL (3 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML		1	QL (3 per 28 days)
rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg	(Crestor)	1	QL (30 per 30 days)
simvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg	(Zocor)	1	QL (30 per 30 days)
simvastatin oral tablet 5 mg		1	QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM		1	QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM		1	QL (120 per 30 days)
WELCHOL ORAL POWDER IN PACKET 3.75 GRAM		1	
WELCHOL ORAL TABLET 625 MG		1	
<b>Renin-Angiotensin-Aldosterone System Inhibitors</b>			
aliskiren oral tablet 150 mg, 300 mg	(Tekturna)	1	
eplerenone oral tablet 25 mg, 50 mg	(Inspira)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TEKTURNA HCT ORAL TABLET 150-12.5 MG, 150-25 MG, 300-12.5 MG, 300-25 MG	1	ST
<b>Vasodilators</b>		
BIDIL ORAL TABLET 20-37.5 MG	1	
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	1	
<i>isosorbide dinitrate oral tablet 5 mg (Isordil Titradose)</i>	1	
<i>isosorbide dinitrate oral tablet (ISOCHRON) extended release 40 mg</i>	1	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	1	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	1	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	1	
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	1	
<i>nitroglycerin sublingual tablet 0.3 (Nitrostat) mg, 0.4 mg, 0.6 mg</i>	1	
<i>nitroglycerin transdermal patch 24 (Minitran) hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	1	
<b>Central Nervous System Agents</b>		
<b>Central Nervous System Agents</b>		
<i>atomoxetine oral capsule 10 mg, 18 (Strattera) mg, 25 mg, 40 mg</i>	1	QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 (Strattera) mg, 80 mg</i>	1	QL (30 per 30 days)
AUBAGIO ORAL TABLET 14 MG, 7 MG	1	PA; QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	1	PA; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	1	PA; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
AVONEX (WITH ALBUMIN) INTRAMUSCULAR KIT 30 MCG	1	PA; QL (4 per 28 days)
AVONEX INTRAMUSCULAR PEN INJECTOR 30 MCG/0.5 ML	1	PA; QL (1 per 28 days)
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	1	PA; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	1	PA; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	1	PA; QL (15 per 30 days)
<i>caffeine citrate intravenous solution</i> (Cafcit) 60 mg/3 ml (20 mg/ml)	1	PA BvD
<i>caffeine citrate oral solution</i> 60 mg/3 ml (20 mg/ml)	1	
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML	1	PA; QL (30 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML	1	PA; QL (12 per 28 days)
<i>dalfampridine oral tablet extended</i> (Ampyra) <i>release 12 hr</i> 10 mg	1	PA; QL (60 per 30 days)
<i>dexamethylphenidate oral tablet</i> 10 (Focalin) mg, 2.5 mg, 5 mg	1	QL (60 per 30 days)
<i>dextroamphetamine oral tablet</i> 10 (Zenzedi) mg, 5 mg	1	QL (180 per 30 days)
<i>dextroamphetamine-amphetamine</i> (Adderall XR) <i>oral capsule,extended release 24hr</i> 10 mg, 15 mg, 5 mg	1	QL (30 per 30 days)
<i>dextroamphetamine-amphetamine</i> (Adderall XR) <i>oral capsule,extended release 24hr</i> 20 mg, 25 mg, 30 mg	1	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine</i> (Adderall) <i>oral tablet</i> 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg	1	QL (60 per 30 days)
<i>dimethyl fumarate oral</i> (Tecfidera) <i>capsule,delayed release(dr/ec)</i> 120 mg	1	PA; QL (14 per 7 days)
<i>dimethyl fumarate oral</i> (Tecfidera) <i>capsule,delayed release(dr/ec)</i> 120 mg (14)- 240 mg (46)	1	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dimethyl fumarate oral capsule, delayed release (dr/ec) 240 mg</i>	(Tecfidera)	1	PA; QL (60 per 30 days)
EXTAVIA SUBCUTANEOUS KIT 0.3 MG		1	PA; QL (15 per 30 days)
<i>flumazenil intravenous solution 0.1 mg/ml</i>		1	
GILENYA ORAL CAPSULE 0.25 MG, 0.5 MG		1	PA; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i>	(Copaxone)	1	PA; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i>	(Copaxone)	1	PA; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i>		1	PA; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i>		1	PA; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i>	(Intuniv ER)	1	
INGREZZA INITIATION PACK ORAL CAPSULE, DOSE PACK 40 MG (7)- 80 MG (21)		1	PA
INGREZZA ORAL CAPSULE 40 MG, 80 MG		1	PA; QL (30 per 30 days)
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML		1	PA; QL (1.2 per 28 days)
LEMTRADA INTRAVENOUS SOLUTION 12 MG/1.2 ML		1	PA; QL (6 per 365 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>		1	
<i>lithium carbonate oral tablet 300 mg</i>		1	
<i>lithium carbonate oral tablet extended release 300 mg</i>	(Lithobid)	1	
<i>lithium carbonate oral tablet extended release 450 mg</i>		1	
<i>lithium citrate oral solution 8 meq/5 ml</i>		1	
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG		1	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	1	PA
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	1	PA
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	1	PA
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	1	PA
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	1	PA
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	1	PA
MAYZENT ORAL TABLET 0.25 MG	1	PA; QL (112 per 28 days)
MAYZENT ORAL TABLET 2 MG	1	PA; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>	1	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>	1	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 10 mg, 20 mg, 40 mg</i>	1	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 30 mg</i>	1	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 60 mg</i>	1	QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i>	1	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i>	1	QL (90 per 30 days)
<i>methylphenidate la 30 mg cap 30 mg</i>	(Ritalin LA)	QL (60 per 30 days)
NUEDEXTA ORAL CAPSULE 20-10 MG	1	PA; QL (60 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	1	PA; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	1	PA; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	1	PA
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	1	PA; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	1	PA
RADICAVA INTRAVENOUS PIGGYBACK 30 MG/100 ML	1	PA; QL (2800 per 28 days)
REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE 22 MCG/0.5 ML, 44 MCG/0.5 ML	1	PA; QL (6 per 28 days)
REBIF REBIDOSE SUBCUTANEOUS PEN Injector 22 MCG/0.5 ML, 44 MCG/0.5 ML	1	PA; QL (6 per 28 days)
REBIF REBIDOSE SUBCUTANEOUS PEN Injector 8.8MCG/0.2ML-22 MCG/0.5ML (6)	1	PA
REBIF TITRATION PACK SUBCUTANEOUS SYRINGE 8.8MCG/0.2ML-22 MCG/0.5ML (6)	1	PA
<i>riluzole oral tablet 50 mg</i> (Rilutek)	1	
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	1	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	1	
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG	1	PA; QL (14 per 7 days)
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG (14)- 240 MG (46)	1	PA
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 240 MG	1	PA; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
tetrabenazine oral tablet 12.5 mg, (Xenazine) 25 mg	1	PA; QL (112 per 28 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	1	PA; QL (120 per 30 days)
ZEPOSIA ORAL CAPSULE 0.92 MG	1	PA; QL (30 per 30 days)
ZEPOSIA STARTER KIT ORAL CAPSULE,DOSE PACK 0.23-0.46-0.92 MG	1	PA
ZEPOSIA STARTER PACK ORAL CAPSULE,DOSE PACK 0.23 MG (4)- 0.46 MG (3)	1	PA
<b>Contraceptives</b>		
<b>Contraceptives</b>		
afirmelle oral tablet 0.1-20 mg-mcg	1	
altavera (28) oral tablet 0.15-0.03 mg	1	
alyacen 1/35 (28) oral tablet 1-35 mg-mcg	1	
alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	1	
amethia lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)	1	QL (91 per 84 days)
amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	1	QL (91 per 84 days)
apri oral tablet 0.15-0.03 mg	1	
aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg	1	
ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	1	QL (91 per 84 days)
aubra oral tablet 0.1-20 mg-mcg	1	
aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg	1	
aurovela 1/20 (21) oral tablet 1-20 mg-mcg	1	
aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
aurovelafe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	1	
aurovelafe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	1	
aviane oral tablet 0.1-20 mg-mcg	1	
ayuna oral tablet 0.15-0.03 mg	1	
azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	1	
balziva (28) oral tablet 0.4-35 mg- mcg	1	
bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	1	
blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	1	
blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	1	
blisovi fe 1/20 (28) oral tablet 1 mg- 20 mcg (21)/75 mg (7)	1	
briellyn oral tablet 0.4-35 mg-mcg	1	
camila oral tablet 0.35 mg	1	
caziant (28) oral tablet 0.1/.125/.15-25 mg-mcg	1	
cryselle (28) oral tablet 0.3-30 mg- mcg	1	
cyclafem 1/35 (28) oral tablet 1-35 mg-mcg	1	
cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	1	
cyred oral tablet 0.15-0.03 mg	1	
dasetta 1/35 (28) oral tablet 1-35 mg-mcg	1	
dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	1	
daysee oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)	1	QL (91 per 84 days)
deblitane oral tablet 0.35 mg	1	
delyla (28) oral tablet 0.1-20 mg- mcg	1	
desog-e.estradiolle.estriadiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	1	(Azurette (28))

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	1	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i>	1	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>	1	
<i>elinest oral tablet 0.3-30 mg-mcg</i>	1	
<b>ELLA ORAL TABLET 30 MG</b>	1	QL (6 per 365 days)
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	1	QL (1 per 28 days)
<i>emoquette oral tablet 0.15-0.03 mg</i>	1	
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	
<i>enskyce oral tablet 0.15-0.03 mg</i>	1	
<i>errin oral tablet 0.35 mg</i>	1	
<i>estarrylla oral tablet 0.25-35 mg-mcg</i>	1	
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	1	
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	1	
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	1	QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	1	
<i>femynor oral tablet 0.25-35 mg-mcg</i>	1	
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>hailey oral tablet 1.5-30 mg-mcg</i>	1	
<i>heather oral tablet 0.35 mg</i>	1	
<i>incassia oral tablet 0.35 mg</i>	1	
<i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	1	QL (91 per 84 days)
<i>isibloom oral tablet 0.15-0.03 mg</i>	1	
<i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	QL (91 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>jasmiel</i> (28) oral tablet 3-0.02 mg	1	
<i>jencycla</i> oral tablet 0.35 mg	1	
<i>jolivette</i> oral tablet 0.35 mg	1	
<i>juleber</i> oral tablet 0.15-0.03 mg	1	
<i>junel</i> 1.5/30 (21) oral tablet 1.5-30 mg-mcg	1	
<i>junel</i> 1/20 (21) oral tablet 1-20 mg-mcg	1	
<i>junel fe</i> 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	1	
<i>junel fe</i> 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	1	
<i>junel fe</i> 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)	1	
<i>kalliga</i> oral tablet 0.15-0.03 mg	1	
<i>kariva</i> (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	1	
<i>kelnor</i> 1/35 (28) oral tablet 1-35 mg-mcg	1	
<i>kelnor</i> 1-50 oral tablet 1-50 mg-mcg	1	
<i>kurvelo</i> (28) oral tablet 0.15-0.03 mg	1	
<i>l norgestile.estradiol-e.estrad</i> oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7) (Amethia Lo)	1	QL (91 per 84 days)
<i>l norgestile.estradiol-e.estrad</i> oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg (Fayosim)	1	QL (91 per 84 days)
<i>l norgestile.estradiol-e.estrad</i> oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7) (Amethia)	1	QL (91 per 84 days)
<i>larin</i> 1.5/30 (21) oral tablet 1.5-30 mg-mcg	1	
<i>larin</i> 1/20 (21) oral tablet 1-20 mg-mcg	1	
<i>larin</i> 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	1	
<i>larin fe</i> 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	1	
<i>larin fe</i> 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>larissa oral tablet 0.1-20 mg-mcg</i>	1	
<i>leena 28 oral tablet 0.5/1/0.5-35 mg-mcg</i>	1	
<i>lessina oral tablet 0.1-20 mg-mcg</i>	1	
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg (Afirmelle)</i>	1	
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg (Altavera (28))</i>	1	
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91) (Introvale)</i>	1	QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10) (Enpresse)</i>	1	
<i>levora-28 oral tablet 0.15-0.03 mg</i>	1	
<i>lillow (28) oral tablet 0.15-0.03 mg</i>	1	
<i>lojaimiess oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	1	QL (91 per 84 days)
<i>loryna (28) oral tablet 3-0.02 mg</i>	1	
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	1	
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	1	
<i>lутера (28) oral tablet 0.1-20 mg-mcg</i>	1	
<i>lyza oral tablet 0.35 mg</i>	1	
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	1	
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>мили oral tablet 0.25-35 mg-mcg</i>	1	
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>	1	
<i>mononessa (28) oral tablet 0.25-35 mg-mcg</i>	1	
<i>myzilra oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg	1	
nikki (28) oral tablet 3-0.02 mg	1	
nora-be oral tablet 0.35 mg	1	
norethindrone (contraceptive) oral tablet 0.35 mg (Camila)	1	
norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg (Aurovela 1.5/30 (21))	1	
norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg (Aurovela 1/20 (21))	1	
norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7) (Aurovela Fe 1-20 (28))	1	
norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (24)/75 mg (4) (Aurovela 24 Fe)	1	
norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (28) (Aurovela Fe 1.5/30 (28))	1	
norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg (Tri-Lo-Estarrylla)	1	
norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28) (Tri Femynor)	1	
norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg (Estarrylla)	1	
norlyda oral tablet 0.35 mg	1	
norlyroc oral tablet 0.35 mg	1	
nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg	1	
nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)	1	
nortrel 1/35 (28) oral tablet 1-35 mg-mcg	1	
nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	1	
ogestrel (28) oral tablet 0.5-50 mg-mcg	1	
orsythia oral tablet 0.1-20 mg-mcg	1	
philith oral tablet 0.4-35 mg-mcg	1	
pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>pirmella oral tablet 0.5/0.75/1 mg-35 mcg, 1-35 mg-mcg</i>	1	
<i>portia 28 oral tablet 0.15-0.03 mg</i>	1	
<i>previfem oral tablet 0.25-35 mg-mcg</i>	1	
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	1	
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	1	QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i>	1	
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	QL (91 per 84 days)
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	1	
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	1	
<i>syeda oral tablet 3-0.03 mg</i>	1	
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	
<i>tarina fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	1	
<i>tri-femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tri-estarrylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	1	
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tri-lo-estarrylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tulana oral tablet 0.35 mg</i>	1	
<i>velivet triphasic regimen (28) oral tablet 0.1/1.125/.15-25 mg-mcg</i>	1	
<i>vienna oral tablet 0.1-20 mg-mcg</i>	1	
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>	1	
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	1	
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>	1	
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	1	QL (3 per 28 days)
<i>zarah oral tablet 3-0.03 mg</i>	1	
<i>zenchent (28) oral tablet 0.4-35 mg-mcg</i>	1	
<i>zovia 1/35e (28) oral tablet 1-35 mg-mcg</i>	1	
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	1	
<b>Dental And Oral Agents</b>		
<b>Dental And Oral Agents</b>		
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	(Paroex Oral Rinse)	1
<i>oralone dental paste 0.1 %</i>		1
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i>		1

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>periogard mucous membrane mouthwash 0.12 %</i>	1	
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg (Salagen (pilocarpine))</i>	1	
<i>triamcinolone acetonide dental paste (Oralone) 0.1 %</i>	1	
<b>Dermatological Agents</b>		
<b>Dermatological Agents, Other</b>		
<i>acitretin oral capsule 10 mg, 25 mg (Soriatane)</i>	1	
<i>acitretin oral capsule 17.5 mg</i>	1	
<i>acyclovir topical ointment 5 % (Zovirax)</i>	1	QL (30 per 30 days)
<b>ALCOHOL PADS TOPICAL PADS, MEDICATED</b>		
<i>ammonium lactate topical cream 12 % (Geri-Hydrolac)</i>	1	
<i>ammonium lactate topical lotion 12 % (Geri-Hydrolac)</i>	1	
<i>calcipotriene scalp solution 0.005 %</i>	1	
<i>calcipotriene topical cream 0.005 % (Dovonex)</i>	1	
<i>fluorouracil topical cream 0.5 % (Carac)</i>	1	
<i>fluorouracil topical cream 5 % (Efudex)</i>	1	
<i>fluorouracil topical solution 2 %, 5 %</i>	1	
<i>imiquimod topical cream in packet 5 % (Aldara)</i>	1	QL (24 per 30 days)
<i>methoxsalen oral capsule, liqd-filled,rapid rel 10 mg</i>	1	
<b>PANRETIN TOPICAL GEL 0.1 %</b>		
<i>PICATO TOPICAL GEL 0.015 %</i>	1	QL (3 per 56 days)
<i>PICATO TOPICAL GEL 0.05 %</i>	1	QL (2 per 56 days)
<i>podofilox topical solution 0.5 %</i>	1	
<b>SANTYL TOPICAL OINTMENT 250 UNIT/GRAM</b>		
<i>TOLAK TOPICAL CREAM 4 %</i>	1	
<b>VALCHLOR TOPICAL GEL 0.016 %</b>		
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<b>Dermatological Antibacterials</b>		
<i>clindamycin phosphate topical solution 1 %</i> (Cleocin T)	1	
<i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ)	1	
<i>ery pads topical swab 2 %</i>	1	
<i>erythromycin with ethanol topical gel 2 %</i> (Erygel)	1	
<i>erythromycin with ethanol topical solution 2 %</i>	1	
<i>erythromycin with ethanol topical swab 2 %</i> (Ery Pads)	1	
<i>gentamicin topical cream 0.1 %</i>	1	
<i>gentamicin topical ointment 0.1 %</i>	1	
<i>metronidazole topical cream 0.75 %</i> (Rosadan)	1	
<i>metronidazole topical gel 0.75 %</i> (Rosadan)	1	
<i>metronidazole topical gel 1 %</i> (Metrogel)	1	
<i>metronidazole topical lotion 0.75 %</i> (MetroLotion)	1	
<i>mupirocin topical ointment 2 %</i> (Centany)	1	
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	1	
<i>rosadan topical cream 0.75 %</i>	1	
<i>selenium sulfide topical lotion 2.5 %</i>	1	
<i>silver sulfadiazine topical cream 1 %</i> (SSD)	1	
<i>ssd topical cream 1 %</i>	1	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i> (Klaron)	1	
<b>Dermatological Anti-Inflammatory Agents</b>		
<i>ala-cort topical cream 1 %</i>	1	
<i>alclometasone topical cream 0.05 %</i>	1	
<i>alclometasone topical ointment 0.05 %</i>	1	
<i>betamethasone dipropionate topical cream 0.05 %</i>	1	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	1	
<i>betamethasone dipropionate topical ointment 0.05 %</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>betamethasone valerate topical cream 0.1 %</i>	1	
<i>betamethasone valerate topical lotion 0.1 %</i>	1	
<i>betamethasone valerate topical ointment 0.1 %</i>	1	
<i>betamethasone, augmented topical cream 0.05 %</i>	1	
<i>betamethasone, augmented topical gel 0.05 %</i>	1	
<i>betamethasone, augmented topical lotion 0.05 %</i>	1	
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented))	1	
<i>clobetasol scalp solution 0.05 %</i>	1	
<i>clobetasol topical cream 0.05 %</i> (Temovate)	1	
<i>clobetasol-emollient topical cream 0.05 %</i>	1	
<i>clocortolone pivalate topical cream 0.1 %</i> (Cloderm)	1	
<i>cormax scalp solution 0.05 %</i>	1	
<i>desoximetasone topical cream 0.25 %</i> (Topicort)	1	
<b>EUCRISA TOPICAL OINTMENT 2 %</b>	1	
<i>fluocinolone topical cream 0.01 %</i>	1	
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	1	
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	1	
<i>fluocinonide topical cream 0.05 %</i>	1	
<i>fluocinonide topical solution 0.05 %</i>	1	
<i>fluocinonide-e topical cream 0.05 %</i>	1	
<i>fluticasone propionate topical cream 0.05 %</i> (Cutivate)	1	
<i>fluticasone propionate topical ointment 0.005 %</i>	1	
<i>halobetasol propionate topical cream 0.05 %</i>	1	
<i>halobetasol propionate topical ointment 0.05 %</i>	1	
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
hydrocortisone topical cream 2.5 %	1	
hydrocortisone topical lotion 2.5 %	1	
hydrocortisone topical ointment 1 % (Anti-Itch (HC))	1	
hydrocortisone topical ointment 2.5 %	1	
mometasone topical cream 0.1 %	1	
mometasone topical ointment 0.1 %	1	
mometasone topical solution 0.1 %	1	
pimecrolimus topical cream 1 % (Elidel)	1	
prednicarbate topical cream 0.1 %	1	
prednicarbate topical ointment 0.1 %	1	
procto-med hc topical cream with perineal applicator 2.5 %	1	
proctosol hc topical cream with perineal applicator 2.5 %	1	
proctozone-hc topical cream with perineal applicator 2.5 %	1	
tacrolimus topical ointment 0.03 %, 0.1 % (Protopic)	1	QL (100 per 30 days)
triamcinolone acetonide topical cream 0.025 %	1	
triamcinolone acetonide topical cream 0.1 %, 0.5 % (Triderm)	1	
triamcinolone acetonide topical lotion 0.025 %, 0.1 %	1	
triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %	1	
triamcinolone acetonide topical ointment 0.05 % (Trianex)	1	
<b>Dermatological Retinoids</b>		
adapalene topical cream 0.1 % (Differin)	1	
adapalene topical gel 0.1 % (Differin)	1	
ALTRENO TOPICAL LOTION 0.05 %	1	PA
tazarotene topical cream 0.1 % (Tazorac)	1	
TAZORAC TOPICAL CREAM 0.05 %	1	
tretinoin topical cream 0.025 % (Avita)	1	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tretinooin topical cream 0.05 %, 0.1 %</i> (Retin-A)	1	PA
<i>tretinooin topical gel 0.01 %</i> (Retin-A)	1	PA
<i>tretinooin topical gel 0.025 %</i> (Avita)	1	PA
<i>tretinooin topical gel 0.05 %</i> (Atralin)	1	PA
<b>Scabicides And Pediculicides</b>		
<i>malathion topical lotion 0.5 %</i> (Ovide)	1	
<i>permethrin topical cream 5 %</i> (Elimite)	1	
<b>Devices</b>		
<b>Devices</b>		
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	1	
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	1	
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	1	
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	1	
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	1	
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	1	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE	1	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2"	1	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE	1	
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2" (1st Tier Unifine Pentips)	1	
V-GO 40 DISPOSABLE DEVICE	1	
<b>Enzyme Replacement/Modifiers</b>		
<b>Enzyme Replacement/Modifiers</b>		
ADAGEN INTRAMUSCULAR SOLUTION 250 UNIT/ML	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	1	
CERDELGA ORAL CAPSULE 84 MG	1	PA
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	1	
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	1	
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	1	
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	1	
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	1	PA
GALAFOLD ORAL CAPSULE 123 MG	1	PA; QL (14 per 28 days)
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	1	PA
KRYSTEXXA INTRAVENOUS SOLUTION 8 MG/ML	1	PA BvD
KUVAN ORAL TABLET,SOLUBLE 100 MG	1	
MEPSEVII INTRAVENOUS SOLUTION 2 MG/ML	1	PA
<i>miglustat oral capsule 100 mg</i> (Zavesca)	1	PA; QL (90 per 30 days)
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	1	
<i>nitisinone oral capsule 10 mg, 2 mg, 5 mg</i> (Orfadin)	1	PA
NITYR ORAL TABLET 10 MG, 2 MG, 5 MG	1	PA
ORFADIN ORAL CAPSULE 20 MG	1	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ORFADIN ORAL SUSPENSION 4 MG/ML	1	PA
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	1	PA
PULMOZYME INHALATION SOLUTION 1 MG/ML	1	PA BvD
REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	1	PA
<i>sapropterin oral tablet,soluble 100 mg</i> (Kuvan)	1	
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	1	PA; LA
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	1	PA
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	1	
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT	1	
<b>Eye, Ear, Nose, Throat Agents</b>		
<b>Eye, Ear, Nose, Throat Agents, Miscellaneous</b>		
apraclonidine ophthalmic (eye) drops 0.5 %	1	
atropine ophthalmic (eye) drops I (%) (Isopto Atropine)	1	
azelastine nasal aerosol,spray 137 mcg (0.1 %)	1	QL (30 per 25 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	1	
<i>cromolyn ophthalmic (eye) drops 4 %</i>	1	
<i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i>	1	
<b>CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %</b>	1	
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	1	
<i>ipratropium bromide nasal spray, non-aerosol 0.03 %</i>	1	QL (30 per 28 days)
<i>ipratropium bromide nasal spray, non-aerosol 42 mcg (0.06 %)</i>	1	QL (15 per 10 days)
<i>olopatadine ophthalmic (eye) drops (Pataday) 0.1 %, 0.2 %</i>	1	
<i>phenylephrine hcl ophthalmic (eye) drops 10 %, 2.5 %</i>	1	
<i>proparacaine ophthalmic (eye) drops 0.5 %</i>	1	
<b>TEPEZZA INTRAVENOUS RECON SOLN 500 MG</b>	1	PA
<b>Eye, Ear, Nose, Throat Anti-Infectives Agents</b>		
<i>acetic acid otic (ear) solution 2 %</i>	1	
<i>acetic acid-aluminum acetate otic (ear) drops 2 %</i>	1	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	1	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i>	1	
<i>bleph-10 ophthalmic (eye) drops 10 %</i>	1	
<b>CIPRODEX OTIC (EAR) DROPS, SUSPENSION 0.3-0.1 %</b>	1	
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i>	1	
<i>ciprofloxacin hcl otic (ear) dropperette 0.2 %</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>		<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i>	(Ciprodex)	1	
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>		1	
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>		1	
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>		1	
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>		1	
<b>MOXEZA OPHTHALMIC (EYE) DROPS, VISCOSUS 0.5 %</b>		1	
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i>	(Vigamox)	1	
<b>NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %</b>		1	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	(Neo-Polycin HC)	1	
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	(Neo-Polycin)	1	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i>	(Maxitrol)	1	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i>	(Maxitrol)	1	
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>		1	
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>		1	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>		1	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>		1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	1	
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	1	
<i>ofloxacin ophthalmic (eye) drops (Ocuflax) 0.3 %</i>	1	
<i>ofloxacin otic (ear) drops 0.3 %</i>	1	
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	1	
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit-1 mg/ml</i>	1	
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>	1	
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	1	
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	1	
<i>tobramycin ophthalmic (eye) drops (Tobrex) 0.3 %</i>	1	
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>	1	
<i>trifluridine ophthalmic (eye) drops 1 %</i>	1	
<b>ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %</b>	1	
<b>ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %</b>	1	
<b>Eye, Ear, Nose, Throat Anti-Inflammatory Agents</b>		
<i>ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %</i>	1	ST
<i>BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %</i>	1	
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	1	
<b>DUREZOL OPHTHALMIC (EYE) DROPS 0.05 %</b>	1	
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	1	QL (50 per 25 days)
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i>	1	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	1	
<i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i> (24 Hour Allergy Relief)	1	QL (16 per 30 days)
<b>ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %</b>	1	
<b>INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %</b>	1	
<i>ketorolac ophthalmic (eye) drops (Acular) 0.5 %</i>	1	
<b>LOTEMAX OPHTHALMIC (EYE) DROPS,GEL 0.5 %</b>	1	
<b>LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %</b>	1	
<b>LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %</b>	1	
<i>mometasone nasal spray,non-aerosol (Nasonex) 50 mcg/actuation</i>	1	QL (34 per 28 days)
<i>prednisolone acetate ophthalmic (Pred Forte) (eye) drops,suspension 1 %</i>	1	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	1	
<b>PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %</b>	1	
<b>RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 %</b>	1	QL (60 per 30 days)
<b>XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION</b>	1	ST; QL (32 per 30 days)
<b>XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %</b>	1	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Gastrointestinal Agents</b>		
<b>Antiulcer Agents And Acid Suppressants</b>		
cimetidine hcl oral solution 300 mg/5 ml	1	
esomeprazole sodium intravenous recon soln 20 mg	1	
esomeprazole sodium intravenous (Nexium IV) recon soln 40 mg	1	
famotidine (pf) intravenous solution 20 mg/2 ml	1	
famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml	1	
famotidine intravenous solution 10 mg/ml	1	
famotidine oral tablet 20 mg (Acid Controller)	1	
famotidine oral tablet 40 mg (Pepcid)	1	
lansoprazole oral capsule, delayed release(dr/ec) 15 mg	1	QL (30 per 30 days)
lansoprazole oral capsule, delayed release(dr/ec) 30 mg	1	QL (60 per 30 days)
misoprostol oral tablet 100 mcg, 200 mcg (Cytotec)	1	
nizatidine oral capsule 150 mg, 300 mg	1	
omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg, 40 mg	1	
omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram	1	ST; QL (30 per 30 days)
pantoprazole intravenous recon soln 40 mg (Protonix)	1	
pantoprazole oral tablet, delayed release (dr/ec) 20 mg (Protonix)	1	QL (30 per 30 days)
pantoprazole oral tablet, delayed release (dr/ec) 40 mg (Protonix)	1	QL (60 per 30 days)
sucralfate oral tablet 1 gram (Carafate)	1	
<b>Gastrointestinal Agents, Other</b>		
AMITIZA ORAL CAPSULE 24 MCG, 8 MCG	1	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CARBAGLU ORAL TABLET, DISPERSIBLE 200 MG	1	
<i>constulose oral solution 10 gram/15 ml</i>	1	
<i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)	1	
<i>dicyclomine oral capsule 10 mg</i>	1	
<i>dicyclomine oral solution 10 mg/5 ml</i>	1	
<i>dicyclomine oral tablet 20 mg</i>	1	
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>	1	PA-HRM; AGE (Max 64 Years)
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> (Lomotil)	1	PA-HRM; AGE (Max 64 Years)
<i>enulose oral solution 10 gram/15 ml</i>	1	
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	1	PA
<i>generlac oral solution 10 gram/15 ml</i>	1	
<i>glycopyrrolate injection solution 0.2 mg/ml</i>	1	
<i>glycopyrrolate oral tablet 1 mg, 2 mg</i>	1	
<i>kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml</i>	1	
<i>lactulose oral solution 10 gram/15 ml</i> (Constulose)	1	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	1	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM	1	QL (90 per 30 days)
<i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))	1	
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	1	
<i>metoclopramide hcl injection solution 5 mg/ml</i>	1	
<i>metoclopramide hcl injection syringe 5 mg/ml</i>	1	
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	1	
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	1	QL (30 per 30 days)
OCALIVA ORAL TABLET 10 MG, 5 MG	1	PA; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	1	PA
RELISTOR ORAL TABLET 150 MG	1	PA; QL (90 per 30 days)
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	1	PA; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML	1	PA; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML	1	PA; QL (11.2 per 28 days)
<i>sodium phenylbutyrate oral tablet</i> (Buphenyl) 500 mg	1	
<i>sodium polystyrene (sorb free) oral suspension</i> 15 gram/60 ml	1	
<i>sodium polystyrene sulfonate oral powder</i>	1	
<i>sps (with sorbitol) oral suspension</i> 15-20 gram/60 ml	1	
<i>ursodiol oral capsule</i> 300 mg (Actigall)	1	
<i>ursodiol oral tablet</i> 250 mg (URSO 250)	1	
<i>ursodiol oral tablet</i> 500 mg (URSO Forte)	1	
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	1	QL (30 per 30 days)
VIBERZI ORAL TABLET 100 MG, 75 MG	1	ST; QL (60 per 30 days)
XERMELO ORAL TABLET 250 MG	1	PA; QL (90 per 30 days)
<b>Laxatives</b>		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML	1	
<i>gavilyte-c oral recon soln</i> 240-22.72- 6.72 -5.84 gram	1	
<i>gavilyte-g oral recon soln</i> 236-22.74- 6.74 -5.86 gram	1	
<i>gavilyte-n oral recon soln</i> 420 gram	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
peg 3350-electrolytes oral recon soln (Gavilyte-C) 240-22.72-6.72 -5.84 gram	1	
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13- 1.6 GRAM	1	
trilyte with flavor packets oral recon soln 420 gram	1	
<b>Phosphate Binders</b>		
calcium acetate(phosphat bind) oral capsule 667 mg	1	
calcium acetate(phosphat bind) oral tablet 667 mg	1	
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	1	
sevelamer carbonate oral powder in (Renvela) packet 0.8 gram, 2.4 gram	1	
sevelamer carbonate oral tablet 800 (Renvela) mg	1	
sevelamer hcl oral tablet 400 mg	1	
sevelamer hcl oral tablet 800 mg (Renagel)	1	
VELPHORO ORAL TABLET,CHEWABLE 500 MG	1	
<b>Genitourinary Agents</b>		
<b>Antispasmodics, Urinary</b>		
bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg	1	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	1	
oxybutynin chloride oral syrup 5 mg/5 ml	1	
oxybutynin chloride oral tablet 5 mg	1	
oxybutynin chloride oral tablet (Ditropan XL) extended release 24hr 10 mg, 5 mg	1	
oxybutynin chloride oral tablet extended release 24hr 15 mg	1	
tolterodine oral capsule,extended release 24hr 2 mg, 4 mg	1	
tolterodine oral tablet 1 mg, 2 mg (Detrol)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TOVIAZ ORAL TABLET EXTENDED RELEASE 24 HR 4 MG, 8 MG	1	
<b>Genitourinary Agents, Miscellaneous</b>		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	1	
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	1	
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	
PROCYSBI ORAL CAPSULE, DELAYED REL SPRINKLE 25 MG, 75 MG	1	
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	
THIOLA EC ORAL TABLET,DELAYED RELEASE (DR/EC) 100 MG, 300 MG	1	PA
THIOLA ORAL TABLET 100 MG	1	
<b>Heavy Metal Antagonists</b>		
<b>Heavy Metal Antagonists</b>		
<i>clovique oral capsule 250 mg</i>	1	PA; QL (240 per 30 days)
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle)	1	PA
<i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i> (Jadenu)	1	PA
<i>deferasirox oral tablet, dispersible 125 mg, 250 mg, 500 mg</i> (Exjade)	1	PA
<i>deferiprone oral tablet 500 mg</i> (Ferriprox)	1	PA
<i>deferoxamine injection recon soln 2 gram, 500 mg</i> (Desferal)	1	PA
FERRIPROX ORAL SOLUTION 100 MG/ML	1	PA
FERRIPROX ORAL TABLET 1,000 MG, 500 MG	1	PA
JADENU SPRINKLE ORAL GRANULES IN PACKET 180 MG, 360 MG, 90 MG	1	PA
<i>penicillamine oral capsule 250 mg</i> (Cuprimine)	1	PA
<i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)	1	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>trientine oral capsule 250 mg</i> (Clovique)	1	PA; QL (240 per 30 days)
<b>Hormonal Agents, Stimulant/Replacement/Modifying Agents</b>		
<b>Androgens</b>		
<i>ANADROL-50 ORAL TABLET 50 MG</i>	1	PA
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	1	
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i>	1	PA
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	1	PA
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	1	PA; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i>	1	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i>	1	PA; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i>	1	PA; QL (300 per 30 days)
<i>testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)</i>	1	PA; QL (180 per 30 days)
<i>XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML</i>	1	PA; QL (2 per 28 days)
<b>Estrogens And Antiestrogens</b>		
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	1	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
DUAVEE ORAL TABLET 0.45-20 MG	1	PA-HRM; AGE (Max 64 Years)
estradiol oral tablet 0.5 mg, 1 mg, 2 mg (Estrace)	1	PA-HRM; AGE (Max 64 Years)
estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr (Dotti)	1	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr (Climara)	1	PA-HRM; QL (4 per 28 days); AGE (Max 64 Years)
estradiol vaginal cream 0.01 % (0.1 mg/gram) (Estrace)	1	
estradiol vaginal tablet 10 mcg (Yuvafem)	1	QL (18 per 28 days)
estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml (Delestrogen)	1	
estradiol-norethindrone acet oral tablet 0.5-0.1 mg (Amabelz)	1	PA-HRM; AGE (Max 64 Years)
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	1	QL (1 per 84 days)
fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg	1	PA-HRM; AGE (Max 64 Years)
jinteli oral tablet 1-5 mg-mcg	1	PA-HRM; AGE (Max 64 Years)
mimvey lo oral tablet 0.5-0.1 mg	1	PA-HRM; AGE (Max 64 Years)
mimvey oral tablet 1-0.5 mg	1	PA-HRM; AGE (Max 64 Years)
norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg (Fyavolv)	1	PA-HRM; AGE (Max 64 Years)
PREMARIN INJECTION RECON SOLN 25 MG	1	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG	1	PA-HRM; AGE (Max 64 Years)
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	1	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	1	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	1	PA-HRM; AGE (Max 64 Years)
<i>raloxifene oral tablet 60 mg</i> (Evista)	1	
<i>yuvafem vaginal tablet 10 mcg</i>	1	QL (18 per 28 days)
<b>Glucocorticoids/Mineralocorticoids</b>		
<i>a-hydrocort injection recon soln 100 mg</i>	1	
<i>betamethasone acet,sod phos injection suspension 6 mg/ml</i> (Celestone Soluspan)	1	
<i>cortisone oral tablet 25 mg</i>	1	
<i>decadron oral elixir 0.5 mg/5 ml</i>	1	PA BvD
<i>dexamethasone oral elixir 0.5 mg/5 ml</i>	1	PA BvD
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 4 mg, 6 mg</i> (Decadron)	1	PA BvD
<i>dexamethasone oral tablet 1 mg, 1.5 mg, 2 mg</i>	1	PA BvD
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	1	
<i>dexamethasone sodium phos (pf) injection syringe 10 mg/ml</i>	1	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	1	
EMFLAZA ORAL SUSPENSION 22.75 MG/ML	1	PA; QL (91 per 28 days)
EMFLAZA ORAL TABLET 18 MG	1	PA; QL (30 per 30 days)
EMFLAZA ORAL TABLET 30 MG, 36 MG, 6 MG	1	PA; QL (60 per 30 days)
<i>fludrocortisone oral tablet 0.1 mg</i>	1	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	1	
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i> (Depo-Medrol)	1	
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Medrol)	1	
<i>methylprednisolone oral tablets,dose pack 4 mg</i> (Medrol (Pak))	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	1	
<i>methylprednisolone sodium succ (Solu-Medrol) intravenous recon soln 1,000 mg, 500 mg</i>	1	
<i>prednisolone 15 mg/5 ml soln alf, d/f 15 mg/5 ml (3 mg/ml)</i>	1	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	1	PA BvD
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	1	PA BvD
<i>prednisolone sodium phosphate oral (Pediapred) solution 5 mg base/5 ml (6.7 mg/5 ml)</i>	1	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	1	PA BvD
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	1	
<b>SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 100 MG/2 ML</b>	1	
<i>triamcinolone acetonide injection (Kenalog) suspension 40 mg/ml</i>	1	
<b>Pituitary</b>		
<b>BYNFEZIA SUBCUTANEOUS PEN INJECTOR 2,500 MCG/ML</b>	1	
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	1	
<i>desmopressin injection solution 4 mcg/ml</i>	1	
<i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>	1	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i>	1	
<b>EGRIFTA SUBCUTANEOUS RECON SOLN 1 MG</b>	1	PA; QL (60 per 30 days)
<b>EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG</b>	1	PA; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.2 MG/0.25 ML, 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML	1	PA
GENOTROPIN SUBCUTANEOUS CARTRIDGE 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML)	1	PA
HUMATROPE INJECTION CARTRIDGE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT)	1	PA
HUMATROPE INJECTION RECON SOLN 5 (15 UNIT) MG	1	PA
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	1	
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	1	
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG	1	
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	1	
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	1	
NOCDURNA (MEN) SUBLINGUAL TABLET,DISINTEGRATING 55.3 MCG	1	QL (30 per 30 days)
NOCDURNA (WOMEN) SUBLINGUAL TABLET,DISINTEGRATING 27.7 MCG	1	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	1	PA
NUTROPIN AQ NUSPIN SUBCUTANEOUS PEN INJECTOR 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML)	1	PA
<i>octreotide acetate injection solution</i> 1,000 mcg/ml, 200 mcg/ml	1	
<i>octreotide acetate injection solution</i> (Sandostatin) 100 mcg/ml, 50 mcg/ml, 500 mcg/ml	1	
<i>octreotide acetate injection syringe</i> 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)	1	
OMNITROPE SUBCUTANEOUS CARTRIDGE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	1	PA
OMNITROPE SUBCUTANEOUS RECON SOLN 5.8 MG	1	PA
ORILISSA ORAL TABLET 150 MG	1	PA; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	1	PA; QL (56 per 28 days)
SAIZEN SAIZENPREP SUBCUTANEOUS CARTRIDGE 8.8 MG/1.51 ML (FINAL CONC.)	1	PA
SAIZEN SUBCUTANEOUS RECON SOLN 5 MG, 8.8 MG	1	PA
SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 10 MG, 20 MG, 30 MG	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	1	PA
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	1	PA; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML	1	PA NSO; QL (1 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML, 90 MG/0.3 ML	1	PA; QL (1 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	1	PA
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	1	QL (1 per 360 days)
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	1	
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	1	QL (1 per 168 days)
ZOMACTON SUBCUTANEOUS RECON SOLN 10 MG, 5 MG	1	PA
ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG	1	PA
<b>Progestins</b>		
DEPO-PROVERA INTRAMUSCULAR SUSPENSION 400 MG/ML	1	QL (10 per 28 days)
<i>hydroxyprogesterone cap (ppres) (Makena) intramuscular oil 250 mg/ml</i>	1	
<i>medroxyprogesterone intramuscular (Depo-Provera) suspension 150 mg/ml</i>	1	QL (1 per 84 days)
<i>medroxyprogesterone intramuscular (Depo-Provera) syringe 150 mg/ml</i>	1	QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 (Provera) mg, 2.5 mg, 5 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	1	PA-HRM; AGE (Max 64 Years)
<i>norethindrone acetate oral tablet 5 mg</i> (Aygestin)	1	
<i>progesterone intramuscular oil 50 mg/ml</i>	1	
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	1	
<b>Thyroid And Antithyroid Agents</b>		
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox)	1	
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	1	
<i>liothyronine oral tablet 25 mcg, 50 mcg</i> (Cytomel)	1	
<i>methimazole oral tablet 10 mg, 5 mg</i> (Tapazole)	1	
<i>propylthiouracil oral tablet 50 mg</i>	1	
<b>Immunological Agents</b>		
<b>Immunological Agents</b>		
<i>ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML</i>	1	PA
<i>ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)</i>	1	PA
<i>ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML</i>	1	PA
<i>ARCALYST SUBCUTANEOUS RECON SOLN 220 MG</i>	1	
<i>AVSOLA INTRAVENOUS RECON SOLN 100 MG</i>	1	PA
<i>azathioprine oral tablet 50 mg</i> (Imuran)	1	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>	1	PA BvD
<i>CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)</i>	1	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	1	PA
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	1	PA
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	1	PA
<i>cyclosporine intravenous solution</i> (Sandimmune) 250 mg/5 ml	1	PA BvD
<i>cyclosporine modified oral capsule</i> (Gengraf) 100 mg, 25 mg	1	PA BvD
<i>cyclosporine modified oral capsule</i> 50 mg	1	PA BvD
<i>cyclosporine modified oral solution</i> (Gengraf) 100 mg/ml	1	PA BvD
<i>cyclosporine oral capsule 100 mg, 25 mg</i> (Sandimmune)	1	PA BvD
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML	1	PA
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 200 MG/1.14 ML, 300 MG/2 ML	1	PA
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	1	PA
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	1	PA
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	1	PA
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	1	PA
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	1	PA
<i>everolimus (immunosuppressive)</i> (Zortress) oral tablet 0.25 mg, 0.5 mg, 0.75 mg	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	1	PA BvD
GAMASTAN INTRAMUSCULAR SOLUTION 15-18 % RANGE	1	PA BvD
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	1	PA BvD
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	1	PA BvD
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	1	PA BvD
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	1	PA BvD
<i>gengraf oral capsule 100 mg, 25 mg</i>	1	PA BvD
<i>gengraf oral solution 100 mg/ml</i>	1	PA BvD
HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	1	PA
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	1	PA
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	1	PA
HUMIRA PEN SUBCUTANEOUS INJECTOR KIT 40 MG/0.8 ML	1	PA
HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.8 ML	1	PA
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	1	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	1	PA
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	1	PA
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML	1	PA
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	1	PA
HYPERRAB (PF) INTRAMUSCULAR SOLUTION 300 UNIT/ML	1	
HYPERRAB S/D (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	1	
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	1	PA BvD
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	1	PA
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	1	PA
IMOGLAM RABIES-HT (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	1	
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	1	PA
KEDRAB (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	1	
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	1	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	1	PA
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	1	PA
<i>leflunomide oral tablet 10 mg, 20 mg (Arava)</i>	1	
<i>mycophenolate mofetil (hcl) (CellCept Intravenous) intravenous recon soln 500 mg</i>	1	PA BvD
<i>mycophenolate mofetil oral capsule (CellCept) 250 mg</i>	1	PA BvD
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i>	1	PA BvD
<i>mycophenolate mofetil oral tablet (CellCept) 500 mg</i>	1	PA BvD
NULOJIX INTRAVENOUS RECON SOLN 250 MG	1	PA BvD
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	1	PA BvD
OLUMIANT ORAL TABLET 1 MG, 2 MG	1	PA
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	1	PA
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	1	PA
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	1	PA
OTEZLA ORAL TABLET 30 MG	1	PA
OTEZLA STARTER ORAL TABLETS, DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	1	PA
PRIVIGEN INTRAVENOUS SOLUTION 10 %	1	PA BvD
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	1	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	1	PA BvD; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	1	
REMICADE INTRAVENOUS RECON SOLN 100 MG	1	PA
RENFLEXIS INTRAVENOUS RECON SOLN 100 MG	1	PA
RIDAURA ORAL CAPSULE 3 MG	1	
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG	1	PA
SILIQ SUBCUTANEOUS SYRINGE 210 MG/1.5 ML	1	PA
SIMPONI ARIA INTRAVENOUS SOLUTION 12.5 MG/ML	1	PA
SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML, 50 MG/0.5 ML	1	PA
SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML, 50 MG/0.5 ML	1	PA
<i>sirolimus oral solution 1 mg/ml</i> (Rapamune)	1	PA BvD
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i> (Rapamune)	1	PA BvD
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	1	PA
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	1	PA
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	1	PA
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	1	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg (Prograf)	1	PA BvD
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML	1	PA
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML	1	PA
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	1	
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	1	PA
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	1	PA
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	1	PA; LA
XELJANZ ORAL TABLET 10 MG, 5 MG	1	PA
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	1	PA
ZORTRESS ORAL TABLET 1 MG	1	PA BvD
<b>Vaccines</b>		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	1	
ADACEL(TDAP) ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	1	
ADACEL(TDAP) ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	1	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	1	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	1	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	1	
DAPTACEL (DTAP) PEDIATRIC (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG-LF/0.5ML	1	
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	1	PA BvD
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	1	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	1	PA BvD
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	1	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	1	QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SUSPENSION 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	1	
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	1	
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	1	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25-58-10 LF- MCG-LF/0.5ML	1	
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	1	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	1	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	1	
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	1	
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	1	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	1	
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	1	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	1	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	1	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	1	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML	1	
PENTACEL DTAP-IPV COMPNT (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 62 DU/0.5 ML	1	
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3- 4.3-3- 3.99 TCID50/0.5	1	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	1	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	1	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	1	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	1	PA BvD
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	1	
ROTAQUE VACCINE ORAL SOLUTION 2 ML	1	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	1	QL (2 per 365 days)
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	1	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	1	
TETANUS,DIPHTHERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	1	
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	1	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	1	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	1	
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	1	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	1	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	1	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	1	QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZOSTAVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 19,400 UNIT/0.65 ML	1	QL (1 per 365 days)
<b>Inflammatory Bowel Disease Agents</b>		
<b>Inflammatory Bowel Disease Agents</b>		
<i>alosetron oral tablet 0.5 mg, 1 mg</i> (Lotronex)	1	
<i>balsalazide oral capsule 750 mg</i> (Colazal)	1	
<i>budesonide oral capsule,delayed,extend.release 3 mg</i> (Entocort EC)	1	
<i>colocort rectal enema 100 mg/60 ml</i>	1	
DIPENTUM ORAL CAPSULE 250 MG	1	ST
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)	1	
LIALDA ORAL TABLET,DELAYED RELEASE (DR/EC) 1.2 GRAM	1	
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i> (Delzicol)	1	
<i>mesalamine oral capsule,extended release 24hr 0.375 gram</i> (Apriso)	1	
<i>mesalamine oral tablet,delayed release (dr/ec) 1.2 gram</i> (Lialda)	1	
<i>mesalamine oral tablet,delayed release (dr/ec) 800 mg</i> (Asacol HD)	1	
<i>mesalamine rectal suppository 1,000 mg</i> (Canasa)	1	
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	1	
<i>sulfasalazine oral tablet,delayed release (dr/ec) 500 mg</i> (Azulfidine EN-tabs)	1	
UCERIS RECTAL FOAM 2 MG/ACTUATION	1	
<b>Irrigating Solutions</b>		
<b>Irrigating Solutions</b>		
<i>acetic acid irrigation solution 0.25 %</i>	1	
LACTATED RINGERS IRRIGATION SOLUTION	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
sodium chloride irrigation solution 0.9 %	(Aqua Care Sodium Chloride)	1
water for irrigation, sterile irrigation solution	(Aqua Care Sterile Water)	1
<b>Metabolic Bone Disease Agents</b>		
<b>Metabolic Bone Disease Agents</b>		
alendronate oral tablet 10 mg, 5 mg	1	
alendronate oral tablet 35 mg	1	QL (4 per 28 days)
alendronate oral tablet 70 mg	(Fosamax)	1
calcitonin (salmon) nasal spray,non-aerosol 200 unit/actuation		1
calcitriol intravenous solution 1 mcg/ml	1	
calcitriol oral capsule 0.25 mcg, 0.5 mcg	(Rocaltrol)	1
calcitriol oral solution 1 mcg/ml	(Rocaltrol)	1
cinacalcet oral tablet 30 mg, 60 mg	(Sensipar)	1
cinacalcet oral tablet 90 mg	(Sensipar)	1
doxercalciferol intravenous solution 4 mcg/2 ml	(Hectorol)	1
EVENITY 105 MG/1.17 ML SYRINGE 105 MG/1.17 ML		1
EVENITY SUBCUTANEOUS SYRINGE 210MG/2.34ML (105MG/1.17MLX2)		1
FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (600MCG/2.4ML)		1
ibandronate intravenous solution 3 mg/3 ml		1
ibandronate intravenous syringe 3 mg/3 ml	(Boniva)	1
ibandronate oral tablet 150 mg	(Boniva)	1
MIACALCIN INJECTION SOLUTION 200 UNIT/ML		1
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE		1
paricalcitol hemodialysis port injection solution 2 mcg/ml		1

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PARICALCITOL HEMODIALYSIS PORT INJECTION SOLUTION 5 MCG/ML	1	
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	1	
<i>paricalcitol oral capsule 4 mcg</i>	1	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	1	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE, EXTENDED RELEASE 24 HR 30 MCG	1	QL (60 per 30 days)
<i>teriparatide subcutaneous pen injector 20 mcg/dose - 620 mcg/2.48 ml</i>	1	PA; QL (2.48 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	1	PA; QL (1.56 per 30 days)
<i>zoledronic acid intravenous recon soln 4 mg</i>	1	
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	1	
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> (Reclast)	1	QL (100 per 300 days)
<b>Miscellaneous Therapeutic Agents</b>		
<b>Miscellaneous Therapeutic Agents</b>		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	1	
<i>amifostine crystalline intravenous recon soln 500 mg</i> (Ethyol)	1	
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	1	PA
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	1	PA; QL (4 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	1	PA; QL (4 per 28 days)
CABLIVI INJECTION KIT 11 MG	1	PA; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CETYLEV ORAL TABLET, EFFERVESCENT 2.5 GRAM, 500 MG	1	
CYSTADANE ORAL POWDER 1 GRAM/1.7 ML	1	
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	1	
<i>droperidol injection solution 2.5 mg/ml</i>	1	
ELMIRON ORAL CAPSULE 100 MG	1	QL (90 per 30 days)
ENDARI ORAL POWDER IN PACKET 5 GRAM	1	PA; QL (180 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	1	
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	1	PA
EXONDYS-51 INTRAVENOUS SOLUTION 50 MG/ML	1	PA; LA
<i>fomepizole intravenous solution 1 gram/ml</i>	1	
GLUCAGEN HYPOKIT INJECTION RECON SOLN 1 MG	1	
<i>guanidine oral tablet 125 mg</i>	1	
GVOKE HYPOPEN 1PK 0.5 MG/0.1 ML 0.5 MG/0.1 ML	1	
GVOKE HYPOPEN 1-PK 1 MG/0.2 ML 1 MG/0.2 ML	1	
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO- INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	1	
GVOKE PFS 1PK 0.5 MG/0.1 ML SYR 0.5 MG/0.1 ML	1	
GVOKE PFS 1-PK 1 MG/0.2 ML SYR 1 MG/0.2 ML	1	
GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML	1	
<i>hydroxyzine pamoate oral capsule 100 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>hydroxyzine pamoate oral capsule</i> (Vistaril) 25 mg, 50 mg	1	
KEVEYIS ORAL TABLET 50 MG	1	PA; QL (120 per 30 days)
<i>leucovorin calcium injection recon soln</i> 100 mg, 200 mg, 350 mg, 50 mg, 500 mg	1	
<i>leucovorin calcium injection solution</i> 10 mg/ml	1	
<i>leucovorin calcium oral tablet</i> 10 mg, 15 mg, 25 mg, 5 mg	1	
<i>levocarnitine (with sugar) oral solution</i> 100 mg/ml	1	
<i>levocarnitine oral tablet</i> 330 mg	1	
LEVOLEUCOVORIN CALCIUM INTRAVENOUS RECON SOLN 175 MG	1	
<i>levoleucovorin calcium intravenous recon soln</i> 50 mg	1	
<i>mesna intravenous solution</i> 100 mg/ml	1	
MESNEX ORAL TABLET 400 MG	1	
MESTINON ORAL SYRUP 60 MG/5 ML	1	
PROCYSBI ORAL GRANULES DEL RELEASE IN PACKET 300 MG, 75 MG	1	
PROGLYCEM ORAL SUSPENSION 50 MG/ML	1	
<i>pyridostigmine bromide oral syrup</i> (Mestinon) 60 mg/5 ml	1	
<i>pyridostigmine bromide oral tablet</i> 30 mg	1	
<i>pyridostigmine bromide oral tablet</i> (Mestinon) 60 mg	1	
RECTIV RECTAL OINTMENT 0.4 % (W/W)	1	QL (30 per 30 days)
TAKHYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	1	PA; QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	1	PA NSO; QL (60 per 30 days)
TOTECT INTRAVENOUS RECON SOLN 500 MG	1	
TYBOST ORAL TABLET 150 MG	1	QL (30 per 30 days)
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	1	QL (24 per 14 days)
XURIDEN ORAL GRANULES IN PACKET 2 GRAM	1	PA; QL (120 per 30 days)
<b>Ophthalmic Agents</b>		
<b>Antiglaucoma Agents</b>		
<i>acetazolamide oral capsule, extended release 500 mg</i>	1	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	1	
<i>acetazolamide sodium injection recon soln 500 mg</i>	1	
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	1	
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	1	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	
<i>carteolol ophthalmic (eye) drops 1 %</i>	1	
COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 %	1	
<i>dorzolamide ophthalmic (eye) drops (Trusopt) 2 %</i>	1	
<i>dorzolamide-timolol ophthalmic (Cosopt) (eye) drops 22.3-6.8 mg/ml</i>	1	
<i>latanoprost ophthalmic (eye) drops (Xalatan) 0.005 %</i>	1	QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	1	QL (2.5 per 25 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>metipranolol ophthalmic (eye) drops 0.3 %</i>	1	
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	1	
<b>RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %</b>	1	QL (2.5 per 25 days)
<b>ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %</b>	1	QL (2.5 per 25 days)
<b>SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %</b>	1	
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>	1	
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i>	1	
<i>travoprost ophthalmic (eye) drops 0.004 %</i>	1	QL (2.5 per 25 days)

### **Replacement Preparations**

#### **Replacement Preparations**

<i>calcium chloride intravenous syringe 100 mg/ml (10 %)</i>	1	
<b>IONOSOL-B IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %</b>	1	
<b>IONOSOL-MB IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %</b>	1	
<b>ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %</b>	1	
<b>ISOLYTE-S INTRAVENOUS PARENTERAL SOLUTION</b>	1	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>	1	
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i>	1	
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i>	1	
<i>klor-con sprinkle oral capsule, extended release 8 meq</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
K-SOL ORAL LIQUID 20 MEQ/15 ML	1	
<i>magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml</i>	1	
<i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)</i>	1	PA BvD
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)</i>	1	PA BvD
<i>magnesium sulfate injection solution 4 meq/ml (50 %)</i>	1	PA BvD
<i>magnesium sulfate injection syringe 4 meq/ml</i>	1	PA BvD
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	1	
NORMOSOL-R PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	1	
PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION	1	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	1	
<i>potassium chloride intravenous solution 2 meq/ml, 2 meq/ml (20 ml)</i>	1	PA BvD
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	1	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	1	
<i>potassium chloride oral tablet (K-Tab) extended release 10 meq, 20 meq, 8 meq</i>	1	
<i>potassium chloride oral tablet,er (Klor-Con M10) particles/crystals 10 meq</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>potassium chloride oral tablet,er particles/crystals 20 meq</i> (Klor-Con M20)	1	
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/ll</i>	1	
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10)	1	
<i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)	1	
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i> (Urocit-K 5)	1	
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	1	
<b>Respiratory Tract Agents</b>		
<b>Anti-Inflammatories, Inhaled</b>		
<b>Corticosteroids</b>		
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE	1	QL (60 per 30 days)
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	1	QL (12 per 28 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	1	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	1	QL (60 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i> (Pulmicort)	1	PA BvD
FLOVENT 100 MCG DISKUS 100 MCG/ACTUATION	1	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FLOVENT 250 MCG DISKUS 250 MCG/ACTUATION	1	QL (120 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION	1	QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION	1	QL (120 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION	1	QL (12 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION	1	QL (24 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION	1	QL (21.2 per 28 days)
SYMBICORT 160-4.5 MCG INHALER 160-4.5 MCG/ACTUATION	1	QL (12 per 30 days)
SYMBICORT 80-4.5 MCG INHALER 80-4.5 MCG/ACTUATION	1	QL (13.8 per 30 days)
SYMBICORT INHALATION HFA AEROSOL INHALER 160- 4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION	1	QL (10.2 per 30 days)
<b>Antileukotrienes</b>		
montelukast oral tablet 10 mg (Singulair)	1	
montelukast oral tablet, chewable 4 mg, 5 mg (Singulair)	1	
zafirlukast oral tablet 10 mg, 20 mg (Accolate)	1	
<b>Bronchodilators</b>		
albuterol 5 mg/ml solution 5 mg/ml	1	PA BvD
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (ProAir HFA)	1	QL (17 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i>	1	QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i>	1	QL (36 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml</i>	1	PA BvD
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	1	
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	1	
<b>ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION</b>	1	
<b>ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION</b>	1	QL (25.8 per 28 days)
<b>BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION</b>	1	
<b>COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION</b>	1	QL (8 per 30 days)
<b>INCRUSE ELLIPTA INHALATION BLISTER WITH DEVICE 62.5 MCG/ACTUATION</b>	1	
<i>ipratropium bromide inhalation solution 0.02 %</i>	1	PA BvD
<b>LONHALA MAGNAIR 25 MCG STARTER 25 MCG/ML</b>	1	QL (60 per 30 days)
<b>LONHALA MAGNAIR REFILL INHALATION SOLUTION FOR NEBULIZATION 25 MCG/ML</b>	1	QL (60 per 30 days)
<i>metaproterenol oral syrup 10 mg/5 ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>metaproterenol oral tablet 10 mg, 20 mg</i>	1	
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	1	QL (2 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	1	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION	1	QL (4 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	1	QL (4 per 30 days)
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	1	QL (30 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	1	
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	1	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	1	
<i>terbutaline subcutaneous solution 1 mg/ml</i>	1	
<i>theophylline oral solution 80 mg/15 ml</i>	1	
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	1	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	1	
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200-62.5-25 MCG	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TUDORZA PRESSAIR INHALATION AEROSOL POWDR BREATH ACTIVATED 400 MCG/ACTUATION	1	QL (1 per 30 days)
TUDORZA PRESSAIR INHALATION AEROSOL POWDR BREATH ACTIVATED 400 MCG/ACTUATION (30 ACTUAT)	1	QL (2 per 30 days)
<b>Respiratory Tract Agents, Other</b>		
acetylcysteine intravenous solution (Acetadote) 200 mg/ml (20 %)	1	
acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)	1	PA BvD
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	1	PA
cromolyn inhalation solution for nebulization 20 mg/2 ml	1	PA BvD
DALIRESP ORAL TABLET 250 MCG	1	QL (28 per 28 days)
DALIRESP ORAL TABLET 500 MCG	1	QL (30 per 30 days)
ESBRIET ORAL CAPSULE 267 MG	1	PA; QL (270 per 30 days)
ESBRIET ORAL TABLET 267 MG	1	PA; QL (270 per 30 days)
ESBRIET ORAL TABLET 801 MG	1	PA; QL (90 per 30 days)
FASENRA PEN SUBCUTANEOUS AUTO- INJECTOR 30 MG/ML	1	PA; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	1	PA; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG	1	PA; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	1	PA; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	1	PA; LA; QL (3 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	1	PA; LA; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	1	PA; LA; QL (3 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	1	PA; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG	1	PA; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	1	PA; QL (120 per 30 days)
PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,L/F,SUV 1,000 MG (+/-)/20 ML	1	PA BvD
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	1	PA BvD
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	1	PA; QL (56 per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N)	1	PA; QL (84 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	1	PA
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML	1	PA
<b>Skeletal Muscle Relaxants</b>		
<b>Skeletal Muscle Relaxants</b>		
<i>baclofen oral tablet 10 mg, 20 mg</i>	1	
<i>chlorzoxazone oral tablet 500 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>dantrolene oral capsule 100 mg</i>	1	
<i>dantrolene oral capsule 25 mg, 50 mg (Dantrium)</i>	1	
<i>methocarbamol oral tablet 500 mg</i>	1	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>methocarbamol oral tablet 750 mg</i> (Robaxin-750)	1	PA-HRM; AGE (Max 64 Years)
<i>revonto intravenous recon soln 20 mg</i>	1	
<i>tizanidine oral tablet 2 mg</i>	1	
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	1	
<b>Sleep Disorder Agents</b>		
<b>Sleep Disorder Agents</b>		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	1	PA; QL (30 per 30 days)
<b>BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG</b>	1	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	1	QL (30 per 30 days)
<b>HETLIOZ ORAL CAPSULE 20 MG</b>	1	PA; QL (30 per 30 days)
<b>SILENOR ORAL TABLET 3 MG, 6 MG</b>	1	QL (30 per 30 days)
<b>SUNOSI ORAL TABLET 150 MG, 75 MG</b>	1	PA; QL (30 per 30 days)
<b>XYREM ORAL SOLUTION 500 MG/ML</b>	1	PA; LA; QL (540 per 30 days)
<b>XYWAV ORAL SOLUTION 0.5 GRAM/ML</b>	1	PA; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	1	QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	QL (30 per 30 days)
<b>Vasodilating Agents</b>		
<b>Vasodilating Agents</b>		
<b>ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG</b>	1	PA; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i>	1	PA; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis)	1	PA; QL (30 per 30 days)
<i>epoprostenol (glycine) intravenous recon soln 0.5 mg, 1.5 mg</i> (Flolan)	1	PA
<b>OPSUMIT ORAL TABLET 10 MG</b>	1	PA; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ORENITRAM ORAL TABLET EXTENDED RELEASE 0.125 MG, 0.25 MG, 1 MG, 2.5 MG, 5 MG	1	PA
<i>sildenafil (pulm.hypertension)</i> (Revatio) <i>intravenous solution 10 mg/12.5 ml</i>	1	PA; QL (37.5 per 1 day)
<i>sildenafil (pulm.hypertension) oral</i> (Revatio) <i>tablet 20 mg</i>	1	PA; QL (90 per 30 days)
<i>tadalafil (pulm. hypertension) oral</i> (Alyq) <i>tablet 20 mg</i>	1	PA; QL (60 per 30 days)
TRACLEER ORAL TABLET 125 MG, 62.5 MG	1	PA; LA; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	1	PA; QL (112 per 28 days)
<i>treprostinil sodium injection solution</i> (Remodulin) 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml	1	PA
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	1	PA
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	1	PA; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	1	PA; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	1	PA
<b>Vitamins And Minerals</b>		
<b>Vitamins And Minerals</b>		
<i>pnv prenatal plus multivit tab s/f,</i> <i>gluten-free (rx) 27 mg iron- 1 mg</i>	1	
<i>prenatal vitamin plus low iron oral</i> <i>tablet 27 mg iron- 1 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

## INDEX

<i>abacavir</i> .....	58	<i>afirmelle</i> .....	88	<b>AMBISOME</b> .....	44
<i>abacavir-lamivudine</i> .....	58	<i>a-hydrocort</i> .....	114	<i>ambrisentan</i> .....	144
<i>abacavir-lamivudine-</i>		<b>AIMOVIG</b>		<i>amethia</i> .....	88
<i>zidovudine</i> .....	59	<b>AUTOINJECTOR</b> .....	47	<i>amethia lo</i> .....	88
<b>ABELCET</b> .....	44	<b>AIMOVIG</b>		<i>amifostine crystalline</i> .....	132
<b>ABILIFY MAINTENA</b> .....	54	<b>AUTOINJECTOR (2 PACK)</b> .....	47	<i>amiloride</i> .....	79
<b>ABRAXANE</b> .....	17	<b>AJOVY AUTOINJECTOR</b> ....	47	<i>amiloride-hydrochlorothiazide</i> ..	80
<i>acamprosate</i> .....	8	<b>AJOVY SYRINGE</b> .....	47	<b>AMINOSYN 10 %</b> .....	69
<i>acarbose</i> .....	39	<b>AKYNZEO</b>		<b>AMINOSYN 7 % WITH</b>	
<i>acebutolol</i> .....	76	(FOSNETUPITANT).....	49	<b>ELECTROLYTES</b> .....	69
<i>acetaminophen-codeine</i> .....	3	<b>AKYNZEO</b>		<b>AMINOSYN 8.5 %</b> .....	69
<i>acetazolamide</i> .....	135	(NETUPITANT).....	49	<b>AMINOSYN 8.5 %-</b>	
<i>acetazolamide sodium</i> .....	135	<i>ala-cort</i> .....	97	<b>ELECTROLYTES</b> .....	69
<i>acetic acid</i> .....	103, 130	<i>albendazole</i> .....	51	<b>AMINOSYN II 10 %</b> .....	69
<i>acetic acid-aluminum acetate</i> ..	103	<i>albuterol sulfate</i> .....	139, 140	<b>AMINOSYN II 15 %</b> .....	70
<i>acetylcysteine</i> .....	142	<i>alclometasone</i> .....	97	<b>AMINOSYN II 7 %</b> .....	70
<i>acitretin</i> .....	96	<b>ALCOHOL PADS</b> .....	96	<b>AMINOSYN II 8.5 %</b> .....	70
<b>ACTEMRA</b> .....	119	<b>ALDURAZYME</b> .....	101	<b>AMINOSYN II 8.5 %-</b>	
<b>ACTEMRA ACTPEN</b> .....	119	<b>ALECENSA</b> .....	18	<b>ELECTROLYTES</b> .....	70
<b>ACTHIB (PF)</b> .....	125	<i>alendronate</i> .....	131	<b>AMINOSYN M 3.5 %</b> .....	70
<b>ACTIMMUNE</b> .....	132	<i>alfuzosin</i> .....	111	<b>AMINOSYN-HBC 7%</b> .....	70
<i>acyclovir</i> .....	64, 96	<b>ALIMTA</b> .....	18	<b>AMINOSYN-PF 10 %</b> .....	70
<i>acyclovir sodium</i> .....	65	<b>ALINIA</b> .....	51	<b>AMINOSYN-PF 7 %</b>	
<b>ADACEL(TDAP</b>		<b>ALIQOPA</b> .....	18	(SULFITE-FREE).....	70
<b>ADOLESN/ADULT)(PF)</b> ....	125	<i>aliskiren</i> .....	82	<b>AMINOSYN-RF 5.2 %</b> .....	70
<b>ADAGEN</b> .....	100	<i>allopurinol</i> .....	46	<i>amiodarone</i> .....	75
<b>ADAKVEO</b> .....	68	<i>alosetron</i> .....	130	<b>AMITIZA</b> .....	107
<i>adapalene</i> .....	99	<b>ALPHAGAN P</b> .....	135	<i>amitriptyline</i> .....	36
<b>ADCETRIS</b> .....	17	<i>alprazolam</i> .....	9	<i>amlodipine</i> .....	79
<i>adefovir</i> .....	65	<b>ALREX</b> .....	105	<i>amlodipine-benazepril</i> .....	79
<b>ADEMPAS</b> .....	144	<i>altavera (28)</i> .....	88	<i>amlodipine-valsartan</i> .....	79
<i>adriamycin</i> .....	17	<b>ALTRENO</b> .....	99	<i>ammonium lactate</i> .....	96
<i>adrucil</i> .....	17	<b>ALUNBRIG</b> .....	18	<i>amoxapine</i> .....	36
<b>ADVAIR DISKUS</b> .....	138	<i>alyacen 1/35 (28)</i> .....	88	<i>amoxicillin</i> .....	14
<b>ADVAIR HFA</b> .....	138	<i>alyacen 7/7/7 (28)</i> .....	88	<i>amoxicillin-pot clavulanate</i> .14, 15	
<i>afeditab cr</i> .....	79	<i>alyq</i> .....	144	<i>amphotericin b</i> .....	44
<b>AFINITOR</b> .....	17	<i>amabelz</i> .....	112	<b>ampicillin</b> .....	15
<b>AFINITOR DISPERZ</b> .....	17	<i>amantadine hcl</i> .....	52	<i>ampicillin sodium</i> .....	15

<i>ampicillin-sulbactam</i>	15	<i>aurovela fe 1.5/30 (28)</i>	89	BENDEKA	18
ANADROL-50	112	<i>aurovela fe 1-20 (28)</i>	89	BENLYSTA	132
<i>anagrelide</i>	68	AUSTEDO	83	<i>benztropine</i>	52
<i>anastrozole</i>	18	AVASTIN	18	BESPONSA	18
ANORO ELLIPTA	140	<i>aviane</i>	89	<i>betamethasone acet,sod phos.</i>	114
APOKYN	52	AVONEX	84	<i>betamethasone dipropionate</i>	97
<i>apraclonidine</i>	102	AVONEX (WITH ALBUMIN)	84	<i>betamethasone valerate</i>	98
<i>aprepitant</i>	49	AVSOLA	119	<i>betamethasone, augmented</i>	98
<i>apri</i>	88	<i>ayuna</i>	89	BETASERON	84
APTIOM	31	AYVAKIT	18	<i>betaxolol</i>	76
APTIVUS	59	<i>azacitidine</i>	18	<i>bethanechol chloride</i>	110
APTIVUS (WITH VITAMIN E)	59	<i>azathioprine</i>	119	BETHKIS	10
<i>aranelle (28)</i>	88	<i>azathioprine sodium</i>	119	BEVYXXA	65
ARCALYST	119	<i>azelastine</i>	102, 103	<i>bexarotene</i>	18
<i>ariPIPRAZOLE</i>	54	<i>azithromycin</i>	13	BEXSERO	126
ARISTADA	54	AZOPT	135	<i>bicalutamide</i>	19
ARISTADA INITIO	54	<i>aztreonam</i>	14	BICILLIN L-A	15
<i>armodafinil</i>	144	<i>azurette (28)</i>	89	BIDIL	83
ARNUITY ELLIPTA	138	<i>baciim</i>	10	BIKTARVY	59
<i>arsenic trioxide</i>	18	<i>bacitracin</i>	103	<i>bisoprolol fumarate</i>	76
<i>ashlyna</i>	88	<i>bacitracin-polymyxin b</i>	103	<i>bisoprolol-hydrochlorothiazide</i>	76
<i>aspirin-dipyridamole</i>	69	<i>baclofen</i>	143	BLENREP	19
ASSURE ID INSULIN SAFETY	100	<i>balsalazide</i>	130	<i>bleomycin</i>	19
<i>atazanavir</i>	59	BALVERSA	18	<i>bleph-10</i>	103
<i>atenolol</i>	76	<i>balziva (28)</i>	89	BLINCYTO	19
<i>atenolol-chlorthalidone</i>	76	BANZEL	31	<i>blisovi 24 fe</i>	89
<i>atomoxetine</i>	83	BAVENCIO	18	<i>blisovi fe 1.5/30 (28)</i>	89
<i>atorvastatin</i>	81	BAXDELA	16	<i>blisovi fe 1/20 (28)</i>	89
<i>atovaquone</i>	51	BCG VACCINE, LIVE (PF)	125	BOOSTRIX TDAP	126
<i>atovaquone-proguanil</i>	51	BD ULTRA-FINE NANO PEN NEEDLE	100	BORTEZOMIB	19
ATRIPLA	59	BD VEO INSULIN HALF UNIT	100	BOSULIF	19
<i>atropine</i>	31, 102	SYRINGE UF	100	BRAFTOVI	19
ATROVENT HFA	140	<i>bekyree (28)</i>	89	BREO ELLIPTA	138
AUBAGIO	83	BELEODAQ	18	BREZTRI AEROSPHERE	140
<i>aubra</i>	88	BELSOMRA	144	<i>briellyn</i>	89
<i>aurovela 1.5/30 (21)</i>	88	<i>benazepril</i>	74	BRILINTA	69
<i>aurovela 1/20 (21)</i>	88			<i>brimonidine</i>	135
<i>aurovela 24 fe</i>	88			BRIVIACT	31, 32
				<i>bromocriptine</i>	52
				BROMSITE	105

BRUKINSA	19	caziant (28)	89	CIMDUO	59
budesonide	130, 138	cefaclor	12	cimetidine hcl	107
bumetanide	80	cefadroxil	12	CIMZIA	120
buprenorphine hcl	3, 8	cefazolin	12	CIMZIA POWDER FOR	
buprenorphine-naloxone	8	cefdinir	12	RECONST	119
bupropion hcl	37	cefditoren pivoxil	12	cinacalcet	131
bupropion hcl (smoking deter)	8	cefepime	12	CINQAIR	142
buspirone	9	cefixime	12	CINRYZE	66
butalbital-acetaminophen-caff	3	cefotaxime	12	CINVANTI	49
butalbital-aspirin-caffeine	3	cefoxitin	12	CIPRODEX	103
BYNFEZIA	115	cefpodoxime	12	ciprofloxacin	16
BYSTOLIC	76	cefprozil	13	ciprofloxacin hcl	16, 103
BYVALSON	76	ceftazidime	13	ciprofloxacin in 5 % dextrose	16
cabergoline	52	ceftriaxone	13	ciprofloxacin-dexamethasone	104
CABLIVI	132	cefuroxime axetil	13	citalopram	37
CABOMETYX	19	cefuroxime sodium	13	clarithromycin	13
caffeine citrate	84	celecoxib	6	CLENPIQ	109
calcipotriene	96	CELONTIN	32	clindamycin hcl	11
calcitonin (salmon)	131	cephalexin	13	clindamycin in 5 % dextrose	11
calcitriol	131	CERDELGA	101	clindamycin phosphate	11, 47, 97
calcium acetate(phosphat bind)	110	CEREZYME	101	CLINIMIX 5%/D15W	
calcium chloride	136	CETYLEV	133	SULFITE FREE	70
CALDOLOR	6	CHANTIX	8	CLINIMIX 5%/D25W	
CALQUENCE	19	CHANTIX CONTINUING		SULFITE-FREE	70
camila	89	MONTH BOX	8	CLINIMIX 4.25%/D10W	
CAPASTAT	48	CHANTIX STARTING		SULF FREE	71
CAPLYTA	54	MONTH BOX	8	CLINIMIX 4.25%/D5W	
CAPRELSA	19	chloramphenicol sod succinate	10	SULFIT FREE	71
captopril	74	chlordiazepoxide hcl	9	CLINIMIX 4.25%-D25W	
CARBAGLU	108	chlorhexidine gluconate	95	SULF-FREE	71
carbamazepine	32	chloroquine phosphate	51	CLINIMIX 5%-	
carbidopa-levodopa	52	chlorothiazide	80	D20W(SULFITE-FREE)	71
carbidopa-levodopa-entacapone	52	chlorothiazide sodium	80	CLINIMIX E 2.75%/D10W	
carteolol	135	chlorpromazine	55	SUL FREE	71
cartia xt.	77	chlorthalidone	80	CLINIMIX E 2.75%/D5W	
carvedilol	76	chlorzoxazone	143	SULF FREE	71
caspofungin	44	cholestyramine (with sugar)	81	CLINIMIX E 4.25%/D10W	
CAYSTON	14	cholestyramine light	81	SUL FREE	71
		ciclopirox	44	CLINIMIX E 4.25%/D25W	
		cilostazol	69	SUL FREE	71

CLINIMIX E 4.25%/D5W		cormax .....	98	deferasirox .....	111
SULF FREE.....	71	cortisone .....	114	deferiprone .....	111
CLINIMIX E 5%/D15W		COSENTYX (2 SYRINGES)		deferoxamine .....	111
SULFIT FREE.....	71	.....	120	DELSTRIGO .....	59
CLINIMIX E 5%/D20W		COSENTYX PEN (2 PENS)	120	delyla (28) .....	89
SULFIT FREE.....	71	COTELLIC .....	19	DEMSER .....	78
CLINIMIX E 5%/D25W		CREON .....	101	DEPO-PROVERA .....	118
SULFIT FREE.....	72	CRIXIVAN .....	59	DESCOVY .....	59
CLINOLIPID.....	72	cromolyn .....	103, 108, 142	desipramine .....	37
clobazam.....	32	cryselle (28) .....	89	desmopressin .....	115
clobetasol.....	98	cyclafem 1/35 (28) .....	89	desog-e.estriadiolle.estriadiol....	89
clobetasol-emollient.....	98	cyclafem 7/7/7 (28) .....	89	desogestrel-ethinyl estradiol....	90
clocortolone pivalate .....	98	cyclobenzaprine .....	143	desoximetasone .....	98
clofarabine .....	19	cyclopentolate .....	103	desvenlafaxine succinate .....	37
clomipramine .....	37	cyclophosphamide .....	20	dexamethasone .....	114
clonazepam .....	9	CYCLOPHOSPHAMIDE .....	20	dexamethasone sodium phos	
clonidine .....	73	cyclosporine .....	120	(pf) .....	114
clonidine hcl.....	73	cyclosporine modified .....	120	dexamethasone sodium	
clopидogrel .....	69	cyproheptadine .....	46	phosphate .....	105, 114
clorazepate dipotassium .....	9	CYRAMZA .....	20	dexamethylphenidate .....	84
clotrimazole .....	44	cyred .....	89	dextroamphetamine .....	84
clotrimazole-betamethasone .....	44	CYSTADANE .....	133	dextroamphetamine-	
clovique.....	111	CYSTARAN .....	103	amphetamine .....	84
clozapine .....	55	dalfampridine .....	84	dextrose 10 % in water (d10w) .....	72
COARTEM.....	51	DALIRESP .....	142	dextrose 25 % in water (d25w) .....	72
codeine sulfate .....	3	danazol .....	112	dextrose 30 % in water (d30w) .....	72
colchicine .....	46	dantrolene .....	143	dextrose 40 % in water (d40w) .....	72
colesevelam .....	81	dapsone .....	48	dextrose 5 % in water (d5w) .....	72
colestipol .....	81	DAPTACEL (DTAP		dextrose 50 % in water (d50w) .....	72
colistin (colistimethate na) .....	11	PEDIATRIC) (PF) .....	126	dextrose 70 % in water (d70w) .....	72
cocolcort .....	130	daptomycin .....	11	DIASTAT .....	32
COMBIGAN.....	135	DARZALEX .....	20	DIASTAT ACUDIAL .....	32
COMBIVENT RESPIMAT ..	140	DARZALEX FASPRO .....	20	diazepam .....	9, 10, 32
COMETRIQ.....	19	dasetta 1/35 (28) .....	89	diazepam intensol .....	9
COMPLERA.....	59	dasetta 7/7/7 (28) .....	89	diazoxide .....	133
compro .....	49	DAURISMO .....	20	diclofenac epolamine .....	6
constulose .....	108	daysee .....	89	diclofenac potassium .....	6
COPAXONE .....	84	deblitane .....	89	diclofenac sodium .....	6, 106
COPIKTRA .....	19	decadron .....	114	dicloxacillin .....	15
CORLANOR .....	78	decitabine .....	20	dicyclomine .....	108

<i>didanosine</i>	59	DUAVEE	113	<i>enalaprilat</i>	74
DIFICID	14	<i>duloxetine</i>	37	<i>enalapril-hydrochlorothiazide</i>	75
<i>digitek</i>	78	DUPIXENT PEN	120	ENBREL	120
<i>digox</i>	78	DUPIXENT SYRINGE	120	ENBREL MINI	120
<i>digoxin</i>	78	DUREZOL	106	ENBREL SURECLICK	120
DIGOXIN	78	<i>dutasteride</i>	111	ENDARI	133
<i>dihydroergotamine</i>	47	econazole	45	<i>endocet</i>	3
<i>diltiazem hcl</i>	77	EDARBI	74	ENGERIX-B (PF)	126
<i>dilt-xr</i>	78	EDARBYCLOR	74	ENGERIX-B PEDIATRIC	
<i>dimenhydrinate</i>	50	EDURANT	59	(PF)	126
<i>dimethyl fumarate</i>	84, 85	<i>efavirenz</i>	59	ENHERTU	21
DIPENTUM	130	<i>efavirenz-emtricitabin-tenofov</i>	59	enoxaparin	65
<i>diphenhydramine hcl</i>	46	<i>efavirenz-lamivu-tenofov disop</i>	59	empresse	90
<i>diphenoxylate-atropine</i>	108	EGRIFTA	115	enskyce	90
<i>dipyridamole</i>	69	EGRIFTA SV	115	entacapone	52
<i>disopyramide phosphate</i>	75	ELAPRASE	101	entecavir	65
<i>disulfiram</i>	8	ELIGARD	20	ENTRESTO	74
<i>divalproex</i>	32	ELIGARD (3 MONTH)	20	<i>enulose</i>	108
<i>dofetilide</i>	75	ELIGARD (4 MONTH)	20	EPCLUSA	63
<i>donepezil</i>	36	ELIGARD (6 MONTH)	20	EPIDIOLEX	32
DOPTELET (10 TAB PACK)	66	<i>elinest</i>	90	<i>epinastine</i>	103
DOPTELET (15 TAB PACK)	66	ELIQUIS	65	<i>epinephrine</i>	78, 79
DOPTELET (30 TAB PACK)	66	ELIQUIS DVT-PE TREAT		<i>epitol</i>	32
<i>dorzolamide</i>	135	30D START	65	EPIVIR HBV	60
<i>dorzolamide-timolol</i>	135	ELITEK	101	<i>eplerenone</i>	82
<i>dotti</i>	112	ELLA	90	EPOGEN	67
DOVATO	59	ELMIRON	133	<i>epoprostenol (glycine)</i>	144
<i>doxazosin</i>	73	<i>eluryng</i>	90	<i>ergoloid</i>	133
<i>doxepin</i>	37	EMCYT	20	ERGOMAR	47
<i>doxercalciferol</i>	131	EMEND	50	ERIVEDGE	21
<i>doxorubicin</i>	20	EMFLAZA	114	ERLEADA	21
<i>doxorubicin, peg-liposomal</i>	20	EMGALITY PEN	47	<i>erlotinib</i>	21
<i>doxy-100</i>	16	EMGALITY SYRINGE	47	<i>errin</i>	90
<i>doxycycline hyclate</i>	16, 17	<i>emoquette</i>	90	<i>ertapenem</i>	14
<i>doxycycline monohydrate</i>	17	EMPLICITI	20	<i>ery pads</i>	97
DRIZALMA SPRINKLE	37	EMSAM	37	<i>erythromycin</i>	14, 104
<i>dronabinol</i>	50	<i>emtricitabine</i>	59	<i>erythromycin ethylsuccinate</i>	14
<i>droperidol</i>	133	<i>emtricitabine-tenofovir (tdf)</i>	59	<i>erythromycin with ethanol</i>	97
<i>drospirenone-ethynodiol estradiol</i>	90	EMTRIVA	60	ESBRIET	142
DROXIA	20	<i>enalapril maleate</i>	74	<i>escitalopram oxalate</i>	37

<i>esomeprazole sodium</i>	107	<i>fentanyl</i>	3	<i>fosaprepitant</i>	50
<i>estarrylla</i>	90	<i>fentanyl citrate</i>	3	<i>foscarnet</i>	63
<i>estradiol</i>	113	<b>FERRIPROX</b>	111	<i>fosinopril</i>	75
<i>estradiol valerate</i>	113	<b>FETZIMA</b>	38	<i>fosphenytoin</i>	33
<i>estradiol-norethindrone acet</i>	113	<b>FIASP FLEXTOUCH U-100</b>		<b>FREAMINE HBC 6.9 %</b>	72
<i>eszopiclone</i>	144	<b>INSULIN</b>	41	<b>FREAMINE III 10 %</b>	72
<i>ethambutol</i>	48	<b>FIASP PENFILL U-100</b>		<b>FULPHILA</b>	67
<i>ethosuximide</i>	32	<b>INSULIN</b>	42	<i>fulvestrant</i>	21
<i>ethynodiol diac-eth estradiol</i>	90	<b>FIASP U-100 INSULIN</b>	42	<i>furosemide</i>	80
<i>etodolac</i>	6	<i>finasteride</i>	111	<b>FUZEON</b>	60
<i>etonogestrel-ethinyl estradiol</i>	90	<b>FINTEPLA</b>	33	<i>fyavolv</i>	113
<b>ETOPOPHOS</b>	21	<b>FIRVANQ</b>	11	<b>FYCOMPA</b>	33
<i>etoposide</i>	21	<b>FLEBOGAMMA DIF</b>	121	<i>gabapentin</i>	33
<b>EUCRISA</b>	98	<i>flecainide</i>	75	<b>GALAFOLD</b>	101
<b>EVENITY</b>	131	<b>FLOVENT DISKUS</b>	138, 139	<i>galantamine</i>	36
<i>everolimus</i>		<b>FLOVENT HFA</b>	139	<b>GAMASTAN</b>	121
( <i>immunosuppressive</i> )	120	<i>flouxuridine</i>	21	<b>GAMMAGARD LIQUID</b>	121
<b>EVOTAZ</b>	60	<i>fluconazole</i>	45	<b>GAMMAGARD S-D (IGA &lt;</b>	
<b>EVRYSDI</b>	133	<i>fluconazole in nacl (iso-osm)</i>	45	1 MCG/ML)	121
<i>exemestane</i>	21	<i>flucytosine</i>	45	<b>GAMMAPLEX</b>	121
<b>EXONDYS-51</b>	133	<i>fludrocortisone</i>	114	<b>GAMMAPLEX (WITH</b>	
<b>EXTAVIA</b>	85	<i>flumazenil</i>	85	<b>SORBITOL)</b>	121
<i>ezetimibe</i>	81	<i>flunisolide</i>	106	<i>ganciclovir sodium</i>	65
<b>FABRAZYME</b>	101	<i>fluocinolone</i>	98	<b>GARDASIL 9 (PF)</b>	126
<i>falmina (28)</i>	90	<i>fluocinonide</i>	98	<b>GATTEX 30-VIAL</b>	108
<i>famciclovir</i>	65	<i>fluocinonide-e</i>	98	<b>GAUZE PAD</b>	100
<i>famotidine</i>	107	<i>fluorometholone</i>	106	<i>gavilyte-c</i>	109
<i>famotidine (pf)</i>	107	<i>fluorouracil</i>	21, 96	<i>gavilyte-g</i>	109
<i>famotidine (pf)-nacl (iso-os)</i>	107	<i>fluoxetine</i>	38	<i>gavilyte-n</i>	109
<b>FANAPT</b>	55	<i>fluphenazine decanoate</i>	55	<b>GAVRETO</b>	21
<b>FARYDAK</b>	21	<i>fluphenazine hcl</i>	55	<b>GAZYVA</b>	21
<b>FASENRA</b>	142	<i>flurbiprofen</i>	6	<i>gemfibrozil</i>	81
<b>FASENRA PEN</b>	142	<i>flurbiprofen sodium</i>	106	<i>generlac</i>	108
<i>febuxostat</i>	46	<i>flutamide</i>	21	<i>genograf</i>	121
<i>felbamate</i>	33	<i>fluticasone propionate</i>	98, 106	<b>GENOTROPIN</b>	116
<b>FEMRING</b>	113	<i>fluvoxamine</i>	38	<b>GENOTROPIN MINIQUICK</b>	116
<i>femynor</i>	90	<i>fomepizole</i>	133	<i>gentak</i>	104
<i>fenofibrate</i>	81	<i>fondaparinux</i>	66	<i>gentamicin</i>	10, 97, 104
<i>fenofibrate micronized</i>	81	<b>FORTEO</b>	131	<i>gentamicin sulfate (ped) (pf)</i>	10
<i>fenofibrate nanocrystallized</i>	81	<i>fosamprenavir</i>	60		

<i>gentamicin sulfate (pf)</i> .....	10	<i>haloperidol decanoate</i> .....	55	<i>hydromorphone (pf)</i> .....	4
GENVOYA.....	60	<i>haloperidol lactate</i> .....	55, 56	<i>hydroxychloroquine</i> .....	51
GILENYA.....	85	HARVONI.....	63	<i>hydroxyprogesterone</i>	
GIOTRIF.....	21	HAVRIX (PF).....	126	<i>cap (ppres)</i> .....	118
GIVLAARI.....	68	<i>heather</i> .....	90	<i>hydroxyurea</i> .....	21
<i>glatiramer</i> .....	85	<i>heparin (porcine)</i> .....	66	<i>hydroxyzine hcl</i> .....	46
<i>glatopa</i> .....	85	<i>heparin, porcine (pf)</i> .....	66	<i>hydroxyzine pamoate</i> .....	133, 134
GLEOSTINE.....	21	HEPATAMINE 8%.....	72	HYPERRAB (PF).....	122
<i>glimepiride</i> .....	44	HERCEPTIN.....	21	HYPERRAB S/D (PF).....	122
<i>glipizide</i> .....	44	HERCEPTIN HYLECTA .....	21	HYQVIA.....	122
<i>glipizide-metformin</i> .....	44	HERZUMA.....	21	<i>ibandronate</i> .....	131
GLUCAGEN HYPOKIT .....	133	HETLIOZ.....	144	IBRANCE.....	22
<i>glyburide</i> .....	44	HIBERIX (PF).....	126	<i>ibu</i> .....	6
<i>glyburide micronized</i> .....	44	HUMATROPE.....	116	<i>ibuprofen</i> .....	6
<i>glyburide-metformin</i> .....	44	HUMIRA.....	121	<i>icatibant</i> .....	79
<i>glycopyrrolate</i> .....	108	HUMIRA PEDIATRIC		ICLUSIG.....	22
<i>glydo</i> .....	7	CROHNS START .....	121	IDHIFA.....	22
GLYXAMBI.....	39	HUMIRA PEN .....	121	<i>ifosfamide</i> .....	22
GOCOVRI.....	52, 53	HUMIRA PEN CROHNS-		<i>ifosfamide-mesna</i> .....	22
<i>granisetron (pf)</i> .....	50	UC-HS START .....	121	ILARIS (PF).....	122
<i>granisetron hcl</i> .....	50	HUMIRA PEN PSOR-		ILEVRO.....	106
GRANIX.....	67	UVEITS-ADOL HS .....	121	ILUMYA.....	122
<i>griseofulvin microsize</i> .....	45	HUMIRA(CF) .....	122	<i>imatinib</i> .....	22
<i>guanfacine</i> .....	73, 85	HUMIRA(CF) PEDI		IMBRUVICA.....	22
<i>guanidine</i> .....	133	CROHNS STARTER .....	121	IMFINZI.....	22
GVOKE HYPOPEN 1-		HUMIRA(CF) PEN .....	122	<i>imipenem-cilastatin</i> .....	14
PACK.....	133	HUMIRA(CF) PEN		<i>imipramine hcl</i> .....	38
GVOKE HYPOPEN 2-		CROHNS-UC-HS .....	122	<i>imiquimod</i> .....	96
PACK.....	133	HUMIRA(CF) PEN PSOR-		IMLYGIC.....	22
GVOKE PFS 1-PACK		UV-ADOL HS .....	122	IMOgam RABIES-HT (PF)	
SYRINGE.....	133	HUMULIN R U-500			122
GVOKE PFS 2-PACK		(CONC) INSULIN .....	42	IMOVAx RABIES	
SYRINGE.....	133	HUMULIN R U-500		VACCINE (PF).....	127
HAEGARDA.....	67	(CONC) KWIKPEN .....	42	IMPAVIDO.....	51
<i>hailey</i> .....	90	<i>hydralazine</i> .....	79	INBRIJA.....	53
<i>hailey 24 fe</i> .....	90	<i>hydrochlorothiazide</i> .....	80	<i>incassia</i> .....	90
<i>hailey fe 1.5/30 (28)</i> .....	90	<i>hydrocodone-acetaminophen</i> .....	3, 4	INCRELEX.....	116
<i>hailey fe 1/20 (28)</i> .....	90	<i>hydrocodone-ibuprofen</i> .....	4	INCRUSE ELLIPTA.....	140
<i>halobetasol propionate</i> .....	98	<i>hydrocortisone</i> .....	98, 99, 114, 130	<i>indapamide</i> .....	80
<i>haloperidol</i> .....	56	<i>hydromorphone</i> .....	4	<i>indomethacin</i> .....	6

INFANRIX (DTAP) (PF)....	127	IXIARO (PF).....	127	KINERET .....	123
INFLECTRA.....	122	JADENU SPRINKLE.....	111	KINRIX (PF).....	127
INGREZZA.....	85	jaimiess.....	90	kionex ( <i>with sorbitol</i> ) .....	108
INGREZZA INITIATION PACK.....	85	JAKAFI.....	23	KISQALI.....	23
INLYTA.....	22	jantoven.....	66	KISQALI FEMARA CO- PACK.....	23
INQOVI.....	22	JANUMET.....	40	klor-con m10.....	136
INREBIC.....	23	JANUMET XR.....	40	klor-con m15.....	136
INSULIN SYRINGE- NEEDLE U-100.....	100	JANUVIA.....	40	klor-con m20.....	136
INTELENCE.....	60	JARDIANC.....	40	klor-con sprinkle.....	136
INTRALIPID.....	72	jasmiel (28) .....	91	KORLYM.....	40
INTRON A.....	64	jencycla.....	91	KOSELUGO.....	23
introvale.....	90	JENTADUETO.....	40	KRINTAFEL.....	51
INVEGA SUSTENNA.....	56	JENTADUETO XR.....	40	KRYSTEXXA.....	101
INVEGA TRINZA.....	56	jinteli.....	113	K-SOL.....	137
INVELTYS.....	106	jolivette.....	91	kurvelo (28) .....	91
INVIRASE.....	60	juleber.....	91	KUVAN.....	101
INVOKAMET.....	39	JULUCA.....	60	KYNMOBI.....	53
INVOKAMET XR.....	40	junel 1.5/30 (21) .....	91	KYPROLIS.....	23
INVOKANA.....	40	junel 1/20 (21) .....	91	l norgest/e.estradiol-e.estrad.....	91
IONOSOL-B IN D5W.....	136	junel fe 1.5/30 (28) .....	91	labetalol.....	76
IONOSOL-MB IN D5W.....	136	junel fe 1/20 (28) .....	91	LACTATED RINGERS.....	130
IPOL.....	127	junel fe 24.....	91	lactulose.....	108
ipratropium bromide .....	103, 140	JUXTAPID.....	81	lamivudine.....	60
irbesartan.....	74	JYNARQUE.....	80	lamivudine-zidovudine .....	60
irbesartan-hydrochlorothiazide .....	74	KABIVEN.....	72	lamotrigine.....	33
IRESSA.....	23	KALETTRA.....	60	lansoprazole .....	107
ISENTRESS.....	60	kalliga.....	91	LANTUS SOLOSTAR U-100	
ISENTRESS HD.....	60	KALYDECO.....	142	INSULIN.....	42
isibloom.....	90	KANJINTI.....	23	LANTUS U-100 INSULIN....	42
ISOLYTE-P IN 5 %		KANUMA.....	101	lapatinib.....	23
DEXTROSE.....	136	kariva (28) .....	91	larin 1.5/30 (21) .....	91
ISOLYTE-S.....	136	KEDRAB (PF).....	122	larin 1/20 (21) .....	91
isoniazid.....	49	kelnor 1/35 (28) .....	91	larin 24 fe.....	91
isosorbide dinitrate .....	83	kelnor 1-50.....	91	larin fe 1.5/30 (28) .....	91
isosorbide mononitrate .....	83	KESIMPTA PEN.....	85	larin fe 1/20 (28) .....	91
itraconazole.....	45	ketoconazole.....	45	larissia.....	92
ivermectin.....	51	ketorolac .....	7, 106	latanoprost .....	135
IXEMPRA.....	23	KEVEYIS.....	134	LATUDA.....	56
		KEVZARA.....	122, 123	LAZANDA.....	4
		KEYTRUDA.....	23		

<i>ledipasvir-sofosbuvir</i>	63	<i>lisinopril</i>	75	LUPRON DEPOT-PED (3
<i>leena</i> 28	92	<i>lisinopril-hydrochlorothiazide</i>	75	MONTH).....116
<i>leflunomide</i>	123	<i>lithium carbonate</i>	85	<i>lutera</i> (28).....92
<b>LEMTRADA</b>	85	<i>lithium citrate</i>	85	<b>LYNPARZA</b> .....24
<b>LENVIMA</b>	24	<b>LIVALO</b>	81	<b>LYSODREN</b> .....24
<i>lessina</i>	92	<i>lojaimess</i>	92	<i>lyza</i> .....92
<i>letrozole</i>	24	<b>LOKELMA</b>	108	<i>magnesium sulfate</i> .....137
<i>leucovorin calcium</i>	134	<b>LONHALA MAGNAIR</b>		<i>magnesium sulfate in d5w</i> .....137
<b>LEUKERAN</b>	24	<b>REFILL</b>	140	<i>magnesium sulfate in water</i> .....137
<b>LEUKINE</b>	67	<b>LONHALA MAGNAIR</b>		<i>malathion</i> .....100
<i>leuprolide</i>	24	<b>STARTER</b>	140	<i>maprotiline</i> .....38
<i>levetiracetam</i>	33	<b>LONSURF</b>	24	<i>marlissa</i> (28).....92
<i>levobunolol</i>	135	<i>loperamide</i>	108	<b>MARPLAN</b> .....38
<i>levocarnitine</i>	134	<i>lopinavir-ritonavir</i>	60	<b>MATULANE</b> .....25
<i>levocarnitine (with sugar)</i>	134	<i>lorazepam</i>	10	<b>MAVENCLAD (10 TABLET</b>
<i>levocetirizine</i>	46	<b>LORBRENA</b>	24	<b>PACK)</b> .....85
<i>levofloxacin</i>	16, 104	<i>lorcet (hydrocodone)</i>	4	<b>MAVENCLAD (4 TABLET</b>
<i>levofloxacin in d5w</i>	16	<i>lorcet hd</i>	4	<b>PACK)</b> .....86
<b>LEVOLEUCOVORIN</b>		<i>lorcet plus</i>	4	<b>MAVENCLAD (5 TABLET</b>
<b>CALCIUM</b>	134	<i>loryna</i> (28)	92	<b>PACK)</b> .....86
<i>levoleucovorin calcium</i>	134	<i>losartan</i>	74	<b>MAVENCLAD (6 TABLET</b>
<i>levonest</i> (28)	92	<i>losartan-hydrochlorothiazide</i>	74	<b>PACK)</b> .....86
<i>levonorgestrel-ethinyl estrad</i>	92	<b>LOTEMAX</b>	106	<b>MAVENCLAD (7 TABLET</b>
<i>levonorg-eth estrad triphasic</i>	92	<b>LOTEMAX SM</b>	106	<b>PACK)</b> .....86
<i>levora-28</i>	92	<i>lovastatin</i>	81	<b>MAVENCLAD (8 TABLET</b>
<i>levothyroxine</i>	119	<i>low-ogestrel</i> (28)	92	<b>PACK)</b> .....86
<b>LEXIVA</b>	60	<i>loxapine succinate</i>	56	<b>MAVENCLAD (9 TABLET</b>
<b>LIALDA</b>	130	<i>lo-zumandimine</i> (28)	92	<b>PACK)</b> .....86
<b>LIBTAYO</b>	24	<b>LUCEMYRA</b>	8	<b>MAVYRET</b> .....63
<i>lidocaine</i>	7	<b>LUMIGAN</b>	135	<b>MAYZENT</b> .....86
<i>lidocaine (pf)</i>	7, 75	<b>LUMOXITI</b>	24	<i>meclizine</i> .....50
<i>lidocaine hcl</i>	7	<b>LUPRON DEPOT</b>	24, 116	<i>medroxyprogesterone</i> .....118
<i>lidocaine viscous</i>	8	<b>LUPRON DEPOT (3</b>		<i>mefenamic acid</i> .....7
<i>lidocaine-prilocaine</i>	8	MONTH)	24, 116	<i>mefloquine</i> .....51
<i>lillow</i> (28)	92	<b>LUPRON DEPOT (4</b>		<i>megestrol</i> .....25, 119
<i>linezolid</i>	11	MONTH)	24	<b>MEKINIST</b> .....25
<i>linezolid in dextrose 5%</i>	11	<b>LUPRON DEPOT (6</b>		<b>MEKTOVI</b> .....25
<i>linezolid-0.9% sodium chloride</i>	11	MONTH)	24	<i>meloxicam</i> .....7
<b>LINZESS</b>	108	<b>LUPRON DEPOT-PED</b>	116	<i>memantine</i> .....36
<i>liothyronine</i>	119			<b>MENACTRA (PF)</b> .....127

MENQUADFI (PF).....	127	<i>microgestin fe 1/20 (28)</i> .....	92	<i>naloxone</i> .....	8
MENVEO A-C-Y-W-135-		<i>midodrine</i> .....	73	<i>naltrexone</i> .....	8
DIP (PF).....	127	<i> miglustat</i> .....	101	<i>NAMZARIC</i> .....	36
MEPSEVII.....	101	<i>mili</i> .....	92	<i>naproxen</i> .....	7
<i>mercaptopurine</i> .....	25	<i>mimvey</i> .....	113	<i>NARCAN</i> .....	9
<i>meropenem</i> .....	14	<i>mimvey lo</i> .....	113	<i>NATACYN</i> .....	104
<i>meropenem-0.9% sodium chloride</i> .....	14	<i>minitran</i> .....	83	<i>NATPARA</i> .....	131
<i>mesalamine</i> .....	130	<i>minocycline</i> .....	17	<i>NAYZILAM</i> .....	33
<i>mesna</i> .....	134	<i>minoxidil</i> .....	83	<i>necon 0.5/35 (28)</i> .....	93
<b>MESNEX</b> .....	134	<i>mirtazapine</i> .....	38	<i>nefazodone</i> .....	38
<b>MESTINON</b> .....	134	<i>misoprostol</i> .....	107	<i>neomycin</i> .....	10
<i>metaproterenol</i> .....	140, 141	<b>MITIGARE</b> .....	46	<i>neomycin-bacitracin-poly-hc</i> ...104	
<i>metformin</i> .....	40	<i>mitoxantrone</i> .....	25	<i>neomycin-bacitracin-polymyxin</i> .....	104
<i>methadone</i> .....	4	<b>M-M-R II (PF)</b> .....	127	<i>neomycin-polymyxin b gu</i> .....	97
<i>methadose</i> .....	4	<i>molindone</i> .....	56	<i>neomycin-polymyxin b-dexameth</i> .....	104
<i>methenamine hippurate</i> .....	11	<i>mometasone</i> .....	99, 106	<i>neomycin-polymyxin-gramicidin</i> .....	104
<i>methimazole</i> .....	119	<i>monodoxyne nl</i> .....	17	<i>neomycin-polymyxin-hc</i> .....	104
<i>methocarbamol</i> .....	143, 144	<b>MONJUVI</b> .....	25	<i>neo-polycin</i> .....	105
<i>methotrexate sodium</i> .....	25	<i>mono-linyah</i> .....	92	<i>neo-polycin hc</i> .....	105
<i>methotrexate sodium (pf)</i> .....	25	<i>mononessa (28)</i> .....	92	<b>NEPHRAMINE 5.4 %</b> .....	72
<i>methoxsalen</i> .....	96	<i>montelukast</i> .....	139	<b>NERLYNX</b> .....	25
<i>methscopolamine</i> .....	108	<b>MORPHINE</b> .....	4	<b>NEULASTA</b> .....	67
<i>methyclothiazide</i> .....	80	<i>morphine</i> .....	4, 5	<b>NEUPOGEN</b> .....	67
<i>methylphenidate hcl</i> .....	86	<i>morphine concentrate</i> .....	4	<b>NEUPRO</b> .....	53
<i>methylprednisolone</i> .....	114	<b>MOVANTIK</b> .....	109	<i>nevirapine</i> .....	61
<i>methylprednisolone acetate</i> ....	114	<b>MOXEZA</b> .....	104	<b>NEXAVAR</b> .....	25
<i>methylprednisolone sodium succ</i> .....	115	<i>moxifloxacin</i> .....	16, 104	<b>NEXLETOL</b> .....	81
<i>metipranolol</i> .....	136	<b>MOZOBIL</b> .....	67	<b>NEXLIZET</b> .....	81
<i>metoclopramide hcl</i> .....	108	<b>MULPLETA</b> .....	67	<i>niacin</i> .....	81, 82
<i>metoprolol succinate</i> .....	76	<b>MULTAQ</b> .....	75	<i>niacor</i> .....	82
<i>metoprolol ta-hydrochlorothiaz</i> 76		<i>mupirocin</i> .....	97	<i>nicardipine</i> .....	79
<i>metoprolol tartrate</i> .....	76, 77	<i>mycophenolate mofetil</i> .....	123	<b>NICOTROL</b> .....	9
<i>metronidazole</i> .....	11, 47, 97	<i>mycophenolate mofetil (hcl)</i> ...123		<i>nifedipine</i> .....	79
<i>metronidazole in nacl (iso-os)</i> ..11		<b>MYLOTARG</b> .....	25	<i>nikki (28)</i> .....	93
<i>metyrosine</i> .....	79	<b>MYRBETRIQ</b> .....	110	<i>nilutamide</i> .....	25
<i>mexiletine</i> .....	75	<i>myzilra</i> .....	92	<b>NINLARO</b> .....	25
<b>MIACALCIN</b> .....	131	<i>nabumetone</i> .....	7	<i>nitisinone</i> .....	101
<i>miconazole-3</i> .....	45	<i>nafcillin</i> .....	15		
		<i>nafcillin in dextrose iso-osm</i> ....15			
		<b>NAGLAZYME</b> .....	101		

<i>nitrofurantoin macrocrystal</i> .....	11	NOVOLOG FLEXPEN U-		<i>omega-3 acid ethyl esters</i> .....	82
<i>nitrofurantoin monohyd/m-</i> <i>cryst</i> .....	11	100 INSULIN .....	43	<i>omeprazole</i> .....	107
<i>nitroglycerin</i> .....	83	NOVOLOG MIX 70-30 U-		<i>omeprazole-sodium</i>	
NITYR.....	101	100 INSULN .....	43	<i>bicarbonate</i> .....	107
NIVESTYM.....	67	NOVOLOG MIX 70-		OMNITROPE.....	117
<i>nizatidine</i> .....	107	30FLEXPEN U-100.....	43	ONCASPAR.....	25
NOCDURNA (MEN).....	116	NOVOLOG PENFILL U-100		<i>ondansetron</i> .....	50
NOCDURNA (WOMEN)....	116	INSULIN .....	43	<i>ondansetron hcl</i> .....	50
<i>nora-be</i> .....	93	NOVOLOG U-100 INSULIN		<i>ondansetron hcl (pf)</i> .....	50
NORDITROPIN FLEXPRO		ASPART .....	43	ONIVYDE.....	26
.....	117	NOXAFL .....	45	ONTRUZANT.....	26
<i>norethindrone (contraceptive)</i> ..	93	NUBEQA .....	25	ONUREG.....	26
<i>norethindrone acetate</i> .....	119	NUCALA .....	142, 143	OPDIVO.....	26
<i>norethindrone ac-eth estradiol</i>		NUCYNTA .....	5	OPSUMIT .....	144
.....	93, 113	NUCYNTA ER .....	5	<i>oralone</i> .....	95
<i>norethindrone-e.estradiol-iron</i> ..	93	NUEDEXTA .....	86	ORENCIA .....	123
<i>norgestimate-ethinyl estradiol</i> ..	93	NULOJIX .....	123	ORENCIA (WITH	
<i>norlyda</i> .....	93	NUPLAZID .....	57	MALTOSE).....	123
<i>norlyroc</i> .....	93	NURTEC ODT .....	48	ORENCIA CLICKJECT .....	123
NORMOSOL-M IN 5 %		NUTRILIPID .....	73	ORENITRAM .....	145
DEXTROSE.....	137	NUTROPIN AQ NUSPIN...117		ORFADIN .....	101, 102
NORMOSOL-R PH 7.4.....	137	<i>nyamyc</i> .....	45	ORILISSA .....	117
NORTHERA.....	73	<i>nystatin</i> .....	45	ORKAMBI .....	143
<i>nortrel 0.5/35 (28)</i> .....	93	<i>nystop</i> .....	45	<i>orsythia</i> .....	93
<i>nortrel 1/35 (21)</i> .....	93	OCALIVA .....	109	<i>oseltamivir</i> .....	63
<i>nortrel 1/35 (28)</i> .....	93	OCREVUS .....	86	OSMOLEX ER .....	53
<i>nortrel 7/7/7 (28)</i> .....	93	OCTAGAM .....	123	OTEZLA .....	123
<i>nortriptyline</i> .....	38	<i>octreotide acetate</i> .....	117	OTEZLA STARTER .....	123
NORVIR.....	61	ODEFSEY .....	61	<i>oxcarbazepine</i> .....	33
NOVOLIN 70/30 U-100		ODOMZO .....	25	OXTELLAR XR .....	34
INSULIN.....	42	OFEV .....	143	<i>oxybutynin chloride</i> .....	110
NOVOLIN 70-30 FLEXPEN		<i>ofloxacin</i> .....	105	<i>oxycodone</i> .....	5
U-100.....	42	<i>ogestrel (28)</i> .....	93	<i>oxycodone-acetaminophen</i> .....	5
NOVOLIN N FLEXPEN .....	42	OGIVRI .....	25	<i>oxycodone-aspirin</i> .....	5
NOVOLIN N NPH U-100		<i>olanzapine</i> .....	57	OXYCONTIN .....	5
INSULIN.....	42	<i>olmesartan</i> .....	74	OZEMPIC .....	41
NOVOLIN R FLEXPEN .....	42	<i>olmesartan-</i>		<i>pacerone</i> .....	75
NOVOLIN R REGULAR U-		<i>hydrochlorothiazide</i> .....	74	PADCEV .....	26
100 INSULN.....	42	<i>olopatadine</i> .....	103	<i>paliperidone</i> .....	57
		OLUMIANT .....	123	PALYNZIQ .....	102

PANRETIN	96	<i>phenytoin</i>	34	<i>prednisolone acetate</i>	106
pantoprazole	107	<i>phenytoin sodium</i>	34	<i>prednisolone sodium phosphate</i>	
paricalcitol	131, 132	<i>phenytoin sodium extended</i>	34		106, 115
PARICALCITOL	132	<b>PHESGO</b>	26	<i>prednisone</i>	115
paroex oral rinse	95	<i>philith</i>	93	<i>pregabalin</i>	34
paromomycin	51	<b>PHOSLYRA</b>	110	<b>PREMARIN</b>	113
paroxetine hcl	38	<b>PICATO</b>	96	<b>PREMPHASE</b>	113
PASER	49	<b>PIFELTRO</b>	61	<b>PREMPRO</b>	114
PAXIL	38	<i>pilocarpine hcl</i>	96, 136	<i>prenatal plus (calcium carb)</i>	145
PEDIARIX (PF)	127	<i>pimecrolimus</i>	99	<i>prenatal vitamin plus low iron</i>	145
PEDVAX HIB (PF)	127	<i>pimozide</i>	57	<b>PRETOMANID</b>	49
peg 3350-electrolytes	110	<i>pimtrea (28)</i>	93	<i>prevalite</i>	82
PEGANONE	34	<i>pioglitazone</i>	41	<i>previfem</i>	94
PEGASYS	64	<i>piperacillin-tazobactam</i>	15	<b>PREVYMIS</b>	63
PEGASYS PROCLICK	64	<b>PIQRAY</b>	26	<b>PREZCOBIX</b>	61
PEGINTRON	64	<i>pirmella</i>	94	<b>PREZISTA</b>	61
PEMAZYRE	26	<b>PLASMA-LYTE 148</b>	137	<b>PRIFTIN</b>	49
PEN NEEDLE, DIABETIC	100	<b>PLASMA-LYTE A</b>	137	<b>PRIMAQUINE</b>	52
penicillamine	111	<b>PLEGRIDY</b>	86, 87	<i>primidone</i>	34
penicillin g potassium	15	<i>podofilox</i>	96	<b>PRIVIGEN</b>	123
penicillin g procaine	15	<b>POLIVY</b>	26	<b>PROAIR RESPICLICK</b>	141
penicillin v potassium	15	<i>polycin</i>	105	<i>probenecid</i>	46
PENNNSAID	7	<i>polymyxin b sulfate</i>	11	<i>probenecid-colchicine</i>	46
PENTACEL (PF)	128	<i>polymyxin b sulf-trimethoprim</i>	105	<i>procainamide</i>	75
PENTACEL DTAP-IPV		<b>POMALYST</b>	26	<b>PROCALAMINE 3%</b>	73
COMPNT (PF)	128	<i>portia 28</i>	94	<i>prochlorperazine</i>	50
pentamidine	51, 52	<b>PORTRAZZA</b>	26	<i>prochlorperazine edisylate</i>	50
pentoxifylline	69	<i>posaconazole</i>	45	<i>prochlorperazine maleate</i>	50
PERIKABIVEN	73	<i>potassium chloride</i>	137, 138	<b>PROCRT</b>	68
perindopril erbumine	75	<i>potassium chloride-0.45 % nacl</i>	138	<i>procto-med hc</i>	99
periogard	96	<i>potassium citrate</i>	138	<i>proctosol hc</i>	99
permethrin	100	<b>PRADAXA</b>	66	<i>protozone-hc</i>	99
perphenazine	57	<b>PRALUENT PEN</b>	82	<b>PROSYSBI</b>	111, 134
perphenazine-amitriptyline	38	<i>pramipexole</i>	53	<i>progesterone</i>	119
PERSERIS	57	<i>prasugrel</i>	69	<i>progesterone micronized</i>	119
pfizerpen-g	15	<i>pravastatin</i>	82	<b>PROGLYCEM</b>	134
phenadoz	50	<i>prazosin</i>	74	<b>PROGRAF</b>	123
phenelzine	38	<i>prednicarbate</i>	99	<b>PROLASTIN-C</b>	143
phenobarbital	34	<i>prednisolone</i>	115	<b>PROLENSA</b>	106
phenylephrine hcl	73, 103			<b>PROLEUKIN</b>	26

PROLIA	132	REMICADE	124	ROZLYTREK	27
PROMACTA	68	RENFLEXIS	124	RUBRACA	27
<i>promethazine</i>	46, 50, 51	<i>repaglinide</i>	41	RUKOBIA	61
<i>promethegan</i>	51	REPATHA PUSHTRONEX	82	RUXIENCE	27
<i>propafenone</i>	76	REPATHA SURECLICK	82	RYBELSUS	41
<i>proparacaine</i>	103	REPATHA SYRINGE	82	RYDAPT	27
<i>propranolol</i>	77	SCRIPTOR	61	SABRIL	34
<i>propranolol-hydrochlorothiazid</i>	77	RESTASIS	106	SAIZEN	117
<i>propylthiouracil</i>	119	RETACRIT	68	SAIZEN SAIZENPREP	117
PROQUAD (PF)	128	RETEVMO	26, 27	SANDOSTATIN LAR	
PROSOL 20 %	73	RETROVIR	61	DEPOT	117
<i>protamine</i>	68	REVCovi	102	SANTYL	96
<i>protriptyline</i>	39	REVIMID	27	SAPHRIS	58
PULMOZYME	102	<i>revonto</i>	144	<i>sapropterin</i>	102
PURIXAN	26	REXULTI	57	SARCLISA	27
<i>pyrazinamide</i>	49	REYATAZ	61	SAVELLA	87
<i>pyridostigmine bromide</i>	134	REYVOW	48	<i>scopolamine base</i>	51
<i>pyrimethamine</i>	52	RHOPRESSA	136	SECUADO	58
QINLOCK	26	<i>ribasphere</i>	65	<i>selegiline hcl</i>	53
QUADRACEL (PF)	128	<i>ribavirin</i>	65	<i>selenium sulfide</i>	97
<i>quetiapine</i>	57	RIDAURA	124	SELZENTRY	61
<i>quinapril</i>	75	<i>rifabutin</i>	49	SEREVENT DISKUS	141
<i>quinidine sulfate</i>	76	<i>rifampin</i>	49	SEROSTIM	118
RABAVERT (PF)	128	<i>riluzole</i>	87	<i>sertraline</i>	39
RADICAVA	87	<i>rimantadine</i>	63	<i>setlakin</i>	94
<i>raloxifene</i>	114	RINVOQ	124	<i>sevelamer carbonate</i>	110
<i>ramipril</i>	75	RISPERDAL CONSTA	57	<i>sevelamer hcl</i>	110
<i>ranolazine</i>	79	<i>risperidone</i>	57, 58	<i>sharobel</i>	94
<i>rasagiline</i>	53	<i>ritonavir</i>	61	SHINGRIX (PF)	128
RASUVO (PF)	124	RITUXAN	27	SIGNIFOR	118
RAVICTI	109	RITUXAN HYCELA	27	SIKLOS	68
RAYALDEE	132	<i>rivastigmine</i>	36	<i>sildenafil (pulm.hypertension)</i>	145
REBIF (WITH ALBUMIN)	87	<i>rivastigmine tartrate</i>	36	SILENOR	144
REBIF REBIDOSE	87	<i>rizatriptan</i>	48	SILIQ	124
REBIF TITRATION PACK	87	ROCKLATAN	136	<i>silver sulfadiazine</i>	97
<i>reclipsen (28)</i>	94	<i>ropinirole</i>	53	SIMBRINZA	136
RECOMBIVAX HB (PF)	128	<i>rosadan</i>	97	<i>simliya (28)</i>	94
RECTIV	134	<i>rosuvastatin</i>	82	<i>simpesesse</i>	94
RELENZA DISKHALER	63	ROTARIX	128	SIMPONI	124
RELISTOR	109	ROTATEQ VACCINE	128	SIMPONI ARIA	124

<i>simvastatin</i>	82	STRIVERDI RESPIMAT	141	<i>tacrolimus</i>	99, 125
<i>sirolimus</i>	124	SUBLINCADE	9	<i>tadalafil (pulm. hypertension)</i>	145
SIRTURO	49	<i>subvenite</i>	34	TAFINLAR	28
SKYRIZI	124	<i>sucralfate</i>	107	TAGRISSO	28
<i>smoflipid</i>	73	<i>sulfacetamide sodium</i>	105	TAKHZYRO	134
<i>sodium chloride</i>	131	<i>sulfacetamide sodium (acne)</i>	97	TALTZ AUTOINJECTOR	125
<i>sodium chloride 0.9 %</i>	138	<i>sulfacetamide-prednisolone</i>	105	TALTZ SYRINGE	125
<i>sodium phenylbutyrate</i>	109	<i>sulfadiazine</i>	16	TALZENNA	28
<i>sodium polystyrene (sorb free)</i>	109	<i>sulfamethoxazole-trimethoprim</i>	16	<i>tamoxifen</i>	28
<i>sodium polystyrene sulfonate</i>	109	<i>sulfasalazine</i>	130	<i>tamsulosin</i>	111
<i>sofosbuvir-velpatasvir</i>	63	<i>sulfatrim</i>	16	TARGRETIN	28
SOLIQUA 100/33	43	<i>sulindac</i>	7	<i>tarina 24 fe</i>	94
SOLTAMOX	27	<i>sumatriptan</i>	48	<i>tarina fe 1/20 (28)</i>	94
SOLU-CORTEF ACT-O-VIAL (PF)	115	<i>sumatriptan succinate</i>	48	TASIGNA	28
SOMATULINE DEPOT	118	SUNOSI	144	TAVALISSE	69
SOMAVERT	118	SUPPRELIN LA	118	<i>tazarotene</i>	99
<i>sorine</i>	77	SUPREP BOWEL PREP		TAZORAC	99
<i>sotalol</i>	77	KIT	110	<i>taztia xt</i>	78
<i>sotalol af</i>	77	SUTENT	27	TAZVERIK	28
SOVALDI	63, 64	syeda	94	TDVAX	128
SPIRIVA RESPIMAT	141	SYLATRON	64	TECENTRIQ	28
SPIRIVA WITH HANDIHALER	141	SYLVANT	27	TECFIDERA	87
<i>spironolactone</i>	80	SYMBICORT	139	TECHNIVIE	64
SPRAVATO	39	SYMDEKO	143	TEFLARO	13
<i>sprintec (28)</i>	94	SYMFI	62	TEKTURNA HCT	83
SPRITAM	34	SYMFI LO	62	<i>telmisartan</i>	74
SPRYCEL	27	SYMJEPI	79	<i>temazepam</i>	10
<i>sps (with sorbitol)</i>	109	SYMLINPEN 120	41	TEMIXYS	62
<i>sronyx</i>	94	SYMLINPEN 60	41	TEMODAR	28
<i>ssd</i>	97	SYMPAZAN	34	TENIVAC (PF)	129
<i>stavudine</i>	61	SYMTUZA	62	<i>tenofovir disoproxil fumarate</i>	62
STELARA	124	SYNAGIS	63	TEPEZZA	103
STIOLTO RESPIMAT	141	SYNAREL	118	<i>terazosin</i>	111
STIVARGA	27	SYNERCID	11	<i>terbinafine hcl</i>	45
STRENSIQ	102	SYNJARDY	41	<i>terbutaline</i>	141
<i>streptomycin</i>	10	SYNJARDY XR	41	<i>terconazole</i>	47
STRIBILD	61	SYNRIBO	27	<i>teriparatide</i>	132
		TABLOID	27	<i>testosterone</i>	112
		TABRECTA	28	<i>testosterone cypionate</i>	112
				<i>testosterone enanthate</i>	112

TETANUS,DIPHTHERIA		TRADJENTA .....	41	<i>tri-lo-sprintec</i> .....	94
TOX PED(PF).....	129	<i>tramadol</i> .....	5	<i>trilyte with flavor packets</i> .....	110
tetrabenazine .....	88	<i>tramadol-acetaminophen</i> .....	5	<i>trimethoprim</i> .....	11
tetracycline .....	17	<i>trandolapril</i> .....	75	<i>tri-mili</i> .....	95
THALOMID .....	135	<i>tranexamic acid</i> .....	69	<i>trimipramine</i> .....	39
<i>theophylline</i> .....	141	TRANSDERM-SCOP .....	51	TRINTELLIX .....	39
THIOLA .....	111	<i>tranylcypromine</i> .....	39	<i>tri-previfem (28)</i> .....	95
THIOLA EC .....	111	TRAVASOL 10 %.....	73	TRIPTODUR .....	118
<i>thioridazine</i> .....	58	<i>travoprost</i> .....	136	<i>tri-sprintec (28)</i> .....	95
<i>thiotepa</i> .....	28	TRAZIMERA .....	28	TRIUMEQ .....	62
<i>thiothixene</i> .....	58	<i>trazodone</i> .....	39	<i>trivora (28)</i> .....	95
<i>tiadylt er</i> .....	78	TREANDA .....	28	<i>tri-vylibra</i> .....	95
<i>tiagabine</i> .....	34	TRECATOR .....	49	<i>tri-vylibra lo</i> .....	95
TIBSOVO .....	28	TRELEGY ELLIPTA .....	141	TRODELVY .....	29
TICE BCG .....	125	TRELSTAR .....	28, 29	TROGARZO .....	62
<i>tigecycline</i> .....	17	TREMFYA .....	125	TROPHAMINE 10 %.....	73
<i>tilia fe</i> .....	94	<i>treprostinil sodium</i> .....	145	TROPHAMINE 6%.....	73
<i>timolol maleate</i> .....	77, 136	TRESIBA FLEXTOUCH U-		TRULICITY .....	41
TIVICAY .....	62	100 .....	43	TRUMENBA .....	129
TIVICAY PD .....	62	TRESIBA FLEXTOUCH U-		TRUVADA .....	62
<i>tizanidine</i> .....	144	200 .....	43	TRUXIMA .....	29
TOBI PODHALER .....	10	TRESIBA U-100 INSULIN ..	43	TUDORZA PRESSAIR .....	142
<i>tobramycin</i> .....	10, 105	<i>tretinooin</i> .....	99, 100	TUKYSA .....	29
<i>tobramycin in 0.225 % nacl</i> .....	10	<i>tretinooin (antineoplastic)</i> .....	29	<i>tulana</i> .....	95
<i>tobramycin sulfate</i> .....	10	<i>tri femynor</i> .....	94	TURALIO .....	29
<i>tobramycin-dexamethasone</i> .....	105	<i>tri amcinolone acetonide</i> .....		TWINRIX (PF) .....	129
TOLAK .....	96	96, 99, 115		TYBOST .....	135
<i>tolazamide</i> .....	44	<i>tri amterene-hydrochlorothiazid</i> .....		TYKERB .....	29
<i>tolterodine</i> .....	110	80, 81		TYMLOS .....	132
<i>topiramate</i> .....	35	<i>trientine</i> .....	112	TYPHIM VI .....	129
<i>toposar</i> .....	28	<i>tri-estarrylla</i> .....	94	TYSABRI .....	125
<i>toremifene</i> .....	28	<i>trifluoperazine</i> .....	58	TYVASO .....	145
<i>torsemide</i> .....	80	<i>trifluridine</i> .....	105	UBRELVY .....	48
TOTECT .....	135	<i>trihexyphenidyl</i> .....	53	UCERIS .....	130
TOUJEON MAX U-300		TRIKAFTA .....	143	UDENYCA .....	68
SOLOSTAR .....	43	<i>tri-legest fe</i> .....	94	UNITUXIN .....	29
TOUJEON SOLOSTAR U-300		<i>tri-linyah</i> .....	94	UPTRAVI .....	145
INSULIN .....	43	<i>tri-lo-estarrylla</i> .....	94	<i>ursodiol</i> .....	109
TOVIAZ .....	111	<i>tri-lo-marzia</i> .....	94	<i>valacyclovir</i> .....	65
TRACLEER .....	145	<i>tri-lo-mili</i> .....	94	VALCHLOR .....	96

<i>valganciclovir</i>	65	VIREAD	62	XOLAIR	143
<i>valproate sodium</i>	35	VISTOGARD	135	XOSPATA	30
<i>valproic acid</i>	35	VITRAKVI	30	XPOVIO	30
<i>valproic acid (as sodium salt)</i>	35	VIZIMPRO	30	XTAMPZA ER	5
<i>valrubicin</i>	29	<i>volnea</i> (28)	95	XTANDI	30
<i>valsartan</i>	74	VOLTAREN	7	<i>xulane</i>	95
<i>valsartan-hydrochlorothiazide</i>	74	voriconazole	45, 46	XULTOPHY 100/3.6	43
VALTOCO	35	VOSEVI	64	XURIDEN	135
<i>vancomycin</i>	12	VOTRIENT	30	XYOSTED	112
VAQTA (PF)	129	VPRIV	102	XYREM	144
VARIVAX (PF)	129	VRAYLAR	58	XYWAV	144
VASCEPA	82	VUMERTY	88	YERVOY	30
VELCADE	29	VYEPTI	48	YF-VAX (PF)	129
<i>velvet triphasic regimen</i> (28)	95	<i>vyfemla</i> (28)	95	YONDELIS	30
VELPHORO	110	<i>vylibra</i>	95	YONSA	30
VELTASSA	109	VYNDAMAX	79	<i>yuvafem</i>	114
VEMLIDY	62	VYNDAQEL	79	<i>zafirlukast</i>	139
VENCLEXTA	29	VYXEOS	30	<i>zaleplon</i>	144
VENCLEXTA STARTING PACK	29	<i>warfarin</i>	66	<i>zarah</i>	95
<i>venlafaxine</i>	39	<i>water for irrigation, sterile</i>	131	ZARXIO	68
<i>verapamil</i>	78	WELCHOL	82	ZEJULA	31
VERSACLOZ	58	<i>wera</i> (28)	95	ZELBORA F	31
VERZENIO	29	XADAGO	53	<i>zenatane</i>	96
V-GO 40	100	XALKORI	30	<i>zenchent</i> (28)	95
VIBERZI	109	XARELTO	66	ZENPEP	102
VICTOZA	41	XARELTO DVT-PE TREAT 30D START	66	ZEPATIER	64
VIDEX 2 GRAM PEDIATRIC	62	XATMEP	30	ZEPOSIA	88
VIDEX EC	62	XCOPRI	35	ZEPOSIA STARTER KIT	88
VIEKIRA PAK	64	XCOPRI MAINTENANCE PACK	35	ZEPOSIA STARTER PACK	88
<i>vienna</i>	95	XCOPRI TITRATION PACK	36	ZEPZELCA	31
<i>vigabatrin</i>	35	XELJANZ	125	<i>zidovudine</i>	62
<i>vigadrone</i>	35	XELJANZ XR	125	ZIEXTENZO	68
VIIBRYD	39	XERMELO	109	<i>ziprasidone hcl</i>	58
VIMIZIM	102	XHANCE	106	<i>ziprasidone mesylate</i>	58
VIMPAT	35	XIFAXAN	12	ZIRABEV	31
<i>vinorelbine</i>	29	XiIDRA	106	ZIRGAN	105
<i>viorele</i> (28)	95	XOFLUZA	63	ZOLADEX	31
VIRACEPT	62			<i>zoledronic acid</i>	132

<i>zoledronic acid-mannitol-water</i>	
.....	132
ZOLINZA.....	31
<i>zolpidem</i> .....	144
ZOMACTON.....	118
<i>zonisamide</i> .....	36
ZORBTIVE.....	118
ZORTRESS.....	125
ZOSTAVAX (PF).....	130
<i>zovia 1/35e (28)</i> .....	95
ZTLIDO.....	8
ZUBSOLV.....	9
ZULRESSO.....	39
<i>zumandimine (28)</i> .....	95
ZYDELIG.....	31
ZYKADIA.....	31
ZYLET.....	105
ZYPREXA RELPREVV.....	58
ZYTIGA.....	31

This formulary was updated on 12/01/2020. For more recent information or other questions, please contact Banner — University Care Advantage at (877) 874-3930 or, for TTY users, 711, 8 a.m. to 8 p.m., 7 days a week, or visit [www.BannerUCA.com](http://www.BannerUCA.com).